Contents

Preface xv

CHAPTER 1 Introduction 1

- 1.1.1 Variables: quantitative and qualitative 1
- 1.1.2 Levels of measurement: scale, ordinal and nominal data 1
- 1.1.3 A grey area: ratings 2
- 1.1.4 Univariate, bivariate and multivariate data sets 2
- 1.2.1 A simple experiment 3
- 1.2.2 A more complex experiment 4
- 1.2.3 Correlational research 5
- 1.2.4 The Pearson correlation coefficient 7
- 1.2.5 Correlation and causation 8
- 1.2.6 Quasi-experiments 8
- 1.3.1 Considerations in choosing a statistical test 9
- 1.3.2 Five common research situations 9
- 1.4.1 The design of the experiment: independent versus related samples 10
- 1.4.2 Flow chart for selecting a suitable test for differences between means 11
- 1.5.1 Flow chart for selecting a suitable test for association 13
- 1.5.2 Measuring association in ordinal data 14
- 1.5.3 Measuring association in nominal data: Contingency tables 14
- 1.5.4 Multi-way contingency tables 15
- 1.6.1 Flow chart for predicting a score or category membership 15
- 1.6.2 Simple regression 16
- 1.6.3 Multiple regression 16
- 1.6.4 Predicting category membership: Discriminant analysis and logistic regression 17
- 1.7.1 Flow chart for selecting the appropriate one-sample test 17
- 1.7.2 Goodness-of-fit: nominal data 18
- 1.7.3 Inferences about the mean of a single population 18

Recommended reading 20

CHAPTER 2 Getting started with IBM SPSS Statistics 18 21

- 2.1.1 Entering the data 21
- 2.1.2 Selecting the exploratory and statistical procedures 22
- 2.1.3 Examining the output 22
- 2.1.4 A simple experiment 22
- 2.1.5 Preparing data for SPSS 23
- 090NN08P5827
- THE SPANSIA (ISTENDATIA CONC.)
- 2.3.1 Working in Variable View 25
- 2.3.2 Working in Data View 30
- 2.3.3 Entering the data 31
- A STATISTICAL ANALYSIS 34
- 2.4.1 An example: Computing the group means 34
- 2.4.2 Keeping more than one application open 38
- 2.5 CLOSING SPSS 39

2.6 RESUMING WORK ON A SAVUD DATA SET 39

- Exercise 1 Some simple operations with SPSS Statistics 18 39
- Exercise 2 Questionnaire data 39

CHAPTER 3 Editing data sets 40

- 3.1.1 Working in Variable View 40
- 3.1.2 Working in Data View 47
- 3.2.1 Editing the output 55
- 3.2.2 More advanced editing 57
- 3.2.3 Tutorials in SPSS 61
- 3.3.1 Selecting cases 61
- 3.3.2 Aggregating data 64
- 3.3.3 Sorting data 66
- 3.3.4 Merging files 67
- 3.3.5 Transposing the rows and columns of a data set 72
- 3.4.1 Importing data from other applications 74
- 3.4.2 Copying output 76
- 3.5.1 Printing output from the Viewer 78
- 3.5.2 Printing from the Data Editor 82
- 3.5.3 Transferring data from the Viewer for printing 82
- Exercise 3 Merging files Adding cases & variables 84

CHAPTER 4 Describing and exploring your data 85

- 4.2.1 Describing nominal data relating to one attribute 87
- 4.2.2 Obtaining contingency tables 90
- 4.3.1 Histograms of the distributions of height and weight for the males and females 95
- 4.3.2 Obtaining scatterplots of weight against height 97
- 4.3.3 Obtaining the statistics of the height distributions of males and females 99
- 4.4.1 Stem-and-leaf displays 102
- 4.4.2 Boxplots 103
- 4.4.3 Exploring a small data set 104
- 4.4.4 Some of the statistical output from Explore 105
- 4.5.1 Data for the Multiple Response procedure 108
- 4.5.2 Creating a multiple response set 110
- 4.5.3 Obtaining the crosstabulations 112
- 4.5.4 Finding the frequencies of specific transport profiles 116
- 4.6.1 Reducing and transforming data 120
- 4.6.2 The COMPUTE VARIABLE procedure 120
- 4.6.3 The RECODE procedure 127
- Exercise 4 Correcting and preparing your data 131
- Exercise 5 Preparing your data (continued) 131

CHAPTER 5 Graphs and charts 132

- 5.1.1 Graphs and charts on SPSS 132
- 5.1.2 Viewing a chart 134
- 5.1.3 Editing charts and saving templates 135
- 5.2.1 Simple bar charts 135
- 5.2.2 Clustered bar charts 139
- 5.2.3 Panelled bar charts 141
- 5.2.4 3-D charts 142
- 5.2.5 Editing a bar chart 144
- 5.2.6 Chart templates 145
- 5.6.1 The Visual Binning procedure 154
- 5.6.2 Plotting line graphs 157

- 5.7.1 Scatterplots 159
- 5.7.2 Dot plots 161
- 5.10.1 The SPSS ROC curve 168
- 5.10.2 The d' statistic 171
- Exercise 6 Charts and graphs 172
- Exercise 7 Recoding data; selecting cases; line graph 172

CHAPTER 6 Comparing averages: Two-sample and onesample tests *173*

- 6.2.1 Preparing the data file 174
- 6.2.2 Exploring the data 175
- 6.2.3 Running the *t* test 177
- 6.2.4 Interpreting the output *179*
- 6.2.5 Two-tailed and one-tailed *p*-values 180
- 6.2.6 The effects of extreme scores and outliers in a small data set 181
- 6.2.7 Measuring effect size 181
- 6.2.8 Reporting the results of a statistical test 183
- 6.3.1 Preparing the data file 185
- 6.3.2 Exploring the data 185
- 6.3.3 Running the t test 186
- 6.3.4 Interpreting the output 187
- 6.3.5 Measuring effect size 188
- 6.3.6 Reporting the results of the test 188
- 6.3.7 A one-sample test 189
- 6.4.1 Nonparametric tests in SPSS 189
- 6.4.2 Independent samples: The Mann-Whitney U test 190
- 6.4.3 Output for the Mann-Whitney U test 192
- 6.4.4 Effect size 194
- 6.4.5 The report 195
- 6.5.1 The Wilcoxon matched-pairs tests in SPSS 195
- 6.5.2 The output 196
- 6.5.3 Effect size 197
- 6.5.4 The report 197
- 6.6.1 The sign test in SPSS 199
- 6.6.2 Bernoulli trials: the binomial test 201
- 6.7.1 How many participants shall I need in my experiment? 207

Exercise 8	Comparing the averages of two independent samples of data 208
Exercise 9	Comparing the averages of two related samples of data 208
Exercise 10	One-sample tests 208

CHAPTER 7 The one-way ANOVA 209

- 7.1.1 A more complex drug experiment 209
- 7.1.2 ANOVA models 210
- 7.1.3 The one-way ANOVA 210
- 7.2.1 Entering the data 217
- 7.2.2 Running the one-way ANOVA 220
- 7.2.3 The output *220*
- 7.2.4 Effect size 221
- 7.2.5 Report of the primary analysis 224
- 7.2.6 The two-group case: equivalence of F and t 223
- 7.3.1 Factors with fixed and random effects 225
- 7.3.2 The analysis of covariance (ANCOVA) 226
- 7.3.3 Univariate versus multivariate statistical tests 226
- 7.3.4 The one-way ANOVA with GLM 226
- 7.3.5 The GLM output 227
- 7.3.6 Requesting additional items 229
- 7.3.7 Additional output from GLM 231
- 7.4.1 Planned and unplanned comparisons 234
- 7.4.2 Linear contrasts 238
- 7.5.1 Polynomials 249
- 7.6.1 How many participants shall I need? Using G*Power 3 251
- 7.7.1 The Kruskal-Wallis k-sample test 253
- 7.7.2 Dichotomous nominal data: the chi-square test 260

Recommended reading 261

Exercise 11 One-factor between subjects ANOVA 261

- Appendix 7.4.2.6 Partition of the between groups sum of squares into the sums of squares of the contrasts in an orthogonal set 261
- Appendix 7.5.1 An illustration of trend analysis 262

CHAPTER 8 Between subjects factorial experiments 267

- 8.1.1 An experiment with two treatment factors 267
- 8.1.2 Main effects and interactions 269

- 8.1.3 Profile plots 269
- 8.2.1 The two-way ANOVA 271
- 8.2.2 Degrees of freedom 272
- 8.2.3 The two-way ANOVA summary table 273
- 8.3.1 Entering the data into the Data Editor 275
- 8.3.2 Exploring the data: boxplots 276
- 8.3.3 Choosing a factorial ANOVA 277
- 8.3.4 Output for a factorial ANOVA 278
- 8.3.5 Measuring effect size in the two-way ANOVA 280
- 8.3.6 Reporting the results of the two-way ANOVA 283
- 8.4.1 The danger with multiple comparisons 284
- 8.4.2 Unpacking significant main effects: post hoc tests 284
- 8.4.3 The analysis of interactions 285
- 8.5.1 The Syntax Editor 287
- 8.5.2 Building syntax files automatically 288
- 8.5.3 Using the MANOVA command to run the univariate ANOVA 288
- 8.7.1 Three-way interactions 297
- 8.7.2 The three-way ANOVA 298
- 8.7.3 How the three-way ANOVA works 299
- 8.7.4 Measures of effect size in the three-way ANOVA 301
- 8.7.5 How many participants shall I need? 301
- 8.7.6 The three-way ANOVA with SPSS 301
- 8.7.7 Follow-up analysis following a significant three-way interaction 304
- 8.7.8 Using SPSS syntax to test for simple interactions and simple, simple main effects 305
- 8.7.9 Unplanned multiple comparisons following a significant three-way interaction 308

Recommended reading 311

Exercise 12 Between subjects factorial ANOVA (two-way ANOVA) 311

CHAPTER 9 Within subjects experiments 312

- 9.1.1 Rationale of a within subjects experiment 312
- 9.1.2 How the within subjects ANOVA works 313
- 9.1.3 A within subjects experiment on the effect of target shape on shooting accuracy 316
- 9.1.4 Order effects: counterbalancing 317
- 9.1.5 Assumptions underlying the within subjects ANOVA: homogeneity of covariance 317

9.2.1 Entering the data 319

- 9.2.2 Exploring the data: Boxplots for within subjects factors 319
- 9.2.3 Running the within subjects ANOVA 321
- 9.2.4 Output for a one-factor within subjects ANOVA 325
- 9.2.5 Effect size in the within subjects ANOVA 329
- 9.4.1 The Friedman test for ordinal data 332
- 9.4.2 Cochran's Q test for nominal data 335
- 9.5.1 Preparing the data set 338
- 9.5.2 Running the two-factor within subjects ANOVA 338
- 9.5.3 Output for a two-factor within subjects ANOVA 341
- 9.5.4 Unpacking a significant interaction with multiple comparisons 345

Recommended reading 348

- Exercise 13 One-factor within subjects (repeated measures) ANOVA 348
- Exercise 14 Two-factor within subjects ANOVA 348

CHAPTER 10 Mixed factorial experiments 349

- 10.1.1 A mixed factorial experiment 349
- 10.1.2 Classifying mixed factorial designs 350
- 10.1.3 Rationale of the mixed ANOVA 351
- 10.2.1 Preparing the SPSS data set 353
- 10.2.2 Exploring the results: Boxplots 354
- 10.2.3 Running the ANOVA 355
- 10.2.4 Output for the two-factor mixed ANOVA 357
- 10.2.5 Simple effects analysis with syntax 363
- 10.3.1 The two three-factor designs 367
- 10.3.2 Two within subjects factors 368
- 10.3.3 Using syntax to test for simple effects 373
- 10.3.4 One within subjects factor and two between subjects factors: the A×B×(C) mixed factorial design 377
- 10.4.1 What the MANOVA does 384
- 10.4.2 How the MANOVA works 386
- 10.4.3 Assumptions of MANOVA 389
- 10.4.4 Application of MANOVA to the shape recognition experiment 390

Recommended reading 394

- Exercise 15 Mixed ANOVA: two-factor experiment 394
- Exercise 16 Mixed ANOVA: three-factor experiment 394

CHAPTER 11 Measuring statistical association 395

- 11.1.1 A correlational study 396
- 11.1.2 Linear relationships 397
- 11.1.3 Error in measurement 397
- 11.2.1 Formula for the Pearson correlation 398
- 11.2.2 The range of values of the Pearson correlation 399
- 11.2.3 The sign of a correlation 399
- 11.2.4 Testing an obtained value of r for significance 400
- 11.2.5 A word of warning about the correlation coefficient 401
- 11.2.6 Effect size 401
- 11.3.1 Preparing the SPSS data set 403
- 11.3.2 Obtaining the scatterplot 403
- 11.3.3 Obtaining the Pearson correlation 404
- 11.3.4 Output for the Pearson correlation 405
- 11.4.1 Spearman's rank correlation 406
- 11.4.2 Kendall's tau statistics 407
- 11.4.3 Rank correlations with SPSS 407
- 11.5.1 The approximate chi-square goodness-of-fit test with three or more categories 409
- 11.5.2 Running a chi-square goodness-of-fit test on SPSS 410
- 11.5.3 Measuring effect size following a chi-square test of goodness-of-fit 413
- 11.5.4 Testing for association between two qualitative variables in a contingency table 415
- 11.5.5 Analysis of contingency tables with SPSS 420
- 11.5.6 Getting help with the output 425
- 11.5.7 Some cautions and caveats 426
- 11.5.8 Other problems with traditional chi-square analyses 431
- 11.7.1 Correlation does not imply causation 434
- 11.7.2 Meaning of partial correlation 436
- 11.8.1 Reliability and number of items: coefficient alpha 440
- 11.8.2 Measuring agreement among judges: the intraclass correlation 441
- 11.8.3 Reliability analysis with SPSS 442

Recommended reading 445

- Exercise 17 The Pearson correlation 445
- Exercise 18 Other measures of association 445
- Exercise 19 The analysis of nominal data 445

CHAPTER 12 Regression 446

- 12.1.1 Simple, two-variable regression 446
- 12.1.2 Residuals 448
- 12.1.3 The least squares criterion for 'the best-fitting line'449
- 12.1.4 Regression and correlation 450
- 12.1.5 The coefficient of determination revisited 451
- 12.1.6 Shrinkage with resampling 454
- 12.1.7 Beta-weights 454
- 12.1.8 Effects of linear transformations on the correlation and regression Coefficients 455
- 12.1.9 Significance testing in simple regression 455
- 12.2.1 Drawing scatterplots with regression lines 456
- 12.2.2 A problem in simple regression 459
- 12.2.3 Procedure for simple regression 459
- 12.2.4 Output for simple regression 462
- 12.3.1 The multiple correlation coefficient *R* 468
- 12.3.2 Significance testing in multiple regression 469
- 12.3.3 Partial and semipartial correlation 469
- 12.4.1 Simultaneous multiple regression 476
- 12.4.2 Stepwise multiple regression 480
- 12.6.1 A path diagram 484
- 12.6.2 Path analysis with AMOS 487
- 12.6.3 A brief look at a saturated model 502

Recommended reading 506

Exercise 20 Simple, two-variable regression 507

Exercise 21 Multiple regression 507

CHAPTER 13 Analyses of multiway frequency tables 508

- 13.2.1 Loglinear models and ANOVA models 509
- 13.2.2 Model-building and the hierarchical principle 511
- 13.2.3 The main-effects-only loglinear model and the traditional chi-square test for association 513
- 13.2.4 Analysis of the residuals 514
- 13.3.1 SPSS procedures for loglinear analysis 515
- 13.3.2 Fitting an unsaturated model 521
- 13.3.3 Summary 525

- 13.4.1 Exploring the data 526
- 13.4.2 Loglinear analysis of the data on gender and helpfulness 527
- 13.4.3 The main-effects-only model and the traditional chi-square test 531
- 13.4.4 Collapsing a multi-way table: the requirement of conditional independence 533
- 13.4.5 An alternative data set for the gender and helpfulness experiment 535
- 13.4.6 Reporting the results of a loglinear analysis 538

Recommended reading 539

Exercise 22 Loglinear analysis 539

CHAPTER 14 Discriminant analysis and logistic regression 540

- 14.1.1 Discriminant analysis 541
- 14.1.2 Types of discriminant analysis 542
- 14.1.3 Stepwise discriminant analysis 542
- 14.1.4 Assumptions of discriminant analysis 543
- 14.2.1 Accessing the data 544
- 14.2.2 Exploring the data 544
- 14.2.3 Running discriminant analysis 545
- 14.2.4 Output for discriminant analysis 547
- 14.2.5 Predicting group membership 555
- 1421
 - 14.3.1 Logistic regression 557
 - 14.3.2 How logistic regression works 559
 - 14.3.3 An example of a binary logistic regression with quantitative independent variables 562
 - 14.3.4 Binary logistic regression with categorical independent variables 570
 - 14.4.1 Running multinomial logistic regression 575

Recommended reading 579

Exercise 23 Predicting category membership: Discriminant analysis and binary logistic regression 579

CHAPTER 15 The search for latent variables: factor analysis 580

- 15.1.1 Stages in an exploratory factor analysis 582
- 15.1.2 The extraction of factors 583
- 15.1.3 The rationale of rotation 583
- 15.1.4 Some issues in factor analysis 583
- 15.1.5 Some key technical terms 584
- 15.1.6 Preliminaries 585

- 15.2.1 Entering the data for a factor analysis 586
- 15.2.2 Running a factor analysis on SPSS 586
- 15.2.3 Output for factor analysis 589
- 15.3.1 Running a factor analysis with syntax 598
- 15.3.2 Using a correlation matrix as input for factor analysis 599
- 15.3.3 Progressing with SPSS syntax 603
- 15.4.1 Input path diagram for a confirmatory factor analysis 605
- 15.4.2 Drawing the input path diagram for the researcher's two-factor model 607
- 15.4.3 Running the analysis 610
- 15.4.4 Result of the chi-square goodness-of-fit test and the output path diagram 611
- 15.4.5 Text output from a confirmatory factor analysis 613
- 15.4.6 Structural equation modelling 616

Recommended reading *617* Exercise 24 Factor analysis *617*

Glossary 618

References 635

Index 637