

Contents in Brief

Preface	vi
1 The Foundations of Biochemistry	1
I STRUCTURE AND CATALYSIS	45
2 Water	47
3 Amino Acids, Peptides, and Proteins	75
4 The Three-Dimensional Structure of Proteins	115
5 Protein Function	157
6 Enzymes	189
7 Carbohydrates and Glycobiology	243
8 Nucleotides and Nucleic Acids	281
9 DNA-Based Information Technologies	313
10 Lipids	357
11 Biological Membranes and Transport	385
12 Biosignaling	433
II BIOENERGETICS AND METABOLISM	501
13 Bioenergetics and Biochemical Reaction Types	505
14 Glycolysis, Gluconeogenesis, and the Pentose Phosphate Pathway	543
15 Principles of Metabolic Regulation	587
16 The Citric Acid Cycle	633
17 Fatty Acid Catabolism	667
18 Amino Acid Oxidation and the Production of Urea	695
19 Oxidative Phosphorylation and Photophosphorylation	731
20 Carbohydrate Biosynthesis in Plants and Bacteria	799
21 Lipid Biosynthesis	833
22 Biosynthesis of Amino Acids, Nucleotides, and Related Molecules	881
23 Hormonal Regulation and Integration of Mammalian Metabolism	929
III INFORMATION PATHWAYS	977
24 Genes and Chromosomes	979
25 DNA Metabolism	1009
26 RNA Metabolism	1057
27 Protein Metabolism	1103
28 Regulation of Gene Expression	1155
Abbreviated Solutions to Problems	A5-1
Glossary	G-1
Credits	C-1
Index	I-1

Contents

1 The Foundations of Biochemistry	1
1.1 Cellular Foundations	2
Cells Are the Structural and Functional Units of All Living Organisms	3
Cellular Dimensions Are Limited by Diffusion	3
There Are Three Distinct Domains of Life	3
Organisms Differ Widely in Their Sources of Energy and Biosynthetic Precursors	4
Bacterial and Archaeal Cells Share Common Features but Differ in Important Ways	4
Eukaryotic Cells Have a Variety of Membranous Organelles, Which Can Be Isolated for Study	6
The Cytoplasm Is Organized by the Cytoskeleton and Is Highly Dynamic	8
Cells Build Supramolecular Structures	9
In Vitro Studies May Overlook Important Interactions among Molecules	9
1.2 Chemical Foundations	11
Biomolecules Are Compounds of Carbon with a Variety of Functional Groups	12
Cells Contain a Universal Set of Small Molecules	14
BOX 1-1 Molecular Weight, Molecular Mass, and Their Correct Units	14
Macromolecules Are the Major Constituents of Cells	15
Three-Dimensional Structure Is Described by Configuration and Conformation	16
BOX 1-2 Louis Pasteur and Optical Activity: <i>In Vino, Veritas</i>	18
Interactions between Biomolecules Are Stereospecific	19
1.3 Physical Foundations	20
Living Organisms Exist in a Dynamic Steady State, Never at Equilibrium with Their Surroundings	21
Organisms Transform Energy and Matter from Their Surroundings	21
BOX 1-3 Entropy: Things Fall Apart	22
The Flow of Electrons Provides Energy for Organisms	22
Creating and Maintaining Order Requires Work and Energy	22
Energy Coupling Links Reactions in Biology	24
K_{eq} and ΔG° Are Measures of a Reaction's Tendency to Proceed Spontaneously	25
Enzymes Promote Sequences of Chemical Reactions	27
Metabolism Is Regulated to Achieve Balance and Economy	28
1.4 Genetic Foundations	29
Genetic Continuity Is Vested in Single DNA Molecules	30
The Structure of DNA Allows for Its Replication and Repair with Near-Perfect Fidelity	30
The Linear Sequence in DNA Encodes Proteins with Three-Dimensional Structures	30
	xv

1.5 Evolutionary Foundations	32	2.4 Water as a Reactant	69
Changes in the Hereditary Instructions Allow Evolution	32	2.5 The Fitness of the Aqueous Environment for Living Organisms	69
Biomolecules First Arose by Chemical Evolution	33		
RNA or Related Precursors May Have Been the First Genes and Catalysts	34	3 Amino Acids, Peptides, and Proteins	75
Biological Evolution Began More Than Three and a Half Billion Years Ago	35	3.1 Amino Acids	76
The First Cell Probably Used Inorganic Fuels	35	Amino Acids Share Common Structural Features	76
Eukaryotic Cells Evolved from Simpler Precursors in Several Stages	36	The Amino Acid Residues in Proteins Are	
Molecular Anatomy Reveals Evolutionary Relationships	37	L Stereoisomers	78
Functional Genomics Shows the Allocations of Genes to Specific Cellular Processes	38	Amino Acids Can Be Classified by R Group	78
Genomic Comparisons Have Increasing Importance in Human Biology and Medicine	39	BOX 3-1 METHODS: Absorption of Light by Molecules: The Lambert-Beer Law	80
		Uncommon Amino Acids Also Have Important Functions	81
I STRUCTURE AND CATALYSIS	45	Amino Acids Can Act as Acids and Bases	81
		Amino Acids Have Characteristic Titration Curves	82
2 Water	47	Titration Curves Predict the Electric Charge of Amino Acids	84
		Amino Acids Differ in Their Acid-Base Properties	84
2.1 Weak Interactions in Aqueous Systems	47	3.2 Peptides and Proteins	85
Hydrogen Bonding Gives Water Its Unusual Properties	47	Peptides Are Chains of Amino Acids	85
Water Forms Hydrogen Bonds with Polar Solutes	49	Peptides Can Be Distinguished by Their Ionization Behavior	86
Water Interacts Electrostatically with Charged Solutes	50	Biologically Active Peptides and Polypeptides Occur in a Vast Range of Sizes and Compositions	87
Entropy Increases as Crystalline Substances Dissolve	51	Some Proteins Contain Chemical Groups Other Than Amino Acids	89
Nonpolar Gases Are Poorly Soluble in Water	51	3.3 Working with Proteins	89
Nonpolar Compounds Force Energetically Unfavorable Changes in the Structure of Water	51	Proteins Can Be Separated and Purified	89
van der Waals Interactions Are Weak Interatomic Attractions	53	Proteins Can Be Separated and Characterized by Electrophoresis	92
Weak Interactions Are Crucial to Macromolecular Structure and Function	54	Unseparated Proteins Can Be Quantified	95
Solutes Affect the Colligative Properties of Aqueous Solutions	55	3.4 The Structure of Proteins: Primary Structure	96
		The Function of a Protein Depends on Its Amino Acid Sequence	97
2.2 Ionization of Water, Weak Acids, and Weak Bases	58	The Amino Acid Sequences of Millions of Proteins Have Been Determined	97
Pure Water Is Slightly Ionized	58	Protein Chemistry Is Enriched by Methods Derived from Classical Polypeptide Sequencing	98
The Ionization of Water Is Expressed by an Equilibrium Constant	59	Mass Spectrometry Offers an Alternative Method to Determine Amino Acid Sequences	100
The pH Scale Designates the H^+ and OH^- Concentrations	60	Small Peptides and Proteins Can Be Chemically Synthesized	102
Weak Acids and Bases Have Characteristic Acid Dissociation Constants	61	Amino Acid Sequences Provide Important Biochemical Information	104
Titration Curves Reveal the pK_a of Weak Acids	62	Protein Sequences Can Elucidate the History of Life on Earth	104
		BOX 3-2 Consensus Sequences and Sequence Logos	105
2.3 Buffering against pH Changes in Biological Systems	63	4 The Three-Dimensional Structure of Proteins	115
Buffers Are Mixtures of Weak Acids and Their Conjugate Bases	64		
The Henderson-Hasselbalch Equation Relates pH, pK_a , and Buffer Concentration	64	4.1 Overview of Protein Structure	115
Weak Acids or Bases Buffer Cells and Tissues against pH Changes	65	A Protein's Conformation Is Stabilized Largely by Weak Interactions	116
Untreated Diabetes Produces Life-Threatening Acidosis	67	The Peptide Bond Is Rigid and Planar	117
BOX 2-1 MEDICINE: On Being One's Own Rabbit (Don't Try This at Home!)	68		

4.2 Protein Secondary Structure	119	Hemoglobin Binds Oxygen Cooperatively	165
The α Helix Is a Common Protein Secondary Structure	120	Cooperative Ligand Binding Can Be Described Quantitatively	167
Amino Acid Sequence Affects Stability of the α Helix	121	Two Models Suggest Mechanisms for Cooperative Binding	167
BOX 4-1 METHODS: Knowing the Right Hand from the Left	121	BOX 5-1 MEDICINE: Carbon Monoxide: A Stealthy Killer	168
The β Conformation Organizes Polypeptide Chains into Sheets	123	Hemoglobin Also Transports H^+ and CO_2	169
β Turns Are Common in Proteins	123	Oxygen Binding to Hemoglobin Is Regulated by 2,3-Bisphosphoglycerate	171
Common Secondary Structures Have Characteristic Dihedral Angles	123	Sickle-Cell Anemia Is a Molecular Disease of Hemoglobin	172
Common Secondary Structures Can Be Assessed by Circular Dichroism	124		
4.3 Protein Tertiary and Quaternary Structures	125	5.2 Complementary Interactions between Proteins and Ligands: The Immune System and Immunoglobulins	174
Fibrous Proteins Are Adapted for a Structural Function	125	The Immune Response Features a Specialized Array of Cells and Proteins	174
BOX 4-2 Permanent Waving Is Biochemical Engineering	127	Antibodies Have Two Identical Antigen-Binding Sites	175
BOX 4-3 MEDICINE: Why Sailors, Explorers, and College Students Should Eat Their Fresh Fruits and Vegetables	128	Antibodies Bind Tightly and Specifically to Antigen	177
Structural Diversity Reflects Functional Diversity in Globular Proteins	130	The Antibody-Antigen Interaction Is the Basis for a Variety of Important Analytical Procedures	178
Myoglobin Provided Early Clues about the Complexity of Globular Protein Structure	131		
BOX 4-4 The Protein Data Bank	132	5.3 Protein Interactions Modulated by Chemical Energy: Actin, Myosin, and Molecular Motors	179
Globular Proteins Have a Variety of Tertiary Structures	133	The Major Proteins of Muscle Are Myosin and Actin	179
BOX 4-5 METHODS: Methods for Determining the Three-Dimensional Structure of a Protein	134	Additional Proteins Organize the Thin and Thick Filaments into Ordered Structures	181
Protein Motifs Are the Basis for Protein Structural Classification	138	Myosin Thick Filaments Slide along Actin Thin Filaments	182
Protein Quaternary Structures Range from Simple Dimers to Large Complexes	140		
Some Proteins or Protein Segments Are Intrinsically Disordered	141	6 Enzymes	189
4.4 Protein Denaturation and Folding	143	6.1 An Introduction to Enzymes	189
Loss of Protein Structure Results in Loss of Function	143	Most Enzymes Are Proteins	190
Amino Acid Sequence Determines Tertiary Structure	144	Enzymes Are Classified by the Reactions They Catalyze	190
Polypeptides Fold Rapidly by a Stepwise Process	144	6.2 How Enzymes Work	192
Some Proteins Undergo Assisted Folding	146	Enzymes Affect Reaction Rates, Not Equilibria	192
Defects in Protein Folding Provide the Molecular Basis for a Wide Range of Human Genetic Disorders	148	Reaction Rates and Equilibria Have Precise Thermodynamic Definitions	194
BOX 4-6 MEDICINE: Death by Misfolding: The Prion Diseases	150	A Few Principles Explain the Catalytic Power and Specificity of Enzymes	194
		Weak Interactions between Enzyme and Substrate Are Optimized in the Transition State	195
5 Protein Function	157	Binding Energy Contributes to Reaction Specificity and Catalysis	197
5.1 Reversible Binding of a Protein to a Ligand: Oxygen-Binding Proteins	158	Specific Catalytic Groups Contribute to Catalysis	199
Oxygen Can Bind to a Heme Prosthetic Group	158	6.3 Enzyme Kinetics as an Approach to Understanding Mechanism	200
Globins Are a Family of Oxygen-Binding Proteins	159	Substrate Concentration Affects the Rate of Enzyme-Catalyzed Reactions	200
Myoglobin Has a Single Binding Site for Oxygen	159	The Relationship between Substrate Concentration and Reaction Rate Can Be Expressed Quantitatively	202
Protein-Ligand Interactions Can Be Described Quantitatively	159	Kinetic Parameters Are Used to Compare Enzyme Activities	203
Protein Structure Affects How Ligands Bind	162	BOX 6-1 Transformations of the Michaelis-Menten Equation: The Double-Reciprocal Plot	204
Hemoglobin Transports Oxygen in Blood	163		
Hemoglobin Subunits Are Structurally Similar to Myoglobin	163		
Hemoglobin Undergoes a Structural Change on Binding Oxygen	163		

Many Enzymes Catalyze Reactions with Two or More Substrates	206	Steric Factors and Hydrogen Bonding Influence Homopolysaccharide Folding	257
Pre-Steady State Kinetics Can Provide Evidence for Specific Reaction Steps	207	Bacterial and Algal Cell Walls Contain Structural Heteropolysaccharides	259
Enzymes Are Subject to Reversible or Irreversible Inhibition	207	Glycosaminoglycans Are Heteropolysaccharides of the Extracellular Matrix	260
BOX 6-2 Kinetic Tests for Determining Inhibition Mechanisms	209	7.3 Glycoconjugates: Proteoglycans, Glycoproteins, and Glycosphingolipids	263
BOX 6-3 MEDICINE: Curing African Sleeping Sickness with a Biochemical Trojan Horse	211	Proteoglycans Are Glycosaminoglycan-Containing Macromolecules of the Cell Surface and Extracellular Matrix	264
Enzyme Activity Depends on pH	212	Glycoproteins Have Covalently Attached Oligosaccharides	266
6.4 Examples of Enzymatic Reactions	214	Glycolipids and Lipopolysaccharides Are Membrane Components	268
The Chymotrypsin Mechanism Involves Acylation and Deacylation of a Ser Residue	214	7.4 Carbohydrates as Informational Molecules: The Sugar Code	269
An Understanding of Protease Mechanisms Leads to New Treatments for HIV Infections	218	Lectins Are Proteins That Read the Sugar Code and Mediate Many Biological Processes	269
Hexokinase Undergoes Induced Fit on Substrate Binding	219	Lectin-Carbohydrate Interactions Are Highly Specific and Often Multivalent	272
The Enolase Reaction Mechanism Requires Metal Ions	220	7.5 Working with Carbohydrates	274
Lysozyme Uses Two Successive Nucleophilic Displacement Reactions	220	8 Nucleotides and Nucleic Acids	281
An Understanding of Enzyme Mechanism Produces Useful Antibiotics	224	8.1 Some Basics	281
6.5 Regulatory Enzymes	226	Nucleotides and Nucleic Acids Have Characteristic Bases and Pentoses	281
Allosteric Enzymes Undergo Conformational Changes in Response to Modulator Binding	226	Phosphodiester Bonds Link Successive Nucleotides in Nucleic Acids	284
The Kinetic Properties of Allosteric Enzymes Diverge from Michaelis-Menten Behavior	227	The Properties of Nucleotide Bases Affect the Three-Dimensional Structure of Nucleic Acids	286
Some Enzymes Are Regulated by Reversible Covalent Modification	228	8.2 Nucleic Acid Structure	287
Phosphoryl Groups Affect the Structure and Catalytic Activity of Enzymes	229	DNA Is a Double Helix That Stores Genetic Information	288
Multiple Phosphorylations Allow Exquisite Regulatory Control	230	DNA Can Occur in Different Three-Dimensional Forms	290
Some Enzymes and Other Proteins Are Regulated by Proteolytic Cleavage of an Enzyme Precursor	231	Certain DNA Sequences Adopt Unusual Structures	291
A Cascade of Proteolytically Activated Zymogens Leads to Blood Coagulation	232	Messenger RNAs Code for Polypeptide Chains	293
Some Regulatory Enzymes Use Several Regulatory Mechanisms	235	Many RNAs Have More Complex Three-Dimensional Structures	294
7 Carbohydrates and Glycobiology	243	8.3 Nucleic Acid Chemistry	297
7.1 Monosaccharides and Disaccharides	243	Double-Helical DNA and RNA Can Be Denatured	297
The Two Families of Monosaccharides Are Aldoses and Ketoses	244	Nucleic Acids from Different Species Can Form Hybrids	298
Monosaccharides Have Asymmetric Centers	244	Nucleotides and Nucleic Acids Undergo Nonenzymatic Transformations	299
The Common Monosaccharides Have Cyclic Structures	245	Some Bases of DNA Are Methylated	302
Organisms Contain a Variety of Hexose Derivatives	249	The Sequences of Long DNA Strands Can Be Determined	302
BOX 7-1 MEDICINE: Blood Glucose Measurements in the Diagnosis and Treatment of Diabetes	250	The Chemical Synthesis of DNA Has Been Automated	304
Monosaccharides Are Reducing Agents	251	8.4 Other Functions of Nucleotides	306
Disaccharides Contain a Glycosidic Bond	252	Nucleotides Carry Chemical Energy in Cells	306
BOX 7-2 Sugar Is Sweet, and So Are . . . a Few Other Things	254	Adenine Nucleotides Are Components of Many Enzyme Cofactors	306
7.2 Polysaccharides	254	Some Nucleotides Are Regulatory Molecules	308
Some Homopolysaccharides Are Stored Forms of Fuel	255		
Some Homopolysaccharides Serve Structural Roles	256		

9 DNA-Based Information Technologies	313		
9.1 Studying Genes and Their Products	314		
Genes Can Be Isolated by DNA Cloning	314		
Restriction Endonucleases and DNA Ligases Yield Recombinant DNA	314		
Cloning Vectors Allow Amplification of Inserted DNA Segments	317		
Cloned Genes Can Be Expressed to Amplify Protein Production	321		
Many Different Systems Are Used to Express Recombinant Proteins	322		
Alteration of Cloned Genes Produces Altered Proteins	323		
Terminal Tags Provide Handles for Affinity Purification	325		
Gene Sequences Can Be Amplified with the Polymerase Chain Reaction	327		
BOX 9-1 METHODS: A Powerful Tool in Forensic Medicine	329		
9.2 Using DNA-Based Methods to Understand Protein Function	331		
DNA Libraries Are Specialized Catalogs of Genetic Information	332		
Sequence or Structural Relationships Provide Information on Protein Function	333		
Fusion Proteins and Immunofluorescence Can Localize Proteins in Cells	333		
Protein-Protein Interactions Can Help Elucidate Protein Function	334		
DNA Microarrays Reveal RNA Expression Patterns and Other Information	337		
9.3 Genomics and the Human Story	339		
Genomic Sequencing Is Aided by New Generations of DNA-Sequencing Methods	339		
BOX 9-2 MEDICINE: Personalized Genomic Medicine	340		
The Human Genome Contains Genes and Many Other Types of Sequences	342		
Genome Sequencing Informs Us about Our Humanity	345		
Genome Comparisons Help Locate Genes Involved in Disease	347		
Genome Sequences Inform Us about Our Past and Provide Opportunities for the Future	349		
BOX 9-3 Getting to Know the Neanderthals	350		
10 Lipids	357		
10.1 Storage Lipids	357		
Fatty Acids Are Hydrocarbon Derivatives	357		
Triacylglycerols Are Fatty Acid Esters of Glycerol	360		
Triacylglycerols Provide Stored Energy and Insulation	360		
Partial Hydrogenation of Cooking Oils Produces Trans Fatty Acids	361		
Waxes Serve as Energy Stores and Water Repellents	362		
10.2 Structural Lipids in Membranes	362		
Glycerophospholipids Are Derivatives of Phosphatidic Acid	363		
		Some Glycerophospholipids Have Ether-Linked Fatty Acids	364
		Chloroplasts Contain Galactolipids and Sulfolipids	365
		Archaea Contain Unique Membrane Lipids	365
		Sphingolipids Are Derivatives of Sphingosine	366
		Sphingolipids at Cell Surfaces Are Sites of Biological Recognition	367
		Phospholipids and Sphingolipids Are Degraded in Lysosomes	368
		Sterols Have Four Fused Carbon Rings	368
		BOX 10-1 MEDICINE: Abnormal Accumulations of Membrane Lipids: Some Inherited Human Diseases	369
10.3 Lipids as Signals, Cofactors, and Pigments	370		
		Phosphatidylinositols and Sphingosine Derivatives Act as Intracellular Signals	370
		Eicosanoids Carry Messages to Nearby Cells	371
		Steroid Hormones Carry Messages between Tissues	372
		Vascular Plants Produce Thousands of Volatile Signals	372
		Vitamins A and D Are Hormone Precursors	373
		Vitamins E and K and the Lipid Quinones Are Oxidation-Reduction Cofactors	374
		Dolichols Activate Sugar Precursors for Biosynthesis	375
		Many Natural Pigments Are Lipidic Conjugated Dienes	376
		Polyketides Are Natural Products with Potent Biological Activities	376
10.4 Working with Lipids	377		
		Lipid Extraction Requires Organic Solvents	377
		Adsorption Chromatography Separates Lipids of Different Polarity	378
		Gas-Liquid Chromatography Resolves Mixtures of Volatile Lipid Derivatives	378
		Specific Hydrolysis Aids in Determination of Lipid Structure	378
		Mass Spectrometry Reveals Complete Lipid Structure	378
		Lipidomics Seeks to Catalog All Lipids and Their Functions	379
11 Biological Membranes and Transport	385		
11.1 The Composition and Architecture of Membranes	386		
		Each Type of Membrane Has Characteristic Lipids and Proteins	386
		All Biological Membranes Share Some Fundamental Properties	387
		A Lipid Bilayer Is the Basic Structural Element of Membranes	387
		Three Types of Membrane Proteins Differ in Their Association with the Membrane	389
		Many Membrane Proteins Span the Lipid Bilayer	390
		Integral Proteins Are Held in the Membrane by Hydrophobic Interactions with Lipids	390
		The Topology of an Integral Membrane Protein Can Sometimes Be Predicted from Its Sequence	391
		Covalently Attached Lipids Anchor Some Membrane Proteins	394

11.2	Membrane Dynamics	395			
	Acyl Groups in the Bilayer Interior Are Ordered to Varying Degrees	395			
	Transbilayer Movement of Lipids Requires Catalysis	396			
	Lipids and Proteins Diffuse Laterally in the Bilayer	397			
	Sphingolipids and Cholesterol Cluster Together in Membrane Rafts	398			
	Membrane Curvature and Fusion Are Central to Many Biological Processes	399			
	Integral Proteins of the Plasma Membrane Are Involved in Surface Adhesion, Signaling, and Other Cellular Processes	402			
11.3	Solute Transport across Membranes	402			
	Passive Transport Is Facilitated by Membrane Proteins	403			
	Transporters and Ion Channels Are Fundamentally Different	404			
	The Glucose Transporter of Erythrocytes Mediates Passive Transport	405			
	The Chloride-Bicarbonate Exchanger Catalyzes Electroneutral Cotransport of Anions across the Plasma Membrane	407			
	BOX 11-1 MEDICINE: Defective Glucose and Water Transport in Two Forms of Diabetes	408			
	Active Transport Results in Solute Movement against a Concentration or Electrochemical Gradient	409			
	P-Type ATPases Undergo Phosphorylation during Their Catalytic Cycles	410			
	V-Type and F-Type ATPases Are Reversible, ATP-Driven Proton Pumps	412			
	ABC Transporters Use ATP to Drive the Active Transport of a Wide Variety of Substrates	413			
	Ion Gradients Provide the Energy for Secondary Active Transport	414			
	BOX 11-2 MEDICINE: A Defective Ion Channel in Cystic Fibrosis	415			
	Aquaporins Form Hydrophilic Transmembrane Channels for the Passage of Water	418			
	Ion-Selective Channels Allow Rapid Movement of Ions across Membranes	420			
	Ion-Channel Function Is Measured Electrically	421			
	The Structure of a K ⁺ Channel Reveals the Basis for Its Specificity	422			
	Gated Ion Channels Are Central in Neuronal Function	424			
	Defective Ion Channels Can Have Severe Physiological Consequences	424			
12	Biosignaling	433			
12.1	General Features of Signal Transduction	433			
	BOX 12-1 METHODS: Scatchard Analysis Quantifies the Receptor-Ligand Interaction	435			
12.2	G Protein-Coupled Receptors and Second Messengers	437			
	The β -Adrenergic Receptor System Acts through the Second Messenger cAMP	438			
	BOX 12-2 MEDICINE: G Proteins: Binary Switches in Health and Disease	441			
	Several Mechanisms Cause Termination of the β -Adrenergic Response	444			
	The β -Adrenergic Receptor Is Desensitized by Phosphorylation and by Association with Arrestin	445			
	Cyclic AMP Acts as a Second Messenger for Many Regulatory Molecules	446			
	Diacylglycerol, Inositol Trisphosphate, and Ca ²⁺ Have Related Roles as Second Messengers	447			
	BOX 12-3 METHODS: FRET: Biochemistry Visualized in a Living Cell	448			
	Calcium Is a Second Messenger That May Be Localized in Space and Time	451			
	GPCRs Mediate the Actions of a Wide Variety of Signals	452			
12.3	Receptor Tyrosine Kinases	453			
	Stimulation of the Insulin Receptor Initiates a Cascade of Protein Phosphorylation Reactions	453			
	The Membrane Phospholipid PIP ₃ Functions at a Branch in Insulin Signaling	456			
	The JAK-STAT Signaling System Also Involves Tyrosine Kinase Activity	457			
	Cross Talk among Signaling Systems Is Common and Complex	458			
12.4	Receptor Guanylyl Cyclases, cGMP, and Protein Kinase G	459			
12.5	Multivalent Adaptor Proteins and Membrane Rafts	460			
	Protein Modules Bind Phosphorylated Tyr, Ser, or Thr Residues in Partner Proteins	460			
	Membrane Rafts and Caveolae May Segregate Signaling Proteins	463			
12.6	Gated Ion Channels	464			
	Ion Channels Underlie Electrical Signaling in Excitable Cells	464			
	Voltage-Gated Ion Channels Produce Neuronal Action Potentials	465			
	The Acetylcholine Receptor Is a Ligand-Gated Ion Channel	467			
	Neurons Have Receptor Channels That Respond to Different Neurotransmitters	468			
	Toxins Target Ion Channels	468			
12.7	Integrins: Bidirectional Cell Adhesion Receptors	470			
12.8	Regulation of Transcription by Nuclear Hormone Receptors	471			
12.9	Signaling in Microorganisms and Plants	473			
	Bacterial Signaling Entails Phosphorylation in a Two-Component System	473			
	Signaling Systems of Plants Have Some of the Same Components Used by Microbes and Mammals	473			
	Plants Detect Ethylene through a Two-Component System and a MAPK Cascade	475			

Receptorlike Protein Kinases Transduce Signals from Peptides	476	Simple Hydrolysis	522
12.10 Sensory Transduction in Vision, Olfaction, and Gustation	477	ATP Donates Phosphoryl, Pyrophosphoryl, and Adenylyl Groups	523
The Visual System Uses Classic GPCR Mechanisms	477	Assembly of Informational Macromolecules Requires Energy	524
Excited Rhodopsin Acts through the G Protein Transducin to Reduce the cGMP Concentration	478	BOX 13–1 Firefly Flashes: Glowing Reports of ATP	525
The Visual Signal Is Quickly Terminated	480	ATP Energizes Active Transport and Muscle Contraction	525
Cone Cells Specialize in Color Vision	480	Transphosphorylations between Nucleotides Occur in All Cell Types	526
BOX 12–4 MEDICINE: Color Blindness: John Dalton's Experiment from the Grave	481	Inorganic Polyphosphate Is a Potential Phosphoryl Group Donor	527
Vertebrate Olfaction and Gustation Use Mechanisms Similar to the Visual System	481	13.4 Biological Oxidation-Reduction Reactions	528
GPCRs of the Sensory Systems Share Several Features with GPCRs of Hormone Signaling Systems	482	The Flow of Electrons Can Do Biological Work	528
12.11 Regulation of the Cell Cycle by Protein Kinases	484	Oxidation-Reductions Can Be Described as Half-Reactions	528
The Cell Cycle Has Four Stages	484	Biological Oxidations Often Involve Dehydrogenation	529
Levels of Cyclin-Dependent Protein Kinases Oscillate	484	Reduction Potentials Measure Affinity for Electrons	530
CDKs Regulate Cell Division by Phosphorylating Critical Proteins	487	Standard Reduction Potentials Can Be Used to Calculate Free-Energy Change	531
12.12 Oncogenes, Tumor Suppressor Genes, and Programmed Cell Death	488	Cellular Oxidation of Glucose to Carbon Dioxide Requires Specialized Electron Carriers	532
Oncogenes Are Mutant Forms of the Genes for Proteins That Regulate the Cell Cycle	489	A Few Types of Coenzymes and Proteins Serve as Universal Electron Carriers	532
Defects in Certain Genes Remove Normal Restraints on Cell Division	489	NADH and NADPH Act with Dehydrogenases as Soluble Electron Carriers	532
BOX 12–5 MEDICINE: Development of Protein Kinase Inhibitors for Cancer Treatment	490	Dietary Deficiency of Niacin, the Vitamin Form of NAD and NADP, Causes Pellagra	535
Apoptosis Is Programmed Cell Suicide	492	Flavin Nucleotides Are Tightly Bound in Flavoproteins	535
<hr/>		14 Glycolysis, Gluconeogenesis, and the Pentose Phosphate Pathway	543
II BIOENERGETICS AND METABOLISM	501	14.1 Glycolysis	544
13 Bioenergetics and Biochemical Reaction Types	505	An Overview: Glycolysis Has Two Phases	544
13.1 Bioenergetics and Thermodynamics	506	The Preparatory Phase of Glycolysis Requires ATP	548
Biological Energy Transformations Obey the Laws of Thermodynamics	506	The Payoff Phase of Glycolysis Yields ATP and NADH	550
Cells Require Sources of Free Energy	507	The Overall Balance Sheet Shows a Net Gain of ATP	555
Standard Free-Energy Change Is Directly Related to the Equilibrium Constant	507	Glycolysis Is under Tight Regulation	555
Actual Free-Energy Changes Depend on Reactant and Product Concentrations	509	BOX 14–1 MEDICINE: High Rate of Glycolysis in Tumors Suggests Targets for Chemotherapy and Facilitates Diagnosis	556
Standard Free-Energy Changes Are Additive	510	Glucose Uptake Is Deficient in Type 1 Diabetes Mellitus	558
13.2 Chemical Logic and Common Biochemical Reactions	511	14.2 Feeder Pathways for Glycolysis	558
Biochemical and Chemical Equations Are Not Identical	517	Dietary Polysaccharides and Disaccharides Undergo Hydrolysis to Monosaccharides	558
13.3 Phosphoryl Group Transfers and ATP	517	Endogenous Glycogen and Starch Are Degraded by Phosphorolysis	560
The Free-Energy Change for ATP Hydrolysis Is Large and Negative	518	Other Monosaccharides Enter the Glycolytic Pathway at Several Points	561
Other Phosphorylated Compounds and Thioesters Also Have Large Free Energies of Hydrolysis	520	14.3 Fates of Pyruvate under Anaerobic Conditions: Fermentation	563
ATP Provides Energy by Group Transfers, Not by		Pyruvate Is the Terminal Electron Acceptor in Lactic Acid Fermentation	563
		BOX 14–2 Athletes, Alligators, and Coelacanths:	

BOX 14-2 Athletes, Alligators, and Coelacanths: Glycolysis at Limiting Concentrations of Oxygen	564	The Response Coefficient Expresses the Effect of an Outside Controller on Flux through a Pathway	598
Ethanol Is the Reduced Product in Ethanol Fermentation	565	Metabolic Control Analysis Has Been Applied to Carbohydrate Metabolism, with Surprising Results	599
Thiamine Pyrophosphate Carries “Active Acetaldehyde” Groups	565	Metabolic Control Analysis Suggests a General Method for Increasing Flux through a Pathway	600
BOX 14-3 Ethanol Fermentations: Brewing Beer and Producing Biofuels	566		
Fermentations Are Used to Produce Some Common Foods and Industrial Chemicals	566		
14.4 Gluconeogenesis	568	15.3 Coordinated Regulation of Glycolysis and Gluconeogenesis	601
Conversion of Pyruvate to Phosphoenolpyruvate Requires Two Exergonic Reactions	570	Hexokinase Isozymes of Muscle and Liver Are Affected Differently by Their Product, Glucose 6-Phosphate	602
Conversion of Fructose 1,6-Bisphosphate to Fructose 6-Phosphate Is the Second Bypass	572	BOX 15-2 Isozymes: Different Proteins That Catalyze the Same Reaction	602
Conversion of Glucose 6-Phosphate to Glucose Is the Third Bypass	573	Hexokinase IV (Glucokinase) and Glucose 6-Phosphatase Are Transcriptionally Regulated	603
Gluconeogenesis Is Energetically Expensive, but Essential	573	Phosphofructokinase-1 and Fructose 1,6-Bisphosphatase Are Reciprocally Regulated	604
Citric Acid Cycle Intermediates and Some Amino Acids Are Glucogenic	574	Fructose 2,6-Bisphosphate Is a Potent Allosteric Regulator of PFK-1 and FBPase-1	605
Mammals Cannot Convert Fatty Acids to Glucose	574	Xylulose 5-Phosphate Is a Key Regulator of Carbohydrate and Fat Metabolism	606
Glycolysis and Gluconeogenesis Are Reciprocally Regulated	574	The Glycolytic Enzyme Pyruvate Kinase Is Allosterically Inhibited by ATP	606
14.5 Pentose Phosphate Pathway of Glucose Oxidation	575	The Gluconeogenic Conversion of Pyruvate to Phosphoenol Pyruvate Is Under Multiple Types of Regulation	608
The Oxidative Phase Produces Pentose Phosphates and NADPH	575	Transcriptional Regulation of Glycolysis and Gluconeogenesis Changes the Number of Enzyme Molecules	608
BOX 14-4 MEDICINE: Why Pythagoras Wouldn't Eat Falafel: Glucose 6-Phosphate Dehydrogenase Deficiency	576	BOX 15-3 MEDICINE: Genetic Mutations That Lead to Rare Forms of Diabetes	611
The Nonoxidative Phase Recycles Pentose Phosphates to Glucose 6-Phosphate	577		
Wernicke-Korsakoff Syndrome Is Exacerbated by a Defect in Transketolase	580	15.4 The Metabolism of Glycogen in Animals	612
Glucose 6-Phosphate Is Partitioned between Glycolysis and the Pentose Phosphate Pathway	580	Glycogen Breakdown Is Catalyzed by Glycogen Phosphorylase	613
		Glucose 1-Phosphate Can Enter Glycolysis or, in Liver, Replenish Blood Glucose	614
15 Principles of Metabolic Regulation	587	The Sugar Nucleotide UDP-Glucose Donates Glucose for Glycogen Synthesis	615
15.1 Regulation of Metabolic Pathways	588	BOX 15-4 Carl and Gerty Cori: Pioneers in Glycogen Metabolism and Disease	616
Cells and Organisms Maintain a Dynamic Steady State	589	Glycogenin Primes the Initial Sugar Residues in Glycogen	619
Both the Amount and the Catalytic Activity of an Enzyme Can Be Regulated	589		
Reactions Far from Equilibrium in Cells Are Common Points of Regulation	592	15.5 Coordinated Regulation of Glycogen Synthesis and Breakdown	620
Adenine Nucleotides Play Special Roles in Metabolic Regulation	594	Glycogen Phosphorylase Is Regulated Allosterically and Hormonally	621
15.2 Analysis of Metabolic Control	596	Glycogen Synthase Is Also Regulated by Phosphorylation and Dephosphorylation	623
The Contribution of Each Enzyme to Flux through a Pathway Is Experimentally Measurable	596	Glycogen Synthase Kinase 3 Mediates Some of the Actions of Insulin	624
The Flux Control Coefficient Quantifies the Effect of a Change in Enzyme Activity on Metabolite Flux through a Pathway	597	Phosphoprotein Phosphatase 1 Is Central to Glycogen Metabolism	624
The Elasticity Coefficient Is Related to an Enzyme's Responsiveness to Changes in Metabolite or Regulator Concentrations	597	Allosteric and Hormonal Signals Coordinate Carbohydrate Metabolism Globally	624
BOX 15-1 METHODS: Metabolic Control Analysis: Quantitative Aspects	598	Carbohydrate and Lipid Metabolism Are Integrated by Hormonal and Allosteric Mechanisms	626

16	The Citric Acid Cycle	633			
16.1	Production of Acetyl-CoA (Activated Acetate)	633			
	Pyruvate Is Oxidized to Acetyl-CoA and CO ₂	634			
	The Pyruvate Dehydrogenase Complex Requires Five Coenzymes	634			
	The Pyruvate Dehydrogenase Complex Consists of Three Distinct Enzymes	635			
	In Substrate Channeling, Intermediates Never Leave the Enzyme Surface	636			
16.2	Reactions of the Citric Acid Cycle	638			
	The Sequence of Reactions in the Citric Acid Cycle Makes Chemical Sense	638			
	The Citric Acid Cycle Has Eight Steps	640			
	BOX 16-1 Moonlighting Enzymes: Proteins with More Than One Job	642			
	BOX 16-2 Synthases and Synthetases; Ligases and Lyases; Kinases, Phosphatases, and Phosphorylases: Yes, the Names Are Confusing!	646			
	The Energy of Oxidations in the Cycle Is Efficiently Conserved	647			
	BOX 16-3 Citrate: A Symmetric Molecule That Reacts Asymmetrically	648			
	Why Is the Oxidation of Acetate So Complicated?	649			
	Citric Acid Cycle Components Are Important Biosynthetic Intermediates	650			
	Anaplerotic Reactions Replenish Citric Acid Cycle Intermediates	650			
	Biotin in Pyruvate Carboxylase Carries CO ₂ Groups	651			
16.3	Regulation of the Citric Acid Cycle	653			
	Production of Acetyl-CoA by the Pyruvate Dehydrogenase Complex Is Regulated by Allosteric and Covalent Mechanisms	654			
	The Citric Acid Cycle Is Regulated at Its Three Exergonic Steps	655			
	Substrate Channeling through Multienzyme Complexes May Occur in the Citric Acid Cycle	655			
	Some Mutations in Enzymes of the Citric Acid Cycle Lead to Cancer	656			
16.4	The Glyoxylate Cycle	656			
	The Glyoxylate Cycle Produces Four-Carbon Compounds from Acetate	657			
	The Citric Acid and Glyoxylate Cycles Are Coordinately Regulated	658			
17	Fatty Acid Catabolism	667			
17.1	Digestion, Mobilization, and Transport of Fats	668			
	Dietary Fats Are Absorbed in the Small Intestine	668			
	Hormones Trigger Mobilization of Stored Triacylglycerols	669			
	Fatty Acids Are Activated and Transported into Mitochondria	670			
17.2	Oxidation of Fatty Acids	672			
	The β Oxidation of Saturated Fatty Acids Has Four Basic Steps	673			
	The Four β -Oxidation Steps Are Repeated to Yield Acetyl-CoA and ATP	674			
	Acetyl-CoA Can Be Further Oxidized in the Citric Acid Cycle	675			
	BOX 17-1 Fat Bears Carry Out β Oxidation in Their Sleep	676			
	Oxidation of Unsaturated Fatty Acids Requires Two Additional Reactions	677			
	Complete Oxidation of Odd-Number Fatty Acids Requires Three Extra Reactions	677			
	Fatty Acid Oxidation Is Tightly Regulated	678			
	Transcription Factors Turn on the Synthesis of Proteins for Lipid Catabolism	679			
	BOX 17-2 Coenzyme B₁₂: A Radical Solution to a Perplexing Problem	680			
	Genetic Defects in Fatty Acyl-CoA Dehydrogenases Cause Serious Disease	682			
	Peroxisomes Also Carry Out β Oxidation	682			
	Plant Peroxisomes and Glyoxysomes Use Acetyl-CoA from β Oxidation as a Biosynthetic Precursor	683			
	The β -Oxidation Enzymes of Different Organelles Have Diverged during Evolution	683			
	The ω Oxidation of Fatty Acids Occurs in the Endoplasmic Reticulum	684			
	Phytanic Acid Undergoes α Oxidation in Peroxisomes	685			
17.3	Ketone Bodies	686			
	Ketone Bodies, Formed in the Liver, Are Exported to Other Organs as Fuel	686			
	Ketone Bodies Are Overproduced in Diabetes and during Starvation	688			
18	Amino Acid Oxidation and the Production of Urea	695			
18.1	Metabolic Fates of Amino Groups	696			
	Dietary Protein Is Enzymatically Degraded to Amino Acids	697			
	Pyridoxal Phosphate Participates in the Transfer of α -Amino Groups to α -Ketoglutarate	699			
	Glutamate Releases Its Amino Group As Ammonia in the Liver	700			
	Glutamine Transports Ammonia in the Bloodstream	702			
	Alanine Transports Ammonia from Skeletal Muscles to the Liver	703			
	Ammonia Is Toxic to Animals	703			
18.2	Nitrogen Excretion and the Urea Cycle	704			
	Urea Is Produced from Ammonia in Five Enzymatic Steps	704			
	The Citric Acid and Urea Cycles Can Be Linked	706			
	The Activity of the Urea Cycle Is Regulated at Two Levels	708			
	Pathway Interconnections Reduce the Energetic Cost of Urea Synthesis	708			
	BOX 18-1 MEDICINE: Assays for Tissue Damage	708			
	Genetic Defects in the Urea Cycle Can Be Life-Threatening	709			
18.3	Pathways of Amino Acid Degradation	710			
	Some Amino Acids Are Converted to Glucose, Others to Ketone Bodies	711			
	Several Enzyme Cofactors Play Important Roles in Amino Acid Catabolism	712			

Six Amino Acids Are Degraded to Pyruvate	715	Hypoxia Leads to ROS Production and Several Adaptive Responses	760
Seven Amino Acids Are Degraded to Acetyl-CoA	717	ATP-Producing Pathways Are Coordinately Regulated	761
Phenylalanine Catabolism Is Genetically Defective in Some People	719	19.4 Mitochondria in Thermogenesis, Steroid Synthesis, and Apoptosis	762
Five Amino Acids Are Converted to α -Ketoglutarate	721	Uncoupled Mitochondria in Brown Adipose Tissue Produce Heat	762
Four Amino Acids Are Converted to Succinyl-CoA	722	Mitochondrial P-450 Oxygenases Catalyze Steroid Hydroxylations	763
Branched-Chain Amino Acids Are Not Degraded in the Liver	723	Mitochondria Are Central to the Initiation of Apoptosis	764
BOX 18-2 MEDICINE: Scientific Sleuths Solve a Murder Mystery	724	19.5 Mitochondrial Genes: Their Origin and the Effects of Mutations	765
Asparagine and Aspartate Are Degraded to Oxaloacetate	724	Mitochondria Evolved from Endosymbiotic Bacteria	765
19 Oxidative Phosphorylation and Photophosphorylation	731	Mutations in Mitochondrial DNA Accumulate throughout the Life of the Organism	766
OXIDATIVE PHOSPHORYLATION	732	Some Mutations in Mitochondrial Genomes Cause Disease	767
19.1 Electron-Transfer Reactions in Mitochondria	732	Diabetes Can Result from Defects in the Mitochondria of Pancreatic β Cells	768
Electrons Are Funneled to Universal Electron Acceptors	734	PHOTOSYNTHESIS: HARVESTING LIGHT ENERGY	769
Electrons Pass through a Series of Membrane-Bound Carriers	735	19.6 General Features of Photophosphorylation	769
Electron Carriers Function in Multienzyme Complexes	737	Photosynthesis in Plants Takes Place in Chloroplasts	769
Mitochondrial Complexes May Associate in Respirasomes	743	Light Drives Electron Flow in Chloroplasts	770
The Energy of Electron Transfer Is Efficiently Conserved in a Proton Gradient	743	19.7 Light Absorption	771
Reactive Oxygen Species Are Generated during Oxidative Phosphorylation	745	Chlorophylls Absorb Light Energy for Photosynthesis	771
BOX 19-1 Hot, Stinking Plants and Alternative Respiratory Pathways	746	Accessory Pigments Extend the Range of Light Absorption	773
Plant Mitochondria Have Alternative Mechanisms for Oxidizing NADH	746	Chlorophyll Funnels the Absorbed Energy to Reaction Centers by Exciton Transfer	774
19.2 ATP Synthesis	747	19.8 The Central Photochemical Event: Light-Driven Electron Flow	776
ATP Synthase Has Two Functional Domains, F_0 and F_1	750	Bacteria Have One of Two Types of Single Photochemical Reaction Center	776
ATP Is Stabilized Relative to ADP on the Surface of F_1	750	Kinetic and Thermodynamic Factors Prevent the Dissipation of Energy by Internal Conversion	778
The Proton Gradient Drives the Release of ATP from the Enzyme Surface	751	In Plants, Two Reaction Centers Act in Tandem	779
Each β Subunit of ATP Synthase Can Assume Three Different Conformations	752	Antenna Chlorophylls Are Tightly Integrated with Electron Carriers	781
Rotational Catalysis Is Key to the Binding-Change Mechanism for ATP Synthesis	752	The Cytochrome b_6f Complex Links Photosystems II and I	782
How Does Proton Flow through the F_0 Complex Produce Rotary Motion?	755	Cyclic Electron Flow between PSI and the Cytochrome b_6f Complex Increases the Production of ATP Relative to NADPH	783
Chemiosmotic Coupling Allows Nonintegral Stoichiometries of O_2 Consumption and ATP Synthesis	755	State Transitions Change the Distribution of LHCII between the Two Photosystems	783
BOX 19-2 METHODS: Atomic Force Microscopy to Visualize Membrane Proteins	756	Water Is Split by the Oxygen-Evolving Complex	784
The Proton-Motive Force Energizes Active Transport	757	19.9 ATP Synthesis by Photophosphorylation	786
Shuttle Systems Indirectly Convey Cytosolic NADH into Mitochondria for Oxidation	758	A Proton Gradient Couples Electron Flow and Phosphorylation	786
19.3 Regulation of Oxidative Phosphorylation	759	The Approximate Stoichiometry of Photophosphorylation Has Been Established	787
Oxidative Phosphorylation Is Regulated by Cellular Energy Needs	760	The ATP Synthase of Chloroplasts Is Like That of Mitochondria	787
An Inhibitory Protein Prevents ATP Hydrolysis during Hypoxia	760		

19.10 The Evolution of Oxygenic Photosynthesis	788	Fatty Acid Synthase Receives the Acetyl and Malonyl Groups	836
Chloroplasts Evolved from Ancient Photosynthetic Bacteria	788	The Fatty Acid Synthase Reactions Are Repeated to Form Palmitate	838
In <i>Halobacterium</i> , a Single Protein Absorbs Light and Pumps Protons to Drive ATP Synthesis	789	Fatty Acid Synthesis Occurs in the Cytosol of Many Organisms but in the Chloroplasts of Plants	839
20 Carbohydrate Biosynthesis in Plants and Bacteria	799	Acetate Is Shuttled out of Mitochondria as Citrate	840
20.1 Photosynthetic Carbohydrate Synthesis	799	Fatty Acid Biosynthesis Is Tightly Regulated	840
Plastids Are Organelles Unique to Plant Cells and Algae	800	Long-Chain Saturated Fatty Acids Are Synthesized from Palmitate	842
Carbon Dioxide Assimilation Occurs in Three Stages	801	Desaturation of Fatty Acids Requires a Mixed-Function Oxidase	842
Synthesis of Each Triose Phosphate from CO ₂ Requires Six NADPH and Nine ATP	808	BOX 21-1 MEDICINE: Mixed-Function Oxidases, Cytochrome P-450 Enzymes, and Drug Overdoses	844
A Transport System Exports Triose Phosphates from the Chloroplast and Imports Phosphate	809	Eicosanoids Are Formed from 20-Carbon Polyunsaturated Fatty Acids	845
Four Enzymes of the Calvin Cycle Are Indirectly Activated by Light	810	21.2 Biosynthesis of Triacylglycerols	848
20.2 Photorespiration and the C₄ and CAM Pathways	812	Triacylglycerols and Glycerophospholipids Are Synthesized from the Same Precursors	848
Photorespiration Results from Rubisco's Oxygenase Activity	812	Triacylglycerol Biosynthesis in Animals Is Regulated by Hormones	849
The Salvage of Phosphoglycolate Is Costly	813	Adipose Tissue Generates Glycerol 3-phosphate by Glyceroneogenesis	850
In C ₄ Plants, CO ₂ Fixation and Rubisco Activity Are Spatially Separated	815	Thiazolidinediones Treat Type 2 Diabetes by Increasing Glyceroneogenesis	852
BOX 20-1 Will Genetic Engineering of Photosynthetic Organisms Increase Their Efficiency?	816	21.3 Biosynthesis of Membrane Phospholipids	852
In CAM Plants, CO ₂ Capture and Rubisco Action Are Temporally Separated	818	Cells Have Two Strategies for Attaching Phospholipid Head Groups	852
20.3 Biosynthesis of Starch and Sucrose	818	Phospholipid Synthesis in <i>E. coli</i> Employs CDP-Diacylglycerol	853
ADP-Glucose Is the Substrate for Starch Synthesis in Plant Plastids and for Glycogen Synthesis in Bacteria	818	Eukaryotes Synthesize Anionic Phospholipids from CDP-Diacylglycerol	855
UDP-Glucose Is the Substrate for Sucrose Synthesis in the Cytosol of Leaf Cells	819	Eukaryotic Pathways to Phosphatidylserine, Phosphatidylethanolamine, and Phosphatidylcholine Are Interrelated	855
Conversion of Triose Phosphates to Sucrose and Starch Is Tightly Regulated	820	Plasmalogen Synthesis Requires Formation of an Ether-Linked Fatty Alcohol	856
20.4 Synthesis of Cell Wall Polysaccharides: Plant Cellulose and Bacterial Peptidoglycan	821	Sphingolipid and Glycerophospholipid Synthesis Share Precursors and Some Mechanisms	857
Cellulose Is Synthesized by Supramolecular Structures in the Plasma Membrane	822	Polar Lipids Are Targeted to Specific Cellular Membranes	857
Lipid-Linked Oligosaccharides Are Precursors for Bacterial Cell Wall Synthesis	823	21.4 Cholesterol, Steroids, and Isoprenoids: Biosynthesis, Regulation, and Transport	859
20.5 Integration of Carbohydrate Metabolism in the Plant Cell	825	Cholesterol Is Made from Acetyl-CoA in Four Stages	860
Gluconeogenesis Converts Fats and Proteins to Glucose in Germinating Seeds	825	Cholesterol Has Several Fates	864
Pools of Common Intermediates Link Pathways in Different Organelles	826	Cholesterol and Other Lipids Are Carried on Plasma Lipoproteins	864
21 Lipid Biosynthesis	833	BOX 21-2 MEDICINE: ApoE Alleles Predict Incidence of Alzheimer Disease	866
21.1 Biosynthesis of Fatty Acids and Eicosanoids	833	Cholesteryl Esters Enter Cells by Receptor-Mediated Endocytosis	868
Malonyl-CoA Is Formed from Acetyl-CoA and Bicarbonate	833	HDL Carries Out Reverse Cholesterol Transport	869
Fatty Acid Synthesis Proceeds in a Repeating Reaction Sequence	834	Cholesterol Synthesis and Transport Is Regulated at Several Levels	869
The Mammalian Fatty Acid Synthase Has Multiple Active Sites	834	Dysregulation of Cholesterol Metabolism Can Lead to Cardiovascular Disease	871
		BOX 21-3 MEDICINE: The Lipid Hypothesis and the Development of Statins	872
		Reverse Cholesterol Transport by HDL Counters Plaque Formation and Atherosclerosis	873

Steroid Hormones Are Formed by Side-Chain Cleavage and Oxidation of Cholesterol	874	Degradation of Purines and Pyrimidines Produces Uric Acid and Urea, Respectively	920
Intermediates in Cholesterol Biosynthesis Have Many Alternative Fates	874	Purine and Pyrimidine Bases Are Recycled by Salvage Pathways	922
		Excess Uric Acid Causes Gout	922
		Many Chemotherapeutic Agents Target Enzymes in the Nucleotide Biosynthetic Pathways	923
22 Biosynthesis of Amino Acids, Nucleotides, and Related Molecules	881	23 Hormonal Regulation and Integration of Mammalian Metabolism	929
22.1 Overview of Nitrogen Metabolism	881	23.1 Hormones: Diverse Structures for Diverse Functions	929
The Nitrogen Cycle Maintains a Pool of Biologically Available Nitrogen	882	The Detection and Purification of Hormones Requires a Bioassay	930
Nitrogen Is Fixed by Enzymes of the Nitrogenase Complex	882	BOX 23-1 MEDICINE: How Is a Hormone Discovered? The Arduous Path to Purified Insulin	931
BOX 22-1 Unusual Lifestyles of the Obscure but Abundant	884	Hormones Act through Specific High-Affinity Cellular Receptors	932
Ammonia Is Incorporated into Biomolecules through Glutamate and Glutamine	888	Hormones Are Chemically Diverse	933
Glutamine Synthetase Is a Primary Regulatory Point in Nitrogen Metabolism	889	Hormone Release Is Regulated by a Hierarchy of Neuronal and Hormonal Signals	936
Several Classes of Reactions Play Special Roles in the Biosynthesis of Amino Acids and Nucleotides	890	23.2 Tissue-Specific Metabolism: The Division of Labor	939
22.2 Biosynthesis of Amino Acids	891	The Liver Processes and Distributes Nutrients	939
α -Ketoglutarate Gives Rise to Glutamate, Glutamine, Proline, and Arginine	892	Adipose Tissues Store and Supply Fatty Acids	943
Serine, Glycine, and Cysteine Are Derived from 3-Phosphoglycerate	892	Brown Adipose Tissue Is Thermogenic	944
Three Nonessential and Six Essential Amino Acids Are Synthesized from Oxaloacetate and Pyruvate	895	Muscles Use ATP for Mechanical Work	944
Chorismate Is a Key Intermediate in the Synthesis of Tryptophan, Phenylalanine, and Tyrosine	898	BOX 23-2 Creatine and Creatine Kinase: Invaluable Diagnostic Aids and the Muscle Builder's Friends	946
Histidine Biosynthesis Uses Precursors of Purine Biosynthesis	898	The Brain Uses Energy for Transmission of Electrical Impulses	948
Amino Acid Biosynthesis Is under Allosteric Regulation	899	Blood Carries Oxygen, Metabolites, and Hormones	949
22.3 Molecules Derived from Amino Acids	902	23.3 Hormonal Regulation of Fuel Metabolism	951
Glycine Is a Precursor of Porphyrins	902	Insulin Counters High Blood Glucose	951
Heme Is the Source of Bile Pigments	904	Pancreatic β Cells Secrete Insulin in Response to Changes in Blood Glucose	953
BOX 22-2 MEDICINE: On Kings and Vampires	906	Glucagon Counters Low Blood Glucose	955
Amino Acids Are Precursors of Creatine and Glutathione	906	During Fasting and Starvation, Metabolism Shifts to Provide Fuel for the Brain	956
D-Amino Acids Are Found Primarily in Bacteria	907	Epinephrine Signals Impending Activity	958
Aromatic Amino Acids Are Precursors of Many Plant Substances	908	Cortisol Signals Stress, Including Low Blood Glucose	958
Biological Amines Are Products of Amino Acid Decarboxylation	908	Diabetes Mellitus Arises from Defects in Insulin Production or Action	959
Arginine Is the Precursor for Biological Synthesis of Nitric Oxide	909	23.4 Obesity and the Regulation of Body Mass	960
22.4 Biosynthesis and Degradation of Nucleotides	910	Adipose Tissue Has Important Endocrine Functions	960
De Novo Purine Nucleotide Synthesis Begins with PRPP	912	Leptin Stimulates Production of Anorexigenic Peptide Hormones	962
Purine Nucleotide Biosynthesis Is Regulated by Feedback Inhibition	914	Leptin Triggers a Signaling Cascade That Regulates Gene Expression	962
Pyrimidine Nucleotides Are Made from Aspartate, PRPP, and Carbamoyl Phosphate	915	The Leptin System May Have Evolved to Regulate the Starvation Response	963
Pyrimidine Nucleotide Biosynthesis Is Regulated by Feedback Inhibition	916	Insulin Acts in the Arcuate Nucleus to Regulate Eating and Energy Conservation	963
Nucleoside Monophosphates Are Converted to Nucleoside Triphosphates	916	Adiponectin Acts through AMPK to Increase Insulin Sensitivity	964
Ribonucleotides Are the Precursors of Deoxyribonucleotides	917	mTORC1 Activity Coordinates Cell Growth with the Supply of Nutrients and Energy	965
Thymidylate Is Derived from dCDP and dUMP	920	Diet Regulates the Expression of Genes Central to Maintaining Body Mass	965
		Short-Term Eating Behavior Is Influenced by Ghrelin and PYY ₃₋₃₆	966

Microbial Symbionts in the Gut Influence Energy Metabolism and Adipogenesis	968		
23.5 Obesity, the Metabolic Syndrome, and Type 2 Diabetes	968		
In Type 2 Diabetes the Tissues Become Insensitive to Insulin	968		
Type 2 Diabetes Is Managed with Diet, Exercise, and Medication	970		
<hr/>			
III INFORMATION PATHWAYS	977		
<hr/>			
24 Genes and Chromosomes	979		
<hr/>			
24.1 Chromosomal Elements	979		
Genes Are Segments of DNA That Code for Polypeptide Chains and RNAs	979		
DNA Molecules Are Much Longer Than the Cellular or Viral Packages That Contain Them	980		
Eukaryotic Genes and Chromosomes Are Very Complex	984		
24.2 DNA Supercoiling	985		
Most Cellular DNA Is Underwound	986		
DNA Underwinding Is Defined by Topological Linking Number	988		
Topoisomerases Catalyze Changes in the Linking Number of DNA	989		
DNA Compaction Requires a Special Form of Supercoiling	990		
BOX 24-1 MEDICINE: Curing Disease by Inhibiting Topoisomerases	992		
24.3 The Structure of Chromosomes	994		
Chromatin Consists of DNA and Proteins	994		
Histones Are Small, Basic Proteins	995		
Nucleosomes Are the Fundamental Organizational Units of Chromatin	995		
Nucleosomes Are Packed into Successively Higher-Order Structures	997		
BOX 24-2 MEDICINE: Epigenetics, Nucleosome Structure, and Histone Variants	998		
Condensed Chromosome Structures Are Maintained by SMC Proteins	1000		
Bacterial DNA Is Also Highly Organized	1002		
<hr/>			
25 DNA Metabolism	1009		
<hr/>			
25.1 DNA Replication	1011		
DNA Replication Follows a Set of Fundamental Rules	1011		
DNA Is Degraded by Nucleases	1013		
DNA Is Synthesized by DNA Polymerases	1013		
Replication Is Very Accurate	1015		
<i>E. coli</i> Has at Least Five DNA Polymerases	1016		
DNA Replication Requires Many Enzymes and Protein Factors	1017		
Replication of the <i>E. coli</i> Chromosome Proceeds in Stages	1019		
Replication in Eukaryotic Cells Is Similar but More Complex	1025		
Viral DNA Polymerases Provide Targets for Antiviral Therapy	1026		
25.2 DNA Repair	1027		
Mutations Are Linked to Cancer	1027		
All Cells Have Multiple DNA Repair Systems	1028		
The Interaction of Replication Forks with DNA Damage Can Lead to Error-Prone Translesion DNA Synthesis	1034		
BOX 25-1 MEDICINE: DNA Repair and Cancer	1037		
25.3 DNA Recombination	1038		
Bacterial Homologous Recombination Is a DNA Repair Function	1039		
Eukaryotic Homologous Recombination Is Required for Proper Chromosome Segregation during Meiosis	1041		
Recombination during Meiosis Is Initiated with Double-Strand Breaks	1043		
BOX 25-2 MEDICINE: Why Proper Chromosomal Segregation Matters	1045		
Site-Specific Recombination Results in Precise DNA Rearrangements	1046		
Transposable Genetic Elements Move from One Location to Another	1049		
Immunoglobulin Genes Assemble by Recombination	1049		
<hr/>			
26 RNA Metabolism	1057		
<hr/>			
26.1 DNA-Dependent Synthesis of RNA	1058		
RNA Is Synthesized by RNA Polymerases	1058		
RNA Synthesis Begins at Promoters	1060		
Transcription Is Regulated at Several Levels	1061		
BOX 26-1 METHODS: RNA Polymerase Leaves Its Footprint on a Promoter	1062		
Specific Sequences Signal Termination of RNA Synthesis	1063		
Eukaryotic Cells Have Three Kinds of Nuclear RNA Polymerases	1064		
RNA Polymerase II Requires Many Other Protein Factors for Its Activity	1064		
DNA-Dependent RNA Polymerase Undergoes Selective Inhibition	1068		
26.2 RNA Processing	1069		
Eukaryotic mRNAs Are Capped at the 5' End	1070		
Both Introns and Exons Are Transcribed from DNA into RNA	1070		
RNA Catalyzes the Splicing of Introns	1070		
Eukaryotic mRNAs Have a Distinctive 3' End Structure	1075		
A Gene Can Give Rise to Multiple Products by Differential RNA Processing	1075		
Ribosomal RNAs and tRNAs Also Undergo Processing	1077		
Special-Function RNAs Undergo Several Types of Processing	1081		
RNA Enzymes Are the Catalysts of Some Events in RNA Metabolism	1082		
Cellular mRNAs Are Degraded at Different Rates	1084		
Polynucleotide Phosphorylase Makes Random RNA-Like Polymers	1085		
26.3 RNA-Dependent Synthesis of RNA and DNA	1085		
Reverse Transcriptase Produces DNA from Viral RNA	1086		
Some Retroviruses Cause Cancer and AIDS	1088		

Many Transposons, Retroviruses, and Introns May Have a Common Evolutionary Origin	1088	Protein Degradation Is Mediated by Specialized Systems in All Cells	1147
BOX 26–2 MEDICINE: Fighting AIDS with Inhibitors of HIV Reverse Transcriptase	1089	28 Regulation of Gene Expression	1155
Telomerase Is a Specialized Reverse Transcriptase	1089	28.1 Principles of Gene Regulation	1156
Some Viral RNAs Are Replicated by RNA-Dependent RNA Polymerase	1092	RNA Polymerase Binds to DNA at Promoters	1156
RNA Synthesis Offers Important Clues to Biochemical Evolution	1092	Transcription Initiation Is Regulated by Proteins That Bind to or near Promoters	1157
BOX 26–3 METHODS: The SELEX Method for Generating RNA Polymers with New Functions	1095	Many Bacterial Genes Are Clustered and Regulated in Operons	1158
BOX 26–4 An Expanding RNA Universe Filled with TUF RNAs	1096	The <i>lac</i> Operon Is Subject to Negative Regulation	1159
27 Protein Metabolism	1103	Regulatory Proteins Have Discrete DNA-Binding Domains	1160
27.1 The Genetic Code	1103	Regulatory Proteins Also Have Protein-Protein Interaction Domains	1163
The Genetic Code Was Cracked Using Artificial mRNA Templates	1104	28.2 Regulation of Gene Expression in Bacteria	1165
BOX 27–1 Exceptions That Prove the Rule: Natural Variations in the Genetic Code	1108	The <i>lac</i> Operon Undergoes Positive Regulation	1165
Wobble Allows Some tRNAs to Recognize More than One Codon	1108	Many Genes for Amino Acid Biosynthetic Enzymes Are Regulated by Transcription Attenuation	1167
The Genetic Code Is Mutation-Resistant	1110	Induction of the SOS Response Requires Destruction of Repressor Proteins	1169
Translational Frameshifting and RNA Editing Affect How the Code Is Read	1111	Synthesis of Ribosomal Proteins Is Coordinated with rRNA Synthesis	1170
27.2 Protein Synthesis	1113	The Function of Some mRNAs Is Regulated by Small RNAs in Cis or in Trans	1171
Protein Biosynthesis Takes Place in Five Stages	1114	Some Genes Are Regulated by Genetic Recombination	1173
The Ribosome Is a Complex Supramolecular Machine	1115	28.3 Regulation of Gene Expression in Eukaryotes	1175
BOX 27–2 From an RNA World to a Protein World	1117	Transcriptionally Active Chromatin Is Structurally Distinct from Inactive Chromatin	1175
Transfer RNAs Have Characteristic Structural Features	1118	Most Eukaryotic Promoters Are Positively Regulated	1176
Stage 1: Aminoacyl-tRNA Synthetases Attach the Correct Amino Acids to Their tRNAs	1119	DNA-Binding Activators and Coactivators Facilitate Assembly of the General Transcription Factors	1177
Proofreading by Aminoacyl-tRNA Synthetases	1121	The Genes of Galactose Metabolism in Yeast Are Subject to Both Positive and Negative Regulation	1180
Interaction between an Aminoacyl-tRNA Synthetase and a tRNA: A “Second Genetic Code”	1122	Transcription Activators Have a Modular Structure	1181
BOX 27–3 Natural and Unnatural Expansion of the Genetic Code	1124	Eukaryotic Gene Expression Can Be Regulated by Intercellular and Intracellular Signals	1182
Stage 2: A Specific Amino Acid Initiates Protein Synthesis	1127	Regulation Can Result from Phosphorylation of Nuclear Transcription Factors	1184
Stage 3: Peptide Bonds Are Formed in the Elongation Stage	1129	Many Eukaryotic mRNAs Are Subject to Translational Repression	1184
Stage 4: Termination of Polypeptide Synthesis Requires a Special Signal	1134	Posttranscriptional Gene Silencing Is Mediated by RNA Interference	1185
BOX 27–4 Induced Variation in the Genetic Code: Nonsense Suppression	1134	RNA-Mediated Regulation of Gene Expression Takes Many Forms in Eukaryotes	1186
Stage 5: Newly Synthesized Polypeptide Chains Undergo Folding and Processing	1136	Development Is Controlled by Cascades of Regulatory Proteins	1186
Protein Synthesis Is Inhibited by Many Antibiotics and Toxins	1138	Stem Cells Have Developmental Potential That Can Be Controlled	1191
27.3 Protein Targeting and Degradation	1139	BOX 28–1 Of Fins, Wings, Beaks, and Things	1194
Posttranslational Modification of Many Eukaryotic Proteins Begins in the Endoplasmic Reticulum	1140	Abbreviated Solutions to Problems	AS-1
Glycosylation Plays a Key Role in Protein Targeting	1141	Glossary	G-1
Signal Sequences for Nuclear Transport Are Not Cleaved	1143	Credits	C-0
Bacteria Also Use Signal Sequences for Protein Targeting	1145	Index	I-1
Cells Import Proteins by Receptor-Mediated Endocytosis	1146		