

Contents

| | |
|--|-----------|
| Preface | xi |
| List of Contributors | xiii |
| 1 Introduction | 1 |
| <i>Mohar Singh, Hari D. Upadhyaya and Ishwari Singh Bisht</i> | |
| 1.1 Common Bean | 2 |
| 1.2 Pea | 3 |
| 1.3 Chickpea | 4 |
| 1.4 Faba Bean | 5 |
| 1.5 Cowpea | 6 |
| 1.6 Lentil | 6 |
| 1.7 Pigeon Pea | 7 |
| 1.8 Peanut | 7 |
| 1.9 Asian <i>Vigna</i> | 8 |
| 1.10 Grass Pea | 9 |
| 1.11 Horsegram | 10 |
| References | 10 |
| 2 European Common Bean | 11 |
| <i>Lucia Lioi and Angela R. Piergiovanni</i> | |
| 2.1 Introduction | 11 |
| 2.2 Taxonomy, Origin, Distribution and Diversity of Cultivated <i>Phaseolus vulgaris</i> | 12 |
| 2.3 Introduction and Dissemination in Europe | 15 |
| 2.4 Status of Germplasm Resources Conservation (<i>Ex-Situ, In-Situ, On-Farm</i>) | 20 |
| 2.5 Germplasm Evaluation and Use | 21 |
| 2.6 A Glimpse at Crop Improvement | 23 |
| 2.7 Biochemical and Molecular Diversity | 25 |
| 2.8 The Germplasm Safeguarded Through the Attribution of Quality Marks | 28 |
| 2.9 Characterization and Evaluation of Landraces: Some Case Studies | 30 |
| 2.10 Conclusions | 34 |
| Acknowledgement | 34 |
| References | 34 |

| | |
|--|------------|
| 3 Peas | 41 |
| <i>Petr Smykal, Clarice Coyne, Robert Redden and Nigel Maxted</i> | |
| 3.1 Introduction | 41 |
| 3.2 Origin, Distribution, Diversity and Systematics | 41 |
| 3.3 Status of Germplasm Resources Conservation | 47 |
| 3.4 Germplasm Characterization and Evaluation | 55 |
| 3.5 Germplasm Maintenance | 61 |
| 3.6 Limitations in Germplasm Use | 64 |
| 3.7 Germplasm Enhancement Through Wide Crosses | 66 |
| 3.8 Pea Genomic Resources | 67 |
| 3.9 Conclusions | 69 |
| References | 70 |
| | |
| 4 Chickpea | 81 |
| <i>Shivali Sharma, Hari D. Upadhyaya, Manish Roorkiwal, Rajeev K. Varshney and C.L. Laxmipathi Gowda</i> | |
| 4.1 Introduction | 81 |
| 4.2 Origin, Distribution, Diversity and Taxonomy | 82 |
| 4.3 Erosion of Genetic Diversity from the Traditional Areas | 85 |
| 4.4 Status of Germplasm Resources Conservation | 86 |
| 4.5 Germplasm Evaluation and Maintenance | 86 |
| 4.6 Use of Germplasm in Crop Improvement | 89 |
| 4.7 Limitations in Germplasm Use | 97 |
| 4.8 Germplasm Enhancement Through Wide Crosses | 98 |
| 4.9 Chickpea Genomic Resources | 99 |
| 4.10 Conclusions | 103 |
| References | 104 |
| | |
| 5 Faba Bean | 113 |
| <i>Maalouf Fouad, Nawar Mohammed, Hamwieh Aladdin, Amri Ahmed, Zong Xuxiao, Bao Shiying and Yang Tao</i> | |
| 5.1 Introduction | 113 |
| 5.2 Origin, Distribution, Diversity and Taxonomy | 114 |
| 5.3 Erosion of Genetic Diversity from the Traditional Areas | 118 |
| 5.4 Status of Germplasm Resources Conservation | 119 |
| 5.5 Germplasm Maintenance | 120 |
| 5.6 Use of Genetic Diversity in Faba Bean Breeding | 120 |
| 5.7 Germplasm Enhancement Through Wide Crosses | 125 |
| 5.8 Faba Bean Genomic Resources | 126 |
| 5.9 Conclusions | 128 |
| References | 128 |

| | | |
|----------|---|------------|
| 6 | Cowpea | 137 |
| | <i>Ousmane Boukar, Ranjana Bhattacharjee, Christian Fatokun, P. Lava Kumar and Badara Gueye</i> | |
| 6.1 | Introduction | 137 |
| 6.2 | Origin, Distribution, Diversity and Taxonomy | 138 |
| 6.3 | Erosion of Genetic Diversity from the Traditional Areas | 139 |
| 6.4 | Status of Germplasm Resources Conservation | 140 |
| 6.5 | Germplasm Evaluation and Maintenance | 141 |
| 6.6 | Use of Germplasm in Crop Improvement | 142 |
| 6.7 | Limitations in Germplasm Use | 144 |
| 6.8 | Germplasm Enhancement Through Wide Crosses | 144 |
| 6.9 | Cowpea Genomic Resources | 145 |
| 6.10 | Conclusions | 150 |
| | References | 150 |
| 7 | Lentil | 157 |
| | <i>Clarice Coyne and Rebecca McGee</i> | |
| 7.1 | Introduction | 157 |
| 7.2 | Origin, Distribution, Diversity and Taxonomy | 157 |
| 7.3 | Biosystematics | 163 |
| 7.4 | Status of Germplasm Resources Conservation | 163 |
| 7.5 | Germplasm Evaluation and Maintenance | 165 |
| 7.6 | Use of Germplasm in Crop Improvement | 167 |
| 7.7 | Limitations in Germplasm Use | 168 |
| 7.8 | Germplasm Enhancement Through Wide Crosses | 169 |
| 7.9 | Lentil Genomic Resources | 170 |
| 7.10 | Conclusions | 171 |
| | References | 172 |
| 8 | Pigeon pea | 181 |
| | <i>Hari D. Upadhyaya, Shivali Sharma, K.N. Reddy, Rachit Saxena, Rajeev K. Varshney and C.L. Laxmipathi Gowda</i> | |
| 8.1 | Introduction | 181 |
| 8.2 | Origin, Distribution, Diversity and Taxonomy | 182 |
| 8.3 | Erosion of Genetic Diversity from the Traditional Areas | 184 |
| 8.4 | Status of Germplasm Resources Conservation | 185 |
| 8.5 | Germplasm Characterization and Evaluation | 186 |
| 8.6 | Germplasm Maintenance | 188 |
| 8.7 | Use of Germplasm in Crop Improvement | 190 |
| 8.8 | Limitations in Germplasm Use | 191 |
| 8.9 | Germplasm Enhancement Through Wide Crosses | 192 |
| 8.10 | Pigeon Pea Genomic Resources | 194 |
| 8.11 | Conclusions | 197 |
| | References | 198 |

| | | |
|-----------|--|------------|
| 9 | Peanut | 203 |
| | <i>H. Thomas Stalker</i> | |
| 9.1 | Introduction | 203 |
| 9.2 | Origin, Distribution, Diversity and Taxonomy | 204 |
| 9.3 | Genomic Affinities and Speciation | 211 |
| 9.4 | Erosion of Genetic Diversity from the Traditional Areas | 214 |
| 9.5 | Status of Germplasm Resources Conservation | 214 |
| 9.6 | Germplasm Maintenance and Evaluation | 216 |
| 9.7 | Use of Germplasm in Crop Improvement | 219 |
| 9.8 | Limitations in Germplasm Use | 220 |
| 9.9 | Germplasm Enhancement Through Wide Crosses | 221 |
| 9.10 | Peanut Genomic Resources | 223 |
| 9.11 | New Sources of Genetic Diversity | 225 |
| 9.12 | Conclusions | 226 |
| | References | 226 |
| 10 | Asian Vigna | 237 |
| | <i>Ishwari Singh Bisht and Mohar Singh</i> | |
| 10.1 | Introduction | 237 |
| 10.2 | Origin, Distribution and Diversity | 240 |
| 10.3 | Genetic Resource Management | 242 |
| 10.4 | Germplasm Utilization | 248 |
| 10.5 | Limitations in Germplasm Use | 254 |
| 10.6 | <i>Vigna</i> Species Genomic Resources | 257 |
| 10.7 | Conclusions | 260 |
| | References | 261 |
| 11 | Grass Pea | 269 |
| | <i>Shiv Kumar, Priyanka Gupta, Surendra Barpeta, A. Sarker, Ahmed Amri, P.N. Mathur and Michael Baum</i> | |
| 11.1 | Introduction | 269 |
| 11.2 | Origin, Distribution, Diversity and Taxonomy | 269 |
| 11.3 | Cytotaxonomy and Genomic Evolution | 272 |
| 11.4 | Phylogenetic Relationships and Genetic Diversity | 272 |
| 11.5 | Erosion of Genetic Diversity from the Traditional Areas | 274 |
| 11.6 | Status of Germplasm Resources Conservation | 275 |
| 11.7 | Germplasm Evaluation | 277 |
| 11.8 | Use of Germplasm in Crop Improvement | 282 |
| 11.9 | Limitations in Germplasm Use | 283 |
| 11.10 | Germplasm Enhancement Through Wide Crosses | 283 |
| 11.11 | Grass Pea Genomic Resources | 284 |
| 11.12 | Conclusions | 285 |
| | References | 285 |

| | |
|---|------------|
| 12 Horsegram | 293 |
| <i>R.K. Chahota, T.R. Sharma, S.K. Sharma, Naresh Kumar and J.C. Rana</i> | |
| 12.1 Introduction | 293 |
| 12.2 Origin, Distribution, Diversity and Taxonomy | 294 |
| 12.3 Erosion of Genetic Diversity from the Traditional Areas | 295 |
| 12.4 Status of Germplasm Resources Conservation | 296 |
| 12.5 Germplasm Evaluation and Maintenance | 297 |
| 12.6 Use of Germplasm in Crop Improvement | 299 |
| 12.7 Germplasm Enhancement Through Wide Crosses | 300 |
| 12.8 Horsegram Genomic Resources | 301 |
| 12.9 Conclusions | 302 |
| References | 302 |