

# CONTENTS

Foreword . . . . .	12
Introduction . . . . .	13
1. Location and general situation of the survey area . . . . .	15
2. Special definitions . . . . .	18
3. General cultivation structure conditioned by the relief and the soils' water holding capacity . . . . .	20
4. Principal features of the agricultural climate . . . . .	22
4.1 Significance of the crop densities as an ecological indicator . . . . .	22
4.2 Comparison with other cereal-growing regions of Morocco . . . . .	23
4.2.1 The potential high-yield zone of the north-west . . . . .	25
4.2.2 The marginal arid regions of the cisatlasic south-west . . . . .	28
4.3 Anti Atlas and adjoining areas . . . . .	33
4.3.1 Crop densities and yields as functions of the specific regional climates . . . . .	33
4.3.2 The traditional cereal-growing of the Anti Atlas as an agro-ecological climax . . . . .	37
5. Cultivation techniques . . . . .	43
5.1 Direct rain-fed cultivation on fairly extensive level to slightly sloping land . . . . .	43
5.2 Simple water-concentrating culture: cultivation on lower slopes and in depressions without any special facilities for controlling the water input or distribution . . . . .	45
5.3 Improved water-concentrating culture: run-off structures on slopes and in smaller valleys with periodical flows of rainwater . . . . .	46
5.4 Terrace systems . . . . .	52
5.4.1 Basic aspects . . . . .	52
5.4.2 Construction methods . . . . .	53
5.4.3 Top-water distribution systems . . . . .	56
5.4.4 Manner in which water concentration operates with terrace structures . . . . .	59
5.4.5 Special measures to reduce the run-off speed . . . . .	63
5.4.6 Water harvesting area (WHA) . . . . .	64
5.4.7 Possible calculation methods . . . . .	64
5.5 Irrigating natural basins . . . . .	66
5.5.1 Largish intramontane basins and valleys . . . . .	66

5.5.1.1	Irrigation of a basin with special reference to Tafraout (29° 43' N, 9° 01' W, 1050 m above sea-level) . . . . .	70
5.5.2	Smaller basins or depressions . . . . .	72
5.5.3	Utilization of periodic rain-floods in natural channels . . .	75
6.	Prospects of developing water-concentrating culture in the Anti Atlas and other comparable areas . . . . .	77
6.1	Measures to improve water-concentrating culture on terraces . . . . .	77
6.2	Measures to improve the irrigation in natural basins . . . .	77
6.3	Choosing the most favourable seeding time (for barley and wheat) . . . . .	78
6.4	Pre-swelling the seed . . . . .	78
6.5	Green manuring . . . . .	82
6.6	Fodder cultivation . . . . .	82
6.7	Improvement of almond's resistance to frost ( <i>Prunus amygdalus</i> ) . . . . .	83
6.8	Cultivation of other cash-crops . . . . .	84
7.	The possibility of transferring WC-culture methods to areas with similar climates . . . . .	85
	Summary . . . . .	93
	Zusammenfassung . . . . .	94
	Sumario (esp.) . . . . .	95
	Sumario (port.) . . . . .	96
	Résumé . . . . .	97
	Bibliography . . . . .	98