

Contents

Preface

xvii

1. Overview of WebGL	1
Advantages of WebGL	3
You Can Start Developing 3D Graphics Applications Using Only a Text Editor.....	3
Publishing Your 3D Graphics Applications Is Easy.....	4
You Can Leverage the Full Functionality of the Browser	5
Learning and Using WebGL Is Easy.....	5
Origins of WebGL.....	5
Structure of WebGL Applications.....	6
Summary	7
2. Your First Step with WebGL	9
What Is a Canvas?	9
Using the <canvas> Tag	11
DrawRectangle.js	13
The World's Shortest WebGL Program: Clear Drawing Area	16
The HTML File (HelloCanvas.html).....	17
JavaScript Program (HelloCanvas.js).....	18
Experimenting with the Sample Program	23
Draw a Point (Version 1)	23
HelloPoint1.html.....	25
HelloPoint1.js.....	25
What Is a Shader?.....	27
The Structure of a WebGL Program that Uses Shaders	28
Initializing Shaders.....	30
Vertex Shader	33
Fragment Shader	35
The Draw Operation	36
The WebGL Coordinate System.....	38
Experimenting with the Sample Program	40
Draw a Point (Version 2)	41
Using Attribute Variables.....	41
Sample Program (HelloPoint2.js).....	42
Getting the Storage Location of an Attribute Variable	44
Assigning a Value to an Attribute Variable	45
Family Methods of gl.vertexAttrib3f()	47
Experimenting with the Sample Program	49

Draw a Point with a Mouse Click.....	50
Sample Program (ClickedPoints.js)	50
Register Event Handlers	52
Handling Mouse Click Events.....	53
Experimenting with the Sample Program	57
Change the Point Color.....	58
Sample Program (ColoredPoints.js)	59
Uniform Variables.....	61
Retrieving the Storage Location of a Uniform Variable	62
Assigning a Value to a Uniform Variable	63
Family Methods of <code>gl.uniform4f()</code>	65
Summary	66

3. Drawing and Transforming Triangles 67

Drawing Multiple Points.....	68
Sample Program (MultiPoint.js).....	70
Using Buffer Objects	72
Create a Buffer Object (<code>gl.createBuffer()</code>).....	74
Bind a Buffer Object to a Target (<code>gl.bindBuffer()</code>)	75
Write Data into a Buffer Object (<code>gl.bufferData()</code>).....	76
Typed Arrays.....	78
Assign the Buffer Object to an Attribute Variable (<code>gl.vertexAttribPointer()</code>).....	79
Enable the Assignment to an Attribute Variable (<code>gl.enableVertexAttribArray()</code>) ...	81
The Second and Third Parameters of <code>gl.drawArrays()</code>	82
Experimenting with the Sample Program	84
Hello Triangle	85
Sample Program (HelloTriangle.js)	85
Basic Shapes.....	87
Experimenting with the Sample Program	89
Hello Rectangle (HelloQuad)	89
Experimenting with the Sample Program	91
Moving, Rotating, and Scaling	91
Translation	92
Sample Program (TranslatedTriangle.js)	93
Rotation.....	96
Sample Program (RotatedTriangle.js).....	99
Transformation Matrix: Rotation	102
Transformation Matrix: Translation	105
Rotation Matrix, Again	106
Sample Program (RotatedTriangle_Matrix.js)	107

Reusing the Same Approach for Translation	111
Transformation Matrix: Scaling	111
Summary	113
4. More Transformations and Basic Animation	115
Translate and Then Rotate	115
Transformation Matrix Library: cuon-matrix.js	116
Sample Program (RotatedTriangle_Matrix4.js)	117
Combining Multiple Transformation	119
Sample Program (RotatedTranslatedTriangle.js)	121
Experimenting with the Sample Program	123
Animation	124
The Basics of Animation	125
Sample Program (RotatingTriangle.js)	126
Repeatedly Call the Drawing Function (tick())	129
Draw a Triangle with the Specified Rotation Angle (draw())	130
Request to Be Called Again (requestAnimationFrame())	131
Update the Rotation Angle (animate())	133
Experimenting with the Sample Program	135
Summary	136
5. Using Colors and Texture Images	137
Passing Other Types of Information to Vertex Shaders	137
Sample Program (MultiAttributeSize.js)	139
Create Multiple Buffer Objects	140
The gl.vertexAttribPointer() Stride and Offset Parameters	141
Sample Program (MultiAttributeSize_Interleaved.js)	142
Modifying the Color (Varying Variable)	146
Sample Program (MultiAttributeColor.js)	147
Experimenting with the Sample Program	150
Color Triangle (ColoredTriangle.js)	151
Geometric Shape Assembly and Rasterization	151
Fragment Shader Invocations	155
Experimenting with the Sample Program	156
Functionality of Varying Variables and the Interpolation Process	157
Pasting an Image onto a Rectangle	160
Texture Coordinates	162
Pasting Texture Images onto the Geometric Shape	162
Sample Program (TexturedQuad.js)	163
Using Texture Coordinates (initVertexBuffers())	166
Setting Up and Loading Images (initTextures())	166
Make the Texture Ready to Use in the WebGL System (loadTexture())	170

Flip an Image's Y-Axis.....	170
Making a Texture Unit Active (gl.activeTexture()).....	171
Binding a Texture Object to a Target (gl.bindTexture()).....	173
Set the Texture Parameters of a Texture Object (gl.texParameteri()).....	174
Assigning a Texture Image to a Texture Object (gl.texImage2D()).....	177
Pass the Texture Unit to the Fragment Shader (gl.uniform1i())	179
Passing Texture Coordinates from the Vertex Shader to the Fragment Shader ...	180
Retrieve the Texel Color in a Fragment Shader (texture2D())	181
Experimenting with the Sample Program	182
Pasting Multiple Textures to a Shape.....	183
Sample Program (MultiTexture.js)	184
Summary	189
6. The OpenGL ES Shading Language (GLSL ES)	191
Recap of Basic Shader Programs	191
Overview of GLSL ES	192
Hello Shader!.....	193
Basics	193
Order of Execution.....	193
Comments.....	193
Data (Numerical and Boolean Values)	194
Variables	194
GLSL ES Is a Type Sensitive Language.....	195
Basic Types.....	195
Assignment and Type Conversion.....	196
Operations.....	197
Vector Types and Matrix Types.....	198
Assignments and Constructors	199
Access to Components.....	201
Operations.....	204
Structures	207
Assignments and Constructors	207
Access to Members	207
Operations.....	208
Arrays	208
Samplers	209
Precedence of Operators	210
Conditional Control Flow and Iteration.....	211
if Statement and if-else Statement.....	211
for Statement.....	211
continue, break, discard Statements.....	212

Functions	213
Prototype Declarations.....	214
Parameter Qualifiers.....	214
Built-In Functions.....	215
Global Variables and Local Variables.....	216
Storage Qualifiers.....	217
const Variables.....	217
Attribute Variables.....	218
Uniform Variables.....	218
Varying Variables.....	219
Precision Qualifiers.....	219
Preprocessor Directives.....	221
Summary	223

7. Toward the 3D World 225

What's Good for Triangles Is Good for Cubes.....	225
Specifying the Viewing Direction.....	226
Eye Point, Look-At Point, and Up Direction.....	227
Sample Program (LookAtTriangles.js).....	229
Comparing LookAtTriangles.js with RotatedTriangle_Matrix4.js.....	232
Looking at Rotated Triangles from a Specified Position.....	234
Sample Program (LookAtRotatedTriangles.js).....	235
Experimenting with the Sample Program.....	236
Changing the Eye Point Using the Keyboard.....	238
Sample Program (LookAtTrianglesWithKeys.js).....	238
Missing Parts.....	241
Specifying the Visible Range (Box Type).....	241
Specify the Viewing Volume.....	242
Defining a Box-Shaped Viewing Volume.....	243
Sample Program (OrthoView.html).....	245
Sample Program (OrthoView.js).....	246
Modifying an HTML Element Using JavaScript.....	247
The Processing Flow of the Vertex Shader.....	248
Changing Near or Far.....	250
Restoring the Clipped Parts of the Triangles (LookAtTrianglesWithKeys_ViewVolume.js).....	251
Experimenting with the Sample Program.....	253
Specifying the Visible Range Using a Quadrangular Pyramid.....	254
Setting the Quadrangular Pyramid Viewing Volume.....	256
Sample Program (PerspectiveView.js).....	258
The Role of the Projection Matrix.....	260
Using All the Matrices (Model Matrix, View Matrix, and Projection Matrix).....	262

Sample Program (PerspectiveView_mvp.js)	263
Experimenting with the Sample Program	266
Correctly Handling Foreground and Background Objects	267
Hidden Surface Removal	270
Sample Program (DepthBuffer.js)	272
Z Fighting	273
Hello Cube	275
Drawing the Object with Indices and Vertices Coordinates.....	277
Sample Program (HelloCube.js)	278
Writing Vertex Coordinates, Colors, and Indices to the Buffer Object.....	281
Adding Color to Each Face of a Cube.....	284
Sample Program (ColoredCube.js)	285
Experimenting with the Sample Program	287
Summary	289
8. Lighting Objects	291
Lighting 3D Objects.....	291
Types of Light Source.....	293
Types of Reflected Light.....	294
Shading Due to Directional Light and Its Diffuse Reflection	296
Calculating Diffuse Reflection Using the Light Direction and the Orientation of a Surface.....	297
The Orientation of a Surface: What Is the Normal?	299
Sample Program (LightedCube.js)	302
Add Shading Due to Ambient Light	307
Sample Program (LightedCube_ambient.js)	308
Lighting the Translated-Rotated Object.....	310
The Magic Matrix: Inverse Transpose Matrix.....	311
Sample Program (LightedTranslatedRotatedCube.js)	312
Using a Point Light Object	314
Sample Program (PointLightedCube.js).....	315
More Realistic Shading: Calculating the Color per Fragment.....	319
Sample Program (PointLightedCube_perFragment.js)	319
Summary	321
9. Hierarchical Objects	323
Drawing and Manipulating Objects Composed of Other Objects	324
Hierarchical Structure.....	325
Single Joint Model.....	326
Sample Program (JointModel.js)	328
Draw the Hierarchical Structure (draw())	332
A Multijoint Model	334

Sample Program (MultiJointModel.js)	335
Draw Segments (drawBox()).....	339
Draw Segments (drawSegment()).....	340
Shader and Program Objects: The Role of initShaders().....	344
Create Shader Objects (gl.createShader()).....	345
Store the Shader Source Code in the Shader Objects (g.shaderSource()).....	346
Compile Shader Objects (gl.compileShader()).....	347
Create a Program Object (gl.createProgram()).....	349
Attach the Shader Objects to the Program Object (gl.attachShader()).....	350
Link the Program Object (gl.linkProgram()).....	351
Tell the WebGL System Which Program Object to Use (gl.useProgram()).....	353
The Program Flow of initShaders()	353
Summary	356

10. Advanced Techniques 357

Rotate an Object with the Mouse.....	357
How to Implement Object Rotation.....	358
Sample Program (RotateObject.js)	358
Select an Object	360
How to Implement Object Selection	361
Sample Program (PickObject.js).....	362
Select the Face of the Object.....	365
Sample Program (PickFace.js).....	366
HUD (Head Up Display)	368
How to Implement a HUD.....	369
Sample Program (HUD.html).....	369
Sample Program (HUD.js)	370
Display a 3D Object on a Web Page (3DoverWeb)	372
Fog (Atmospheric Effect)	372
How to Implement Fog.....	373
Sample Program (Fog.js).....	374
Use the w Value (Fog_w.js)	376
Make a Rounded Point	377
How to Implement a Rounded Point	377
Sample Program (RoundedPoints.js).....	378
Alpha Blending	380
How to Implement Alpha Blending	380
Sample Program (LookAtBlendedTriangles.js).....	381
Blending Function.....	382
Alpha Blend 3D Objects (BlendedCube.js)	384
How to Draw When Alpha Values Coexist	385

Switching Shaders	386
How to Implement Switching Shaders	387
Sample Program (ProgramObject.js)	387
Use What You've Drawn as a Texture Image	392
Framebuffer Object and Renderbuffer Object	392
How to Implement Using a Drawn Object as a Texture	394
Sample Program (FramebufferObject.js)	395
Create Frame Buffer Object (gl.createFramebuffer())	397
Create Texture Object and Set Its Size and Parameters	397
Create Renderbuffer Object (gl.createRenderbuffer())	398
Bind Renderbuffer Object to Target and Set Size (gl.bindRenderbuffer(), gl.renderbufferStorage())	399
Set Texture Object to Framebuffer Object (gl.bindFramebuffer(), gl.framebufferTexture2D())	400
Set Renderbuffer Object to Framebuffer Object (gl.framebufferRenderbuffer())	401
Check Configuration of Framebuffer Object (gl.checkFramebufferStatus())	402
Draw Using the Framebuffer Object	403
Display Shadows	405
How to Implement Shadows	405
Sample Program (Shadow.js)	406
Increasing Precision	412
Sample Program (Shadow_highp.js)	413
Load and Display 3D Models	414
The OBJ File Format	417
The MTL File Format	418
Sample Program (OBJViewer.js)	419
User-Defined Object	422
Sample Program (Parser Code in OBJViewer.js)	423
Handling Lost Context	430
How to Implement Handling Lost Context	431
Sample Program (RotatingTriangle_contextLost.js)	432
Summary	434
A. No Need to Swap Buffers in WebGL	437
B. Built-in Functions of GLSL ES 1.0	441
Angle and Trigonometry Functions	441
Exponential Functions	443
Common Functions	444
Geometric Functions	447

Matrix Functions.....	448
Vector Functions.....	449
Texture Lookup Functions.....	451
C. Projection Matrices	453
Orthogonal Projection Matrix.....	453
Perspective Projection Matrix.....	453
D. WebGL/OpenGL: Left or Right Handed?	455
Sample Program <i>CoordinateSystem.js</i>	456
Hidden Surface Removal and the Clip Coordinate System.....	459
The Clip Coordinate System and the Viewing Volume.....	460
What Is Correct?.....	462
Summary	464
E. The Inverse Transpose Matrix	465
F. Load Shader Programs from Files	471
G. World Coordinate System Versus Local Coordinate System	473
The Local Coordinate System.....	474
The World Coordinate System.....	475
Transformations and the Coordinate Systems.....	477
H. Web Browser Settings for WebGL	479
Glossary	481
References	485
Index	487