

University Ulm
Institute for Anatomy and Cell Biology
Director: Prof. Dr. Tobias M. Böckers

**Characterization of the two neuronal motor proteins
Kif26b and Myo16 and their association with the
postsynaptic protein Abi-1**

Dissertation submitted in partial fulfillment of the requirements for the
degree of „Doctor rerum naturalium” (Dr. rer. nat.) of the International
Graduate School in Molecular Medicine Ulm

Jutta Heinrich
Tirschenreuth, Germany

2012

Table of contents

Abbreviations	III
1 Introduction	1
1.1 The synapse	1
1.2 The postsynaptic density	3
1.3 Abi-1	5
1.3.1 Domains of Abi-1	6
1.3.2 Synapto-nuclear transport of Abi-1	7
1.4 Transport in the neuron	9
1.4.1 Microtubule based transport proteins	10
1.4.2 Actin cytoskeleton based transport proteins	12
1.5 Aim of the thesis	15
2 Material and Methods	16
2.1 Material	16
2.1.1 Chemical substances	16
2.1.2 Tools and machines	16
2.1.3 Software	17
2.1.4 Buffers and stock solutions	18
2.1.5 Media	19
2.1.6 Kits	20
2.1.7 Biological material	20
2.2 Methods	23
2.2.1 Methods of microbiology	23
2.2.2 Methods of molecular biology	24
2.2.3 Methods of eukaryotic cell culture	33
2.2.4 Methods of protein biochemistry	35
2.2.5 Analysis of hippocampal neurons	41
3 Results	42
3.1 The Kinesin family member 26b	42
3.1.1 Kif26b is endogenously expressed in the rodent brain	42
3.1.2 Kif26b is interacting with the postsynaptic density protein Abi-1	44
3.1.3 Delineation of the Kif26b cargo binding domain	48
3.1.4 Kif26b is important for Abi-1 localization in the neuron	52

3.2	Myo16, a member of the myosin family	54
3.2.1	Expression of Myo16 in the rodent brain	54
3.2.2	Interaction of Myo16 with Abi-1	56
3.2.3	The cargo binding domain is important for interaction with Abi-1	58
3.2.4	Myo16b important for synaptic localisation of Abi-1 and Bassoon.....	62
3.3	Kif26b and Myo16: Acting in concert?	64
4	Discussion.....	66
4.1	Kif26b, a protein of the Kinesin superfamily	67
4.1.1	Kif26b in the central nervous system	67
4.1.2	Interaction of Kif26b and Abi-1	68
4.1.3	Determination of the interaction domain of Kif26b	70
4.1.4	Kif26b is necessary for Abi-1 localization in maturing neurons.....	71
4.2	Myo16, a protein of the Myosin family	72
4.2.1	Myo16 in the rodent brain	72
4.2.2	Interaction of Myo16a/b and Abi-1	73
4.2.3	Determination of the interaction domain of Myo16b.....	73
4.2.4	Impact of Myo16b on synapse formation.....	74
4.3	Kif26b and Myo16, two motor proteins acting in concert?	75
5	Summary	77
6	References.....	79
7	Acknowledgements	95
8	Statutory declaration	98