

Contents

| | |
|--------------------|---|
| Foreword | v |
|--------------------|---|

CHAPTER I

| | |
|--|----|
| 1. Introduction and Historical Aspects | 1 |
| A. Arrangement of the Book | 1 |
| B. The Historical Development of <i>N</i> -Oxide Chemistry | 2 |
| 2. Structure-reactivity Relations in <i>N</i> -Oxide Chemistry | 4 |
| A. Survey of Reactivity Types | 4 |
| B. Evidence of Electronic Interactions from Physical Methods | 6 |
| C. Hammett Equation Treatment | 10 |
| D. Molecular Orbital Treatment | 11 |
| Physical Properties | 12 |
| Ultraviolet Absorption Spectra | |
| Infrared and Raman Absorption Spectra | |
| C. Proton Magnetic Resonance Spectra | |
| D. Dipole Moments | 16 |
| E. Crystal Structures | 17 |
| F. Mass Spectra | 17 |
| G. Miscellaneous | 18 |
| 4. Natural Occurrence and Biological Activity | 19 |
| 5. Catalytic Activity of <i>N</i> -Oxides | 20 |
| Table 1.01. Reviews of <i>N</i> -Oxides and Their Chemistry | 5 |
| Table 1.02. The Ultraviolet Spectra of <i>N</i> -Oxides: Bibliography of Important Papers | 13 |
| Table 1.03. Applications of Ultraviolet Spectral Data on <i>N</i> -Oxides: Cross References and Typical Papers | 14 |
| Table 1.04. Infrared Spectra of <i>N</i> -Oxides: Bibliography of Important Papers | 15 |
| Table 1.05. Applications of Infrared Spectra of <i>N</i> -Oxides: Cross References and Typical Papers | 15 |
| Table 1.06. NMR Spectra of <i>N</i> -Oxides: Bibliography of Important Papers | 16 |
| Table 1.07. Dipole Moments of <i>N</i> -Oxides: Applications to Determination of Structure in Ambiguous Cases | 17 |
| Table 1.08. Crystallographic X-Ray Structure Determinations of <i>N</i> -Oxides | 18 |

CHAPTER II

THE PREPARATION OF HETEROAROMATIC *N*-OXIDES

| | |
|---|----|
| 1. Formation of Heteroaromatic <i>N</i> -Oxides by Direct <i>N</i> -Oxidation | 22 |
| A. <i>N</i> -Oxidation with Percarboxylic Acids: Preparative Aspects | 22 |
| B. <i>N</i> -Oxidation by Hydrogen Peroxide and by Other Reagents | 56 |

| | |
|---|-----|
| C. Side Reactions Accompanying <i>N</i> -Oxidation | 60 |
| D. Kinetics and Selectivity of <i>N</i> -Oxidation | 67 |
| E. Oxidation of Cyclic Hydroxylamines and Rearrangement of Aziridines | 72 |
| 2. Formation of Heteroaromatic <i>N</i> -Oxides by Cyclization Reactions | 73 |
| A. Cyclization of Oximes and Other Hydroxylamine Derivatives | 74 |
| B. Ring Closure of Nitroso Compounds | 106 |
| C. Ring Closure of Nitro Compounds by Nucleophilic Attack on the Nitro-nitrogen Atom | 120 |
| D. Ring Closure of Nitro Compounds with Retention of Both Oxygen Atoms | 131 |
| E. Miscellaneous Ring Closures | 137 |
| Table 2.01. Formation of <i>N</i> -Oxides by Oxidation with Peracetic Acid | 23 |
| Table 2.02. Formation of <i>N</i> -Oxides by Oxidation with Perbenzoic Acid in Chloroform Solution | 46 |
| Table 2.03. Formation of <i>N</i> -Oxides by Oxidation with <i>m</i> -Chloroperbenzoic Acid | 49 |
| Table 2.04. Formation of <i>N</i> -Oxides by Oxidation with Perphthalic Acid in Ether Solution | 49 |
| Table 2.05. Formation of <i>N</i> -Oxides by Oxidation with Performic Acid | 53 |
| Table 2.06. Formation of <i>N</i> -Oxides by Oxidation with Pertrifluoroacetic Acid | 54 |
| Table 2.07. Formation of <i>N</i> -Oxides by Oxidation with Permaleic Acid | 55 |
| Table 2.08. Formation of <i>N</i> -Oxides by Direct Oxidation with Miscellaneous Reagents | 59 |
| Table 2.09. Second-order Rate Constants for the Oxidation of Pyridines with Perbenzoic Acid | 68 |
| Table 2.10. Conversion of 4-Pyrones into Pyridine 1-Oxides by Hydroxylamine (89 → 91, 92) | 76 |
| Table 2.11. Formation of Quinoline 1-Oxides by the Reduction of <i>o</i> -Nitrophenyl Compounds | 81 |
| Table 2.12. Formation of 1-Hydroxy-2-quinolones by the Reduction of <i>o</i> -Nitrophenyl Compounds (128 → 129) | 81 |
| Table 2.13. Preparation of Benzo[<i>c</i>]cinnoline <i>N</i> -Oxides by Reduction of 2,2'-Dinitrobiphenyls (144 → 145, 146) | 84 |
| Table 2.14. Preparation of Quinazoline 3-Oxides from Aminobenzophenone Oximes (166 → 167) | 89 |
| Table 2.15. Formation of 1,2-Dihydroquinazoline 3-Oxides from 2-Amino-aceto- or -benzo-phenone Oximes (180 → 181) | 91 |
| Table 2.16. Purine <i>N</i> -Oxides Prepared by Ring Closure of Imidazole Derivatives | 91 |
| Table 2.17. Formation of Δ^1 -Pyrroline 1-Oxides by the Reduction of γ -Nitro-ketones (226 → 228). | 98 |
| Table 2.18. Formation of Benzimidazole 1-Oxides by the Reduction of <i>o</i> -Nitroanilides (256 → 258 \rightleftharpoons 259; 260 → 261) | 102 |
| Table 2.19. Formation of Oxazole 3-Oxides from α -Diketone Monoximes by Reduction with Aldehydes (266 → 267) | 104 |
| Table 2.20. Formation of <i>N</i> -Oxides with Seven-membered Rings by Reduction of Di- <i>o</i> -nitrophenyl Derivatives (288 → 289) | 107 |
| Table 2.21. Phenazine <i>N</i> -Oxides Prepared by the Wohl-Aue Reaction (302 → 303 + 304) | 110 |

| | |
|--|-----|
| Table 2.22. Formation of Benzotriazole 1-Oxides by the Oxidation of <i>o</i> -Aminoazo Compounds or the Reduction of <i>o</i> -Nitro-azo or -azoxy Compounds | 114 |
| Table 2.23. Preparation of Furoxans by Oxidation of α -Dioximes (333 \rightarrow 335) | 115 |
| Table 2.24. Miscellaneous Preparations of Furoxans | 116 |
| Table 2.25. Formation of 3-Quinoxalinone 1-Oxides by Cyclization of <i>o</i> -Nitroacetanilides (375 \rightarrow 376) | 124 |
| Table 2.26. Preparation of 1,2,4-Benzotriazine 1-Oxides from <i>o</i> -Nitrophenyl-guanidines (383 \rightarrow 384) and -ureas (385 \rightarrow 386) | 127 |
| Table 2.27. Formation of Indazole 1-Oxides from <i>o</i> -Nitrobenzaldehydes by Reaction with Anilines and Hydrogen Cyanide (395 \rightarrow 396) | 128 |
| Table 2.28. Formation of 1,2,3-Benzotriazole 1-Oxides by Cyclization of <i>o</i> -Nitrophenylhydrazines (408 \rightarrow 409) | 130 |
| Table 2.29. Preparation of Benzofuroxans from <i>o</i> -Nitrophenyl Azides (433 \rightarrow 434) | 134 |
| Table 2.30. Preparation of Benzofuroxans by Oxidation of <i>o</i> -Nitroanilines (435 \rightarrow 434) | 135 |
| Table 2.31. Preparation of Furoxans by Dimerization of Nitrile Oxides (465 \rightarrow 468) | 140 |

CHAPTER III

REACTIONS AT *N*-OXIDE RINGS

| | |
|---|-----|
| 1. Reactions of <i>N</i> -Oxides with Electrophiles at the <i>N</i> -Oxide Oxygen Atom | 143 |
| A. Reactions of <i>N</i> -Oxides with Protons | 144 |
| B. Alkylation and Acylation of <i>N</i> -Oxides | 153 |
| C. Coordination Compounds of <i>N</i> -Oxides | 160 |
| 2. Reactions of Heterocyclic <i>N</i> -Oxides with Nucleophiles at the <i>N</i> -Oxide Oxygen Atom: Reduction | 166 |
| A. Reduction Mechanism and General Discussion | 166 |
| B. Catalytic Hydrogenation | 169 |
| C. Reduction with Complex Hydrides | 192 |
| D. Reduction with Trivalent Phosphorus Compounds | 195 |
| E. Reduction with Other Non-metals | 207 |
| F. Reduction with Dissolving Metals and Metal Ions | 215 |
| G. Miscellaneous Reductions | 216 |
| 3. Electrophilic Attack on Ring Carbon Atoms | 231 |
| A. Orientation and Mechanism | 231 |
| B. Nitration by Direct Attack of Nitronium Ions | 233 |
| C. Nitration <i>beta</i> to the <i>N</i> -Oxide Group with Benzoyl Nitrate and Related Reagents | 244 |
| D. Electrophilic Halogenation | 248 |
| E. Other Electrophilic Reactions | 251 |
| 4. Reactions of Nucleophilic Reagents at the Ring Carbon Atoms of Heterocyclic <i>N</i> -Oxides | 258 |
| A. General Survey | 258 |
| B. Formation of a Carbon-halogen Bond by Nucleophilic Attack | 259 |

| | |
|---|-----|
| C. Formation of a Carbon-oxygen Bond by Nucleophilic Attack | 270 |
| D. Formation of a Carbon-sulphur Bond by Nucleophilic Attack | 292 |
| E. Formation of a Carbon-nitrogen Bond by Nucleophilic Attack | 294 |
| F. Formation of a Carbon-carbon Bond by Nucleophilic Attack | 299 |
| 5. Other Reactions at Ring Carbon Atoms or at an <i>N</i> -Oxide Oxygen Atom | 319 |
| A. Free-radical Reactions | 319 |
| B. Photochemical Reactions | 320 |
| C. Reactions Involving Cyclic Transition States | 329 |
| D. Tautomerism | 339 |
| 6. Reactions at Ring Nitrogen or Hydrogen Atoms | 340 |
| A. Reactions at Ring Nitrogen Atoms | 340 |
| B. Nucleophilic Attack at Ring Hydrogen Atoms | 345 |
| C. <i>Pi</i> and Charge-transfer Complexes | 348 |
| Table 3.01. <i>N</i> -Oxide Salts Formed with Proton Acids | 145 |
| Table 3.02. <i>N</i> -Oxide Basic Salts of the Type $\text{Het}^+ - \text{O}^- \cdots \text{H}^+ \cdots - \text{O}^- + \text{Het}$ | 147 |
| Table 3.03. $\text{p}K_a$ Values of <i>N</i> -Oxide Conjugate Acids | 148 |
| Table 3.04. Formation of <i>N</i> -Alkoxy Quaternary Salts by <i>N</i> -Oxides | 157 |
| Table 3.05. Pyridine 1-Oxide Complexes with Metal Ions | 162 |
| Table 3.06. Complexes of 2,2'-Bipyridyl 1,1'-Dioxide with Metal Ions | 167 |
| Table 3.07. Catalytic Reduction of <i>N</i> -Oxides | 170 |
| Table 3.08. Deoxygenation of <i>N</i> -Oxides with Complex Metal Hydrides | 193 |
| Table 3.09. Deoxygenation of <i>N</i> -Oxides with Phosphite Esters | 198 |
| Table 3.10. Deoxygenation of <i>N</i> -Oxides with Phosphines | 199 |
| Table 3.11. Deoxygenation of <i>N</i> -Oxides with Phosphorus Trihalides | 200 |
| Table 3.12. Deoxygenation of <i>N</i> -Oxides with Phosphorus and Iodine | 206 |
| Table 3.13. Deoxygenation of <i>N</i> -Oxides with Sulphur Dioxide or Sulphite Ions | 208 |
| Table 3.14. Deoxygenation of <i>N</i> -Oxides with Dithionite Ions | 210 |
| Table 3.15. Deoxygenation of <i>N</i> -Oxides by Other Sulphur-containing Reagents | 211 |
| Table 3.16. Deoxygenation of <i>N</i> -Oxides by Amines and Related Compounds | 212 |
| Table 3.17. Reduction of Benzofuroxans to <i>o</i> -Benzoquinone Dioximes (82 \rightarrow 83) | 213 |
| Table 3.18. Reagents and Typical Reaction Conditions for the Deoxygenation of <i>N</i> -Oxides by Dissolving Metals (and Metal Ions of Lower Valency) | 217 |
| Table 3.19. Deoxygenation of <i>N</i> -Oxides with Dissolving Metals (and Metal Ions of Lower Valency) | 218 |
| Table 3.20. Reduction of Furoxans to α -Dioximes | 227 |
| Table 3.21. Bibliography of Half-wave Reduction Potentials | 227 |
| Table 3.22. Half-wave Reduction Potentials of Some Selected <i>N</i> -Oxides | 228 |
| Table 3.23. Nitration of Pyridine 1-Oxides in Sulphuric Acid | 234 |
| Table 3.24. Nitration of Quinoline 1-Oxides in Sulphuric Acid | 237 |
| Table 3.25. Nitration of Pyridazine 1-Oxides in Sulphuric Acid | 240 |
| Table 3.26. Nitration of Cinnoline <i>N</i> -Oxides Using Nitric Acid-Sulphuric Acid | 241 |
| Table 3.27. Nitration of Benzofuroxans | 243 |
| Table 3.28. Nitration <i>beta</i> to the <i>N</i> -Oxide Group Using Benzoyl Nitrate and Related Reagents | 245 |

| | |
|--|-----|
| Table 3.29. Conversion of Pyridine 1-Oxides into Chloro- (or Bromo-) pyridines with Loss of the <i>N</i> -Oxide Group | 261 |
| Table 3.30. Conversion of Quinoline 1-Oxides into Halogenoquinolines with Loss of the <i>N</i> -Oxide Group | 263 |
| Table 3.31. Conversion of Other <i>N</i> -Oxides into Chloro-heterocycles with Loss of the <i>N</i> -Oxide Group | 266 |
| Table 3.32. Hydrolytic Ring-opening Reactions of Purine <i>N</i> -Oxides and Related Compounds (237 → 239) | 276 |
| Table 3.33. Conversion of <i>N</i> -Oxides into α -Oxo-heterocycles by Hydroxide Ions in the Presence of Tosyl Chloride (<i>cf.</i> 273 → 275) | 280 |
| Table 3.34. The Conversion of <i>N</i> -Oxides into α -Oxo-heterocycles by Reaction with Acetic Anhydride (<i>cf.</i> 288 → 292) | 282 |
| Table 3.35. The Reaction of <i>N</i> -Oxides with α - and γ -Halogeno-heterocycles (<i>cf.</i> 369 → 372; 377 → 379) | 298 |
| Table 3.36. Reissert-type Reactions of <i>N</i> -Oxides to Form Cyano-heterocycles with Loss of the <i>N</i> -Oxide Group (381 → 383) | 301 |
| Table 3.37. Reaction of <i>N</i> -Alkoxy Quaternary Salts with Cyanide Ions (<i>cf.</i> 388 → 389) | 305 |
| Table 3.38. Reactions of <i>N</i> -Oxides with Organometallic Compounds (396 → 398) | 308 |
| Table 3.39. Reactions of Grignard Reagents with <i>N</i> -Alkoxy Quaternary Salts | 310 |
| Table 3.40. Reactions of <i>N</i> -Oxides with Active Hydrogen Compounds (<i>cf.</i> 403 → 416) | 315 |
| Table 3.41. Reactions of <i>N</i> -Oxides with Enamines in the Presence of Acylating Agents (<i>cf.</i> 432 → 434). | 318 |

CHAPTER IV

REACTIONS OF SUBSTITUENTS ON HETEROCYCLIC *N*-OXIDES

| | |
|--|-----|
| 1. Influence of the <i>N</i> -Oxide Function on Substituent Reactivity | 349 |
| 2. Functional Groups Linked to Ring Carbon by a Carbon Atom | 351 |
| A. Benzenoid Rings | 351 |
| B. Alkyl Groups | 352 |
| C. Other Carbon-linked Functional Groups | 377 |
| 3. Functional Groups Linked to Ring Carbon by Other Atoms | 393 |
| A. Halogen Atoms | 393 |
| B. Oxygen-linked Functional Groups | 406 |
| C. Nitrogen-linked Functional Groups | 420 |
| D. Sulphur-linked Functional Groups | 443 |
| E. Other Functional Groups Attached to Ring Carbon Atoms | 447 |
| 4. Substituents Attached to an <i>N</i> -Oxide Oxygen Atom | 447 |
| A. <i>N</i> -Alkoxy Cations | 448 |
| B. Neutral <i>N</i> -Alkoxy Derivatives | 451 |
| Table 4.01. Conversion of α - and γ -Alkyl <i>N</i> -Oxides by Acetic Anhydride into Acetoxyalkyl Heterocycles with Loss of the <i>N</i> -Oxide Function (<i>cf.</i> 20 → 21) | 354 |

| | |
|--|-----|
| Table 4.02. Conversion of α - and γ -Alkyl <i>N</i> -Oxides by Acid Chlorides into Chloroalkyl Derivatives with Loss of the <i>N</i> -Oxide Function (cf. 66 \rightarrow 68) | 367 |
| Table 4.03. Reactions of Alkyl <i>N</i> -Oxides with Aldehydes | 372 |
| Table 4.04. Reactions of Miscellaneous Carbon-linked Substituents | 378 |
| Table 4.05. Conversion of 2-Chloromethylquinazoline 3-Oxides into Benzodiazepine 4-Oxides (136 \rightarrow 137) | 390 |
| Table 4.06. Nucleophilic Displacement Reactions of Ring Halogen Atoms in <i>N</i> -Oxides | 394 |
| Table 4.07. Alkylation and Acylation of Hydroxy <i>N</i> -Oxides | 411 |
| Table 4.08. Replacement of Hydroxyl or Potential Hydroxyl Groups in <i>N</i> -Oxides with Chloro or Bromo Groups | 414 |
| Table 4.09. Hydrolysis of Ring Alkoxy Groups in <i>N</i> -Oxides | 416 |
| Table 4.10. Nucleophilic Displacement Reactions on Alkoxy and Phenoxy <i>N</i> -Oxides | 417 |
| Table 4.11. Groups Introduced into Rings Carrying an <i>N</i> -Oxide Function via Diazotization | 423 |
| Table 4.12. Acylation of Amino <i>N</i> -Oxides | 425 |
| Table 4.13. Ring Closure onto a Substituent to Give a New Heterocyclic <i>N</i> -Oxide | 428 |
| Table 4.14. Miscellaneous Reactions of Amino <i>N</i> -Oxides | 428 |
| Table 4.15. Amino <i>N</i> -Oxides Prepared by Successive <i>N</i> -Oxidation and Hydrolysis of the Acylamino Heterocycles | 429 |
| Table 4.16. Chemical Reduction of Nitro <i>N</i> -Oxides with Retention of the <i>N</i> -Oxide Function | 431 |
| Table 4.17. Nucleophilic Replacement of a Nitro Group with Retention of the <i>N</i> -Oxide Function | 435 |
| Table 4.18. Conversion of <i>N</i> -Alkoxy Cations into the Parent Heterocycle and a Carbonyl Compound | 450 |
| Bibliography | 452 |
| Appendix | 539 |
| Subject Index | 557 |