

Contents

Preface *XIX*

Acknowledgements *XXI*

List of Contributors *XXIII*

Part I Electrochromic Materials and Processing 1

1	Electrochromic Metal Oxides: An Introduction to Materials and Devices 3
	<i>Claes-Göran Granqvist</i>
1.1	Introduction 3
1.2	Some Notes on History and Early Applications 5
1.3	Overview of Electrochromic Oxides 6
1.3.1	Recent Work on Electrochromic Oxide Thin Films 7
1.3.2	Optical and Electronic Effects 9
1.3.3	Charge Transfer Absorption in Tungsten Oxide 11
1.3.4	Ionic Effects 14
1.3.5	On the Importance of Thin-Film Deposition Parameters 18
1.3.6	Electrochromism in Films of Mixed Oxide: The W–Ni-Oxide System 21
1.4	Transparent Electrical Conductors and Electrolytes 23
1.4.1	Transparent Electrical Conductors: Oxide Films 25
1.4.2	Transparent Electrical Conductors: Metal-Based Films 26
1.4.3	Transparent Electrical Conductors: Nanowire-Based Coatings and Other Alternatives 27
1.4.4	Electrolytes: Some Examples 29
1.5	Towards Devices 30
1.5.1	Six Hurdles for Device Manufacturing 31
1.5.2	Practical Constructions of Electrochromic Devices 32
1.6	Conclusions 33
	Acknowledgement 33
	References 33

2	Electrochromic Materials Based on Prussian Blue and Other Metal Metallohexacyanates 41
	<i>David R. Rosseinsky and Roger J. Mortimer</i>
2.1	The Electrochromism of Prussian Blue 41
2.1.1	Introduction 41
2.1.2	Electrodeposited PB Film and Comparisons with Bulk PB 42
2.1.3	PB Prepared from Direct Cell Reaction, with No Applied Potential 45
2.1.4	Layer-by-Layer Deposition of PB 46
2.1.5	PB on Graphene 46
2.1.6	Alternative Preparations of PB: PB from Colloid and Similar Origins 46
2.1.7	Alternative Electrolytes Including Polymeric for PB Electrochromism 47
2.2	Metal Metallohexacyanates akin to Prussian Blue 48
2.2.1	Ruthenium Purple RP 48
2.2.2	Vanadium Hexacyanoferrate 48
2.2.3	Nickel Hexacyanoferrate 48
2.3	Copper Hexacyanoferrate 49
2.3.1	Palladium Hexacyanoferrate 49
2.3.2	Indium Hexacyanoferrate and Gallium Hexacyanoferrate 49
2.3.3	Miscellaneous PB Analogues as Hexacyanoferrates 49
2.3.4	Mixed-Metal and Mixed-Ligand PB Analogues Listed 50
	References 50
3	Electrochromic Materials and Devices Based on Viologens 57
	<i>Paul M. S. Monk, David R. Rosseinsky, and Roger J. Mortimer</i>
3.1	Introduction, Naming and Previous Studies 57
3.2	Redox Chemistry of Bipyridilium Electrochromes 58
3.3	Physicochemical Considerations for Including Bipyridilium Species in ECDs 61
3.3.1	Type-1 Viologen Electrochromes 61
3.3.2	Type-2 Viologen Electrochromes 61
3.3.2.1	The Effect of the Bipyridilium-N Substituent 62
3.3.2.2	The Effect of Micellar Viologen Species 62
3.3.2.3	The Effect of Film Morphology 64
3.3.2.4	The Effect of the Counter Anion 64
3.3.2.5	The Use of Electron Mediators and the Formation of Electro-Inactive Oils 65
3.3.2.6	The Effect of Dimerised Radical Cations 67
3.3.3	Type-3 Viologen Electrochromes 68
3.3.3.1	Immobilising Viologen Electrochromes 69
3.3.3.2	Derivatised Electrodes 69
3.4	Exemplar Bipyridilium ECDs 72
3.4.1	The Philips Device 72

3.4.2	The ICI Device	72
3.4.3	The IBM Device	74
3.4.4	The Gentex Device	74
3.4.5	The NTERA Device	76
3.4.6	The NanoChromics Cell	76
3.4.7	The Grätzel Device	78
3.5	Elaborations	78
3.5.1	The Use of Pulsed Potentials	79
3.5.2	Electropolychromism	79
3.5.3	Viologen Electrochemiluminescence	79
3.5.4	Viologens Incorporated within Paper	80
	References	81
4	Electrochromic Devices Based on Metal Hexacyanometallate/Viologen Pairings	91
	<i>Kuo-Chuan Ho, Chih-Wei Hu, and Thomas S. Varley</i>	
4.1	Introduction	91
4.1.1	Overview of Prussian Blue and Viologen Electrochromic Devices	92
4.2	Hybrid (Solid-with-Solution) Electrochromic Devices	93
4.2.1	Prussian Blue and Heptyl Viologen Solid-with-Solution-Type ECD	93
4.2.1.1	Preparation and Characterisation of PB Thin Film and $HV(BF_4)_2$	94
4.2.1.2	Redox Behaviours and Visible Spectra of the PB Film and $HV(BF_4)_2$ Solution	94
4.2.1.3	Operating Parameters and Properties of PHECD	95
4.2.1.4	Analogous Devices	96
4.2.2	PB Thin Film and Viologen in Ionic Liquid–Based ECD	97
4.3	All-Solid Electrochromic Devices	97
4.3.1	Prussian Blue and Poly(butyl viologen) Thin-Film ECD	97
4.3.1.1	Preparation of Poly(butyl viologen) Thin Film	97
4.3.1.2	Electrochemical and Optical Properties of Poly(butyl viologen) Thin Films	98
4.3.1.3	Electrochromic Performance of PBV-PB ECD	99
4.3.2	Prussian Blue and Viologen Anchored TiO_2 -Based ECD	99
4.3.3	Polypyrrole-Prussian Blue Composite Film and Benzylviologen Polymer–Based Thin-Film-Type ECD	100
4.3.3.1	Preparation of PP-PB Thin-Film	101
4.3.3.2	Performance of the PP-PB Thin-Film and pBPQ-Based Electrochromic Device	101
4.3.4	PB Thin-Film and Viologen-Doped Poly(3,4-ethylenedioxythiophene) Polymer–Based ECD	102
4.3.5	Other Solid-State Viologens	103
4.4	Other Metal Hexacyanometallate-Viologen-Based ECDs	104

4.5	Prospects for Metal Hexacyanometallate-Viologen-Based ECDs	105
	References	106
5	Conjugated Electrochromic Polymers: Structure-Driven Colour and Processing Control	113
	<i>Aubrey L. Dyer, Anna M. Österholm, D. Eric Shen, Keith E. Johnson, and John R. Reynolds</i>	
5.1	Introduction and Background	113
5.1.1	Source of Electrochromism in Conjugated Polymers	113
5.1.1.1	Common Polyheterocycles	116
5.1.1.2	Donor–Acceptor Approach – The Push–Pull of Electrons	118
5.1.1.3	Steric Interactions	120
5.1.1.4	Fused Aromatics	122
5.2	Representative Systems	123
5.2.1	Coloured-to-Transmissive Polymers	123
5.2.1.1	Yellow	124
5.2.1.2	Orange and Red	125
5.2.1.3	Blue and Purple	127
5.2.1.4	Cyan/Green	133
5.2.1.5	Black	135
5.2.2	Anodically Colouring	139
5.2.3	Inducing Multicoloured States in ECPs	143
5.2.3.1	Polyaniline: A Model ECP with Multiple Redox States	146
5.2.3.2	Colour Control via Copolymerisation	147
5.2.3.3	Appended Electrochromes on ECPs	148
5.2.3.4	Surface-Confined Polymerisation	149
5.2.3.5	Combining Redox States – Oxidation and Reduction in a Single Material	150
5.2.3.6	Composite Formation with Electrochrome Dopants	151
5.3	Processability of Electrochromic Polymers	152
5.3.1	Electrochemical Polymerisation	152
5.3.2	Functionalisation of ECPs for Achieving Organic Solubility	156
5.3.3	Aqueous Processability and Compatibility	158
5.3.3.1	Use of Charged Polymers	159
5.3.3.2	Ion Functionalised Polymers	161
5.3.3.3	Organic Processing to Achieve Water Solubility and Water Switchability	163
5.3.4	Methods for Patterning	165
5.4	Summary and Perspective	168
	Acknowledgements	169
	References	169

6	Electrochromism within Transition-Metal Coordination Complexes and Polymers	185
	<i>Yu-Wu Zhong</i>	
6.1	Electronic Transitions and Redox Properties of Transition-Metal Complexes	185
6.2	Electrochromism in Reductively Electropolymerised Films of Polypyridyl Complexes	187
6.3	Electrochromism in Oxidatively Electropolymerised Films of Transition-Metal Complexes	192
6.4	Electrochromism in Self-Assembled or Self-Adsorbed Multilayer Films of Transition-Metal Complexes	196
6.5	Electrochromism in Spin-Coated or Drop-Cast Thin Films of Transition-Metal Complexes	200
6.6	Conclusion and Outlook	204
	Acknowledgements	205
	References	205
7	Organic Near-Infrared Electrochromic Materials	211
	<i>Bin Yao, Jie Zhang, and Xinhua Wan</i>	
7.1	Introduction	211
7.2	Aromatic Quinones	212
7.3	Aromatic Imides	216
7.4	Anthraquinone Imides	218
7.5	Poly(triarylamine)s	221
7.6	Conjugated Polymers	228
7.7	Other NIR Electrochromic Materials	235
7.8	Conclusion	236
	References	237
8	Metal Hydrides for Smart-Window Applications	241
	<i>Kazuki Yoshimura</i>	
8.1	Switchable-Mirror Thin Films	241
8.2	Optical Switching Property	242
8.3	Switching Durability	243
8.4	Colour in the Transparent State	244
8.5	Electrochromic Switchable Mirror	245
8.6	Smart-Window Application	246
	References	247
	Part II Nanostructured Electrochromic Materials and Device Fabrication	249
9	Nanostructures in Electrochromic Materials	251
	<i>Shanxin Xiong, Pooi See Lee, and Xuehong Lu</i>	
9.1	Introduction	251

9.1.1	Why Nanostructures?	251
9.1.2	Classification of Nanostructural Electrochromic Materials	252
9.1.3	Preparation Method	253
9.2	Nanostructures of Transition Metal Oxides (TMOs)	253
9.2.1	Introduction	253
9.2.2	Single TMO Systems	257
9.2.3	Binary TMO Systems	261
9.3	Nanostructures of Conjugated Polymers	262
9.3.1	Introduction	262
9.3.2	Polythiophene and Its Derivatives	263
9.3.3	Polyaniline	264
9.3.4	Polypyrrole	266
9.4	Nanostructures of Organic-Metal Complexes and Viologen	267
9.4.1	Introduction	267
9.4.2	Organic-Metal Complexes	267
9.4.3	Viologens	268
9.5	Electrochromic Nanocomposites and Nanohybrids	268
9.5.1	Introduction	268
9.5.2	Nanocomposites of Electrochromic Materials	269
9.5.2.1	Conjugated Polymer/TMO and TMO/TMO Nanocomposites	269
9.5.2.2	Conjugated Polymer/Organic Small-Molecule Nanocomposites	272
9.5.3	Nanocomposites of Electrochromic/Non-Electrochromic Active Materials	274
9.5.3.1	Conjugated Polymers as Electrochromic Materials	274
9.5.3.2	TMOs as Electrochromic Materials	275
9.5.3.3	Organic Small Molecules as Electrochromic Materials	277
9.5.3.4	Electrochromic Nanohybrids with Covalent Bonds	278
9.6	Conclusions and Perspective	281
	References	282
10	Advances in Polymer Electrolytes for Electrochromic Applications	289
	<i>Alice Lee-Sie Eh, Xuehong Lu, and Pooi See Lee</i>	
10.1	Introduction	289
10.2	Requirements of Polymer Electrolytes in Electrochromic Applications	290
10.3	Types of Polymer Electrolytes	291
10.3.1	Solid Polymer Electrolytes (SPEs)	292
10.3.2	Gel Polymer Electrolytes (GPEs)	292
10.3.3	Polyelectrolytes	293
10.3.4	Composite Polymer Electrolytes (CPEs)	294
10.4	Polymer Hosts of Interest in Electrochromic Devices	294
10.4.1	PEO/PEG-Based Polymer Electrolytes	295
10.4.2	PMMA-Based Polymer Electrolytes	296

10.4.3	PVDF-Based Polymer Electrolytes	297
10.4.4	Ionic Liquid – Based Polymer Electrolytes	300
10.4.5	Poly(propylene carbonate) (PPC)-Based Polymer Electrolytes	302
10.5	Recent Trends in Polymer Electrolytes	303
10.5.1	Flexible, Imprintable, Bendable and Shape-Conformable Polymer Electrolytes	303
10.5.2	Potentially 'Green' Biodegradable Polymer Electrolytes Using Naturally Available Polymer Host	303
10.6	Future Outlook	305
10.6.1	Recent Trends in Electrochromic Devices	305
10.6.2	Challenges in Creating Versatile Polymer Electrolytes for EC Devices	307
	References	307
11	Gyroid-Structured Electrodes for Electrochromic and Supercapacitor Applications	311
	<i>Maik R.J. Scherer and Ullrich Steiner</i>	
11.1	Introduction to Nanostructured Electrochromic Electrodes	311
11.1.1	Three-Dimensional Nanostructuring Strategies	313
11.2	Polymer Self-Assembly and the Gyroid Nanomorphology	315
11.2.1	Copolymer Microphase Separation	315
11.2.2	Double-Gyroid	316
11.2.3	Synthesis of Mesoporous DG Templates	318
11.3	Gyroid-Structured Vanadium Pentoxide	320
11.3.1	Electrochemical Characterisation of V_2O_5 Electrodes	322
11.3.2	Electrochromic Displays Based on V_2O_5 Electrodes	322
11.3.3	Electrochromic V_2O_5 Supercapacitors	324
11.4	Gyroid-Structured Nickel Oxide	326
11.4.1	Electrochromic Displays Based on NiO Electrodes	328
11.5	Concluding Remarks	329
	References	331
12	Layer-by-Layer Assembly of Electrochromic Materials: On the Efficient Method for Immobilisation of Nanomaterials	337
	<i>Susana I. Córdoba de Torresi, Jose R. Martins Neto, Marcio Vidotti, and Fritz Huguenin</i>	
12.1	Introduction to the Layer-by-Layer Deposition Technique	337
12.2	Layer-by-Layer Assembly in Electrochromic Materials	337
12.2.1	Layer-by-Layer Assembly of Conjugated Conducting Polymers	338
12.2.2	Layer-by-Layer Assembly of Intervalence Charge Transfer Coloration Materials	340
12.3	Layer-by-Layer Assembly of Metal Oxides	342
12.3.1	Tungsten Oxide	344
12.3.2	Hexaniobate	346
12.3.3	Vanadium Oxide	346

12.3.4	Titanium Oxide	348
12.3.5	Nickel Hydroxide	349
12.4	Layer-by-Layer and Electrophoretic Deposition for Nanoparticles Immobilisation	351
12.4.1	Comparing Layer-by-Layer and Electrophoretic Deposition	351
	Acknowledgements	357
	References	357
13	Plasmonic Electrochromism of Metal Oxide Nanocrystals	363
	<i>Anna Llordes, Evan L. Runnerstrom, Sebastien D. Lounis, and Delia J. Milliron</i>	
13.1	Introduction to Plasmonic Electrochromic Nanocrystals	363
13.2	History of Electrochromism in Metal and Semiconductor Nanocrystals	368
13.3	Doped Metal Oxide Colloidal Nanocrystals as Plasmonic Electrochromic Materials	377
13.3.1	Colloidal Synthesis of Doped Metal Oxide Nanocrystals	377
13.3.2	Plasmonic Electrochromic Electrodes Based on Colloidal ITO and AZO Nanocrystals	379
13.3.3	Design Principles for Nanocrystal-Based Plasmonic Electrochromics	382
13.4	Advanced Electrochromic Electrodes Constructed from Colloidal Plasmonic NCs	383
13.4.1	NIR-Selective Mesoporous Architected Electrodes Based on Plasmonic Colloidal Nanocrystals	384
13.4.2	Dual-Band Nanocrystal-in-Glass Composite Electrodes Based on Plasmonic Colloidal Nanocrystals and Conventional Electrochromic Materials	385
13.4.3	Other Advanced Composite Electrochromic Electrodes Obtained from Non-Colloidal Approaches	391
13.4.3.1	Hybrid Electrochromic Nanocomposites	391
13.4.3.2	Inorganic Nanocomposites for Advanced Counter Electrodes	392
13.5	Conclusions and Outlook	393
	References	394
	Part III Applications of Electrochromic Materials	399
14	Solution-Phase Electrochromic Devices and Systems	401
	<i>Harlan J. Byker</i>	
14.1	Introduction	401
14.2	Early History of Solution-Phase EC	402
14.3	The World's Most Widely Used Electrochromic Material	405
14.4	Commercialisation of EC Devices	406
14.5	Reversibility and Stability in Solution-Phase EC Systems	409
14.6	Thickened and Gelled Solution-Phase Systems	411

14.7	Nernst Equilibrium, Disproportionation and Stability	413
14.8	Closing Remarks	415
	References	416
15	Electrochromic Smart Windows for Dynamic Daylight and Solar Energy Control in Buildings	419
	<i>Bjørn Petter Jelle</i>	
15.1	Introduction	419
15.2	Solar Radiation	421
15.3	Solar Radiation through Window Panes and Glass Structures	421
15.4	Solar Radiation Modulation by Electrochromic Windows	425
15.5	Experimental	427
15.5.1	Glass Samples and Window Pane Configurations	427
15.5.2	UV-VIS-NIR Spectrophotometry	428
15.5.3	Emissivity Determination by Specular IR Reflectance	428
15.5.4	Emissivity Determination by Heat Flow Meter	428
15.5.5	Emissivity Determination by Hemispherical Reflectance	429
15.5.6	Actual Emissivity Determinations in This Study	430
15.6	Measurement and Calculation Method of Solar Radiation Glazing Factors	430
15.6.1	Ultraviolet Solar Transmittance	430
15.6.2	Visible Solar Transmittance	431
15.6.3	Solar Transmittance	431
15.6.4	Solar Material Protection Factor (SMPF)	432
15.6.5	Solar Skin Protection Factor (SSPF)	433
15.6.6	External Visible Solar Reflectance	434
15.6.7	Internal Visible Solar Reflectance	434
15.6.8	Solar Reflectance	435
15.6.9	Solar Absorbance	436
15.6.10	Emissivity	436
15.6.10.1	Emissivity in General	436
15.6.10.2	Emissivity by Specular IR Reflectance Measurements	437
15.6.10.3	Emissivity by Heat Flow Meter Apparatus	437
15.6.10.4	Emissivity by Hemispherical Reflectance	440
15.6.11	Solar Factor (SF)	440
15.6.11.1	Solar Factor in General	440
15.6.11.2	Heat Transfer Coefficients of Glazing towards the Outside and Inside	441
15.6.11.3	Secondary Heat Transfer Factor towards the Inside for Multiple Glazing	441
15.6.11.4	Thermal Conductance	442
15.6.11.5	Solar Factor for Single Glazing	445
15.6.11.6	Solar Factor for Double Glazing	446
15.6.11.7	Solar Factor for Triple Glazing	447
15.6.12	Colour Rendering Factor (CRF)	449

15.6.13	Additional Heat Transfer	451
15.6.14	Number of Glass Layers in a Window Pane	452
15.6.15	General Calculation Procedures	452
15.7	Spectroscopic Measurement and Calculation of Solar Radiation Glazing Factors	452
15.7.1	Spectroscopic Data for Float Glass and Low Emittance Glass	453
15.7.2	Spectroscopic Data for Dark Silver Coated Glass	455
15.7.3	Spectroscopic Data for Electrochromic Windows	456
15.7.4	Solar Radiation Glazing Factors for Float Glass, Low Emittance Glass, Dark Silver Coated Glass and Two-Layer and Three-Layer Window Pane Configurations	461
15.7.5	Solar Radiation Glazing Factors for Electrochromic Windows	465
15.7.6	Miscellaneous Other Electrochromic Properties	470
15.7.6.1	General	470
15.7.6.2	Colour Coordinates	470
15.7.6.3	Electrochromic Efficiency	471
15.7.6.4	Energy Consumption, Memory and Switching Time	472
15.7.6.5	Durability	472
15.7.6.6	Electrochromic Window Configuration	473
15.7.6.7	Reflectance-Induced Limitations	474
15.8	Commercial Electrochromic Windows and the Path Ahead	475
15.9	Increased Application of Solar Radiation Glazing Factors	476
15.10	Conclusions	476
	Acknowledgements	477
15.A	Appendix: Tables for Calculation of Solar Radiation Glazing Factors	477
15.B	Appendix: Tables for Calculation of Thermal Conductance	488
	References	492
16	Fabric Electrochromic Displays for Adaptive Camouflage, Biomimicry, Wearable Displays and Fashion	503
	<i>Michael T. Otley, Michael A. Invernale, and Gregory A. Sotzing</i>	
16.1	Introduction	503
16.1.1	Colour-Changing Technologies Background	504
16.1.2	Previous Work	505
16.1.3	Conductivity Trends of PEDOT-PSS Impregnated Fabric and the Effect of Conductivity on Electrochromic Textile	510
16.1.4	The Effects of Coloured-Based Fabric on Electrochromic Textile	513
16.1.5	Other Electrochromic Fabric	514
16.2	Non-Electrochromic Colour-Changing Fabric	517
16.2.1	Thermochromic Fabric	517
16.2.2	Photochromic Fabric	517
16.2.3	LED and LCD Technology	518

16.3	Conclusion	519
	References	521
 Part IV Device Case Studies, Environmental Impact Issues and Elaborations		
17	Electrochromic Foil: A Case Study	527
	<i>Claes-Göran Granqvist</i>	
17.1	Introduction	527
17.2	Device Design and Optical Properties of Electrochromic Foil	528
17.3	Comments on Lifetime and Durability	532
17.4	Electrolyte Functionalisation by Nanoparticles	538
17.5	Comments and Conclusion	541
	Acknowledgements	542
	References	542
18	Life Cycle Analysis (LCA) of Electrochromic Smart Windows	545
	<i>Uwe Posset and Matthias Harsch</i>	
18.1	Life Cycle Analysis	545
18.2	Application of LCA to Electrochromic Smart Windows	549
18.3	LCA of Novel Plastic-Film-Based Electrochromic Devices	560
18.4	LCA for EC Target Applications	564
18.4.1	Automotive Sunroof Case	564
18.4.2	Appliance Example: Window Case for a House-Hold Oven	566
18.4.3	Aircraft Cabin Window Case	567
18.5	Conclusion	568
	References	568
19	Electrochromic Glazing in Buildings: A Case Study	571
	<i>John Mardaljevic, Ruth Kelly Waskett, and Birgit Painter</i>	
19.1	Introduction	571
19.1.1	Daylight in Buildings	572
19.1.2	The Importance of View	572
19.2	Variable Transmission Glazing for Use in Buildings	573
19.2.1	Chromogenic Glass	573
19.2.2	VTG Performance Characteristics	574
19.2.3	EC Product Details and Practicalities	577
19.2.4	Operational Factors	578
19.2.5	Zoning of EC Glazing	580
19.2.6	Performance Prediction Using Building Simulation Tools	582
19.2.7	Occupant-Based Studies	583
19.3	Case Study: The De Montfort EC Office Installation	584
19.3.1	Background	584

19.3.2	Installation of the EC Glazing	585
19.3.3	Subjective Data Collection	587
19.3.4	Measurement of Physical Quantities	587
19.3.5	The Daylight Illumination Spectrum with EC Glazing	588
19.4	Summary	591
	References	591
20	Photoelectrochromic Materials and Devices	593
	<i>Kuo-Chuan Ho, Hsin-Wei Chen, and Chih-Yu Hsu</i>	
20.1	Introduction	593
20.2	Structure Design of the PECDs	594
20.2.1	Separated-Type PECD (Type I): The Dye-Sensitised TiO ₂ Layer is Separated from the Electrochromic Layer	594
20.2.1.1	Inorganic Materials as EC Layers	599
20.2.1.2	Conjugated Conducting Polymer Materials as EC Layers	604
20.2.2	Combined-Type PECD (Type II): The Dye-Sensitised TiO ₂ Layer is Combined with the Electrochromic Layer	610
20.2.3	Non-Symmetric-Type PECDs (Type III): The Active Area of the Dye-Sensitised TiO ₂ Layer is Non-Symmetric to the Electrochromic Layer	613
20.2.4	Parallel-Type PECDs: Where the Dye-Sensitised TiO ₂ Layer is Parallel and Separated with the Electrochromic Layer. The Electrolytes for Both Layers are Different for Their Optimal Performance	616
20.2.5	Prospects	619
	References	620
Appendix	Definitions of Electrochromic Materials and Device Performance Parameters	623
	<i>Roger J. Mortimer, Paul M. S. Monk, and David R. Rosseinsky</i>	
A.1	Contrast Ratio CR	623
A.2	Response Time τ	624
A.3	Write-Erase Efficiency	624
A.4	Cycle Life	624
A.5	Coloration Efficiency η	625
	References	625
	Index	627