List of Figures	V
List of Tables	XI
Abbreviations	
Summary	
Zusammenfassung	
Olastical.	
Chapter 1	
General introduction and objectives	
1.1 General introduction	
1.1.1 Recent problems of land use in Amazonia	
1.1.2 Pre-Columbian anthropogenic ecosystem modifications as model for	
sustainable agriculture in the humid tropics	2
1.1.3 Nutrients and nutrient sources in pre-Columbian modified soils	
1.1.4 Methods for identification and quantification of nutrient inputs into	
soils	
1.2 Objectives	8
Chapter 2 State of the scientific knowledge on properties and genesis of Anthropogenic	••
Dark Earths in Central Amazonia (terra preta de Índia)	
2.1 Abstract	
2.2 Introduction	
2.3 Classification and occrence of ADE	
2.3.1 Classification	
2.3.2 Occurrence	
2.4 Ecological properties of terra preta	
2.4.1 pH	
2.4.2 Nutrients in terra preta	
2.4.3 Nutrient holding capacity	
2.4.4 SOM stability	
2.5 Theories of terra preta genesis	
2.5.1 Sedimentation of allochthonous soil material vs. in situ genesis	
2.5.2 Sources of biochar	
2.5.3 Nutrient sources and further amendments	
2.5.4 Role of microorganisms in terra preta genesis	
2.5.5 Intentional vs. unintentional terra preta creation	
2.6 Conclusions	29
Chapter 3	
Faeces deposition on Amazonian Anthrosols as assessed from 5β-stanols	31
2.1 Abstract	



3.2 Introduction	32
3.2.1 Amazonian Dark Earths and agriculture in Amazonia	
3.2.2 Geochemical properties and genesis of ADE	33
3.2.3 5\beta-stanols as biomarkers for faecal input into archaeological soils	34
3.3 Materials and methods	35
3.3.1 Sites and sampling	
3.3.2 Analytical procedures	
3.3.3 Calculations	38
3.4 Results	
3.4.1 Amounts of Δ <sup>5</sup> -sterols and non-faecal derived stanols	
3.4.2 Amounts of the faecal biomarkers 5β-cholestan-3β-ol and 5β-	
cholestan-3α-ol	41
3.4.3 Relative abundances of the faecal biomarker 5β-stigmastan-3β-ol	
3.4.4 5β /(5β + 5α)-stanol ratios	
3.5 Discussion	
3.5.1 Threshold values to detect ancient faecal deposition on ADE vs.	
comparison to reference soils	45
3.5.2 Concentrations of Δ <sup>5</sup> -sterols and non-faecal derived stanols	
3.5.3 Concentrations of biomarkers characteristic for faeces (5β-stanols)	
and $5\beta/(5\beta + 5\alpha)$ -stanol ratios	47
3.5.4 Origin of faeces in ADE	
3.6 Conclusions	
Chapter 4	
Combined quantification of faecal sterols, stanols, stanones and bile acids in	
soils and terrestrial sediments by gas chromatography-mass spectrometry	51
4.1 Abstract	52
4.2 Introduction	52
4.3 Experimental	54
4.3.1 Chemical and reagents	54
4.3.2 Soil samples	57
4.3.3 Lipid extraction	57
4.3.4 Saponification	
4.3.5 Sequential liquid-liquid extraction	
4.3.6 Methylation of bile acids	
4.3.7 SPE clean up	
4.3.8 Silylation	
4.3.9 External standards	
4.3.10 GC-MS analysis and quantification	
4.3.11 Comparison of effects of different saponification procedures	
4.3.12 Method evaluation	
4.4 Results and discussion	
4.4.1 Saponification	

4.4.2 Sequential liquid-liquid extraction	65
4.4.3 SPE clean up and derivatisation	66
4.4.4 Method validation and analytical performance	68
4.5 Conclusions	71
Chapter 5	
Ecological engineers ahead of their time:	
The functioning of pre-Columbian raised-field agriculture and its potential	
contributions to sustainability today	73
5.1 Abstract	
5.2 Introduction.	
5.2.1 The search for sustainable agriculture	
5.2.2 What science is needed?	75
5.2.3 Folk knowledge, contemporary and past, as a source of inspiration for agroecological innovation	75
5.2.4 Advantages of raised-field agriculture and its pertinence to today's	13
problems	70
5.3 Towards a systems-level understanding of raised-field agriculture	
5.3.1 Raised-field agriculture as ecological engineering	
5.3.2 Agroecological functioning at the field level	
5.4 Raised-field agriculture: is it pertinent to today's world?	
5.4.1 Why promote further agricultural conversion of wetlands?	
5.4.2 What factors could limit the adoption of this way of practicing	75
agriculture?	96
5.4.3 Labor requirements and the potential of raised-field agriculture to	70
support viable rural livelihoods	97
5.5 Conclusion	
Chapter 6	
Legacy of pre-Columbian raised-field agriculture in French Guiana on soil	
organic matter and nutrient concentrations	
6.1 Abstract	
6.2 Introduction	
6.3 Material and Methods	
6.3.1 Study area	
6.3.2 Sampled raised fields and flat areas	
6.3.3 Soil sampling	
6.3.4 Analyses	
6.3.5 Statistical analysis	
6.4 Results	
6.4.1 pH	
6.4.2 Total organic carbon and total nitrogen	
6.4.3 Plant-available element concentrations	113

6.4.4 Pseudo-total nutrient amounts (large raised fields at the Bois Diab	le
and the K-VIII sites)	
6.5 Discussion	
6.5.1 Total organic carbon and application of organic material	120
6.5.2 Amounts of phosphorus and fertilization	122
6.5.3 Concentrations of Ca, K, Mg and Na	
6.5.4 Amounts of pseudo-total Cu, Ba and Zn	
6.6 Conclusions	
Chapter 7	
Synopsis and conclusions	129
7.1 Synopsis	130
7.1.1 Nutrient sources in terras pretas and steroid analysis	130
7.1.2 Nutrients in raised fields and nutrient management in pre-Columbi	an
raised-field agriculture in Amazonia	133
7.2 Conclusions	137
References	139
Appendices	175
Appendix 1 (Chapter 4) Equation for the calculation of relative standard	
deviation (RSD)	
Appendix 2 (Chapter 6)	
Appendix 2.1 SI1 Genesis, archaeological background and distribution	
sampled raised fields	
Appendix 2.2 SI2 Figures	
Acknowledgements	193
Hallenser Bodenwissenschaftliche Abhandlungen	
Bislang erschienene Bände	195