

---

# Table of Contents

|   |           |
|---|-----------|
| <b>Preface</b> .....  | <b>xv</b> |
| <b>1. Using the mysql Client Program</b> .....              | <b>1</b>  |
| 1.1 Setting Up a MySQL User Account                         | 2         |
| 1.2 Creating a Database and a Sample Table                  | 4         |
| 1.3 Starting and Terminating mysql                          | 5         |
| 1.4 Specifying Connection Parameters by Using Option Files  | 7         |
| 1.5 Protecting Option Files                                 | 9         |
| 1.6 Mixing Command-Line and Option File Parameters          | 10        |
| 1.7 What to Do if mysql Cannot Be Found                     | 10        |
| 1.8 Setting Environment Variables                           | 12        |
| 1.9 Issuing Queries   | 14        |
| 1.10 Selecting a Database                                   | 15        |
| 1.11 Canceling a Partially Entered Query                    | 17        |
| 1.12 Repeating and Editing Queries                          | 18        |
| 1.13 Using Auto-Completion for Database and Table Names     | 19        |
| 1.14 Using SQL Variables in Queries                         | 20        |
| 1.15 Telling mysql to Read Queries from a File              | 23        |
| 1.16 Telling mysql to Read Queries from Other Programs      | 25        |
| 1.17 Specifying Queries on the Command Line                 | 26        |
| 1.18 Using Copy and Paste as a mysql Input Source           | 27        |
| 1.19 Preventing Query Output from Scrolling off the Screen  | 28        |
| 1.20 Sending Query Output to a File or to a Program         | 29        |
| 1.21 Selecting Tabular or Tab-Delimited Query Output Format | 31        |
| 1.22 Specifying Arbitrary Output Column Delimiters          | 31        |
| 1.23 Producing HTML Output                                  | 33        |
| 1.24 Producing XML Output                                   | 34        |



|           |  |            |
|-----------|--|------------|
| 1.25      | Suppressing Column Headings in Query Output                                | 35         |
| 1.26      | Numbering Query Output Lines   | 36         |
| 1.27      | Making Long Output Lines More Readable                                     | 37         |
| 1.28      | Controlling mysql's Verbosity Level  | 38         |
| 1.29      | Logging Interactive mysql Sessions   | 39         |
| 1.30      | Creating mysql Scripts from Previously Executed Queries                    | 40         |
| 1.31      | Using mysql as a Calculator  | 41         |
| 1.32      | Using mysql in Shell Scripts   | 42         |
| <b>2.</b> | <b>Writing MySQL-Based Programs</b>  | <b>48</b>  |
| 2.1       | Connecting to the MySQL Server, Selecting a Database,<br>and Disconnecting | 53         |
| 2.2       | Checking for Errors  | 65         |
| 2.3       | Writing Library Files  | 73         |
| 2.4       | Issuing Queries and Retrieving Results                                     | 85         |
| 2.5       | Moving Around Within a Result Set  | 100        |
| 2.6       | Using Prepared Statements and Placeholders in Queries                      | 101        |
| 2.7       | Including Special Characters and NULL Values in Queries                    | 106        |
| 2.8       | Handling NULL Values in Result Sets  | 114        |
| 2.9       | Writing an Object-Oriented MySQL Interface for PHP                         | 118        |
| 2.10      | Ways of Obtaining Connection Parameters                                    | 132        |
| 2.11      | Conclusion and Words of Advice   | 147        |
| <b>3.</b> | <b>Record Selection Techniques</b>   | <b>149</b> |
| 3.1       | Specifying Which Columns to Display  | 151        |
| 3.2       | Avoiding Output Column Order Problems When Writing Programs                | 152        |
| 3.3       | Giving Names to Output Columns   | 153        |
| 3.4       | Using Column Aliases to Make Programs Easier to Write                      | 156        |
| 3.5       | Combining Columns to Construct Composite Values                            | 157        |
| 3.6       | Specifying Which Rows to Select  | 158        |
| 3.7       | WHERE Clauses and Column Aliases   | 161        |
| 3.8       | Displaying Comparisons to Find Out How Something Works                     | 162        |
| 3.9       | Reversing or Negating Query Conditions                                     | 163        |
| 3.10      | Removing Duplicate Rows  | 165        |
| 3.11      | Working with NULL Values   | 166        |
| 3.12      | Negating a Condition on a Column That Contains NULL Values                 | 168        |
| 3.13      | Writing Comparisons Involving NULL in Programs                             | 169        |
| 3.14      | Mapping NULL Values to Other Values for Display                            | 170        |
| 3.15      | Sorting a Result Set   | 171        |

|           |  |            |
|-----------|--|------------|
| 3.16      | Selecting Records from the Beginning or End of a Result Set      | 172        |
| 3.17      | Pulling a Section from the Middle of a Result Set                | 175        |
| 3.18      | Choosing Appropriate LIMIT Values                                | 177        |
| 3.19      | Calculating LIMIT Values from Expressions                        | 179        |
| 3.20      | What to Do When LIMIT Requires the “Wrong” Sort Order            | 180        |
| 3.21      | Selecting a Result Set into an Existing Table                    | 182        |
| 3.22      | Creating a Destination Table on the Fly from a Result Set        | 183        |
| 3.23      | Moving Records Between Tables Safely                             | 185        |
| 3.24      | Creating Temporary Tables  | 187        |
| 3.25      | Cloning a Table Exactly  | 188        |
| 3.26      | Generating Unique Table Names                                    | 190        |
| <b>4.</b> | <b>Working with Strings</b>                                      | <b>192</b> |
| 4.1       | Writing Strings That Include Quotes or Special Characters        | 193        |
| 4.2       | Preserving Trailing Spaces in String Columns                     | 195        |
| 4.3       | Testing String Equality or Relative Ordering                     | 196        |
| 4.4       | Decomposing or Combining Strings                                 | 197        |
| 4.5       | Checking Whether a String Contains a Substring                   | 201        |
| 4.6       | Pattern Matching with SQL Patterns                               | 201        |
| 4.7       | Pattern Matching with Regular Expressions                        | 203        |
| 4.8       | Matching Pattern Metacharacters Literally                        | 208        |
| 4.9       | Controlling Case Sensitivity in String Comparisons               | 211        |
| 4.10      | Controlling Case Sensitivity in Pattern Matching                 | 215        |
| 4.11      | Using FULLTEXT Searches  | 218        |
| 4.12      | Using a FULLTEXT Search with Short Words                         | 222        |
| 4.13      | Requiring or Excluding FULLTEXT Search Words                     | 224        |
| 4.14      | Performing Phrase Searches with a FULLTEXT Index                 | 226        |
| <b>5.</b> | <b>Working with Dates and Times</b>                              | <b>228</b> |
| 5.1       | Changing MySQL’s Date Format                                     | 231        |
| 5.2       | Telling MySQL How to Display Dates or Times                      | 232        |
| 5.3       | Determining the Current Date or Time                             | 234        |
| 5.4       | Decomposing Dates and Times Using Formatting Functions           | 235        |
| 5.5       | Decomposing Dates or Times Using Component-Extraction Functions  | 236        |
| 5.6       | Decomposing Dates or Times Using String Functions                | 239        |
| 5.7       | Synthesizing Dates or Times Using Formatting Functions           | 241        |
| 5.8       | Synthesizing Dates or Times Using Component-Extraction Functions | 242        |
| 5.9       | Combining a Date and a Time into a Date-and-Time Value           | 243        |

|           |  |            |
|-----------|--|------------|
| 5.10      | Converting Between Times and Seconds                       | 244        |
| 5.11      | Converting Between Dates and Days                          | 246        |
| 5.12      | Converting Between Date-and-Time Values and Seconds        | 247        |
| 5.13      | Adding a Temporal Interval to a Time                       | 248        |
| 5.14      | Calculating Intervals Between Times                        | 250        |
| 5.15      | Breaking Down Time Intervals into Components               | 251        |
| 5.16      | Adding a Temporal Interval to a Date                       | 252        |
| 5.17      | Calculating Intervals Between Dates                        | 255        |
| 5.18      | Canonizing Not-Quite-ISO Date Strings                      | 258        |
| 5.19      | Calculating Ages   | 259        |
| 5.20      | Shifting Dates by a Known Amount                           | 263        |
| 5.21      | Finding First and Last Days of Months                      | 265        |
| 5.22      | Finding the Length of a Month                              | 267        |
| 5.23      | Calculating One Date from Another by Substring Replacement | 268        |
| 5.24      | Finding the Day of the Week for a Date                     | 270        |
| 5.25      | Finding Dates for Days of the Current Week                 | 271        |
| 5.26      | Finding Dates for Weekdays of Other Weeks                  | 272        |
| 5.27      | Performing Leap Year Calculations                          | 274        |
| 5.28      | Treating Dates or Times as Numbers                         | 277        |
| 5.29      | Forcing MySQL to Treat Strings as Temporal Values          | 279        |
| 5.30      | Selecting Records Based on Their Temporal Characteristics  | 280        |
| 5.31      | Using TIMESTAMP Values                                     | 283        |
| 5.32      | Recording a Row's Last Modification Time                   | 284        |
| 5.33      | Recording a Row's Creation Time                            | 286        |
| 5.34      | Performing Calculations with TIMESTAMP Values              | 287        |
| 5.35      | Displaying TIMESTAMP Values in Readable Form               | 288        |
| <b>6.</b> | <b>Sorting Query Results</b>                               | <b>290</b> |
| 6.1       | Using ORDER BY to Sort Query Results                       | 291        |
| 6.2       | Sorting Subsets of a Table                                 | 296        |
| 6.3       | Sorting Expression Results                                 | 297        |
| 6.4       | Displaying One Set of Values While Sorting by Another      | 299        |
| 6.5       | Sorting and NULL Values                                    | 304        |
| 6.6       | Controlling Case Sensitivity of String Sorts               | 306        |
| 6.7       | Date-Based Sorting   | 308        |
| 6.8       | Sorting by Calendar Day                                    | 310        |
| 6.9       | Sorting by Day of Week                                     | 312        |
| 6.10      | Sorting by Time of Day                                     | 314        |
| 6.11      | Sorting Using Substrings of Column Values                  | 315        |

|           |   |            |
|-----------|---|------------|
| 6.12      | Sorting by Fixed-Length Substrings                                  | 315        |
| 6.13      | Sorting by Variable-Length Substrings                               | 318        |
| 6.14      | Sorting Hostnames in Domain Order                                   | 323        |
| 6.15      | Sorting Dotted-Quad IP Values in Numeric Order                      | 325        |
| 6.16      | Floating Specific Values to the Head or Tail of the Sort Order      | 327        |
| 6.17      | Sorting in User-Defined Orders                                      | 330        |
| 6.18      | Sorting ENUM Values   | 331        |
| <b>7.</b> | <b>Generating Summaries</b>   | <b>335</b> |
| 7.1       | Summarizing with COUNT()  | 337        |
| 7.2       | Summarizing with MIN() and MAX()                                    | 339        |
| 7.3       | Summarizing with SUM() and AVG()                                    | 341        |
| 7.4       | Using DISTINCT to Eliminate Duplicates                              | 342        |
| 7.5       | Finding Values Associated with Minimum and Maximum Values           | 345        |
| 7.6       | Controlling String Case Sensitivity for MIN() and MAX()             | 348        |
| 7.7       | Dividing a Summary into Subgroups                                   | 350        |
| 7.8       | Summaries and NULL Values   | 354        |
| 7.9       | Selecting Only Groups with Certain Characteristics                  | 357        |
| 7.10      | Determining Whether Values are Unique                               | 358        |
| 7.11      | Grouping by Expression Results                                      | 359        |
| 7.12      | Categorizing Non-Categorical Data                                   | 361        |
| 7.13      | Controlling Summary Display Order                                   | 365        |
| 7.14      | Finding Smallest or Largest Summary Values                          | 367        |
| 7.15      | Date-Based Summaries  | 368        |
| 7.16      | Working with Per-Group and Overall Summary Values<br>Simultaneously | 372        |
| 7.17      | Generating a Report That Includes a Summary and a List              | 374        |
| <b>8.</b> | <b>Modifying Tables with ALTER TABLE</b>                            | <b>378</b> |
| 8.1       | Dropping, Adding, or Repositioning a Column                         | 379        |
| 8.2       | Changing a Column Definition or Name                                | 380        |
| 8.3       | The Effect of ALTER TABLE on Null and Default Value Attributes      | 383        |
| 8.4       | Changing a Column's Default Value                                   | 384        |
| 8.5       | Changing a Table Type   | 385        |
| 8.6       | Renaming a Table  | 387        |
| 8.7       | Adding or Dropping Indexes  | 388        |
| 8.8       | Eliminating Duplicates by Adding an Index                           | 391        |
| 8.9       | Using ALTER TABLE to Normalize a Table                              | 392        |

|            |   |            |
|------------|---|------------|
| <b>9.</b>  | <b>Obtaining and Using Metadata .....</b>                   | <b>398</b> |
| 9.1        | Obtaining the Number of Rows Affected by a Query            | 399        |
| 9.2        | Obtaining Result Set Metadata                               | 401        |
| 9.3        | Determining Presence or Absence of a Result Set             | 409        |
| 9.4        | Formatting Query Results for Display                        | 410        |
| 9.5        | Getting Table Structure Information                         | 414        |
| 9.6        | Getting ENUM and SET Column Information                     | 422        |
| 9.7        | Database-Independent Methods of Obtaining Table Information | 424        |
| 9.8        | Applying Table Structure Information                        | 426        |
| 9.9        | Listing Tables and Databases                                | 433        |
| 9.10       | Testing Whether a Table Exists                              | 434        |
| 9.11       | Testing Whether a Database Exists                           | 435        |
| 9.12       | Getting Server Metadata                                     | 436        |
| 9.13       | Writing Applications That Adapt to the MySQL Server Version | 437        |
| 9.14       | Determining the Current Database                            | 438        |
| 9.15       | Determining the Current MySQL User                          | 439        |
| 9.16       | Monitoring the MySQL Server                                 | 440        |
| 9.17       | Determining Which Table Types the Server Supports           | 441        |
| <b>10.</b> | <b>Importing and Exporting Data .....</b>                   | <b>444</b> |
| 10.1       | Importing Data with LOAD DATA and mysqlimport               | 448        |
| 10.2       | Specifying the Datafile Location                            | 450        |
| 10.3       | Specifying the Datafile Format                              | 452        |
| 10.4       | Dealing with Quotes and Special Characters                  | 453        |
| 10.5       | Importing CSV Files   | 454        |
| 10.6       | Reading Files from Different Operating Systems              | 455        |
| 10.7       | Handling Duplicate Index Values                             | 456        |
| 10.8       | Getting LOAD DATA to Cough Up More Information              | 456        |
| 10.9       | Don't Assume LOAD DATA Knows More than It Does              | 457        |
| 10.10      | Skipping Datafile Lines                                     | 459        |
| 10.11      | Specifying Input Column Order                               | 459        |
| 10.12      | Skipping Datafile Columns                                   | 460        |
| 10.13      | Exporting Query Results from MySQL                          | 461        |
| 10.14      | Exporting Tables as Raw Data                                | 464        |
| 10.15      | Exporting Table Contents or Definitions in SQL Format       | 465        |
| 10.16      | Copying Tables or Databases to Another Server               | 467        |
| 10.17      | Writing Your Own Export Programs                            | 468        |
| 10.18      | Converting Datafiles from One Format to Another             | 473        |
| 10.19      | Extracting and Rearranging Datafile Columns                 | 474        |

|            |   |            |
|------------|---|------------|
| 10.20      | Validating and Transforming Data                        | 478        |
| 10.21      | Validation by Direct Comparison                         | 481        |
| 10.22      | Validation by Pattern Matching                          | 481        |
| 10.23      | Using Patterns to Match Broad Content Types             | 484        |
| 10.24      | Using Patterns to Match Numeric Values                  | 485        |
| 10.25      | Using Patterns to Match Dates or Times                  | 487        |
| 10.26      | Using Patterns to Match Email Addresses and URLs        | 491        |
| 10.27      | Validation Using Table Metadata                         | 492        |
| 10.28      | Validation Using a Lookup Table                         | 495        |
| 10.29      | Converting Two-Digit Year Values to Four-Digit Form     | 498        |
| 10.30      | Performing Validity Checking on Date or Time Subparts   | 499        |
| 10.31      | Writing Date-Processing Utilities                       | 502        |
| 10.32      | Using Dates with Missing Components                     | 507        |
| 10.33      | Performing Date Conversion Using SQL                    | 508        |
| 10.34      | Using Temporary Tables for Data Transformation          | 511        |
| 10.35      | Dealing with NULL Values                                | 513        |
| 10.36      | Guessing Table Structure from a Datafile                | 516        |
| 10.37      | A LOAD DATA Diagnostic Utility                          | 520        |
| 10.38      | Exchanging Data Between MySQL and Microsoft Access      | 526        |
| 10.39      | Exchanging Data Between MySQL and Microsoft Excel       | 527        |
| 10.40      | Exchanging Data Between MySQL and FileMaker Pro         | 530        |
| 10.41      | Exporting Query Results as XML                          | 532        |
| 10.42      | Importing XML into MySQL                                | 535        |
| 10.43      | Epilog  | 537        |
| <b>11.</b> | <b>Generating and Using Sequences</b>                   | <b>539</b> |
| 11.1       | Using AUTO_INCREMENT To Set Up a Sequence Column        | 540        |
| 11.2       | Generating Sequence Values                              | 542        |
| 11.3       | Choosing the Type for a Sequence Column                 | 544        |
| 11.4       | The Effect of Record Deletions on Sequence Generation   | 546        |
| 11.5       | Retrieving Sequence Values                              | 549        |
| 11.6       | Determining Whether to Resequence a Column              | 553        |
| 11.7       | Extending the Range of a Sequence Column                | 555        |
| 11.8       | Renumbering an Existing Sequence                        | 556        |
| 11.9       | Reusing Values at the Top of a Sequence                 | 557        |
| 11.10      | Ensuring That Rows Are Renumbered in a Particular Order | 558        |
| 11.11      | Starting a Sequence at a Particular Value               | 559        |
| 11.12      | Sequencing an Unsequenced Table                         | 561        |

|            |   |            |
|------------|---|------------|
| 11.13      | Using an AUTO_INCREMENT Column to Create Multiple Sequences     | 562        |
| 11.14      | Managing Multiple Simultaneous AUTO_INCREMENT Values            | 567        |
| 11.15      | Using AUTO_INCREMENT Values to Relate Tables                    | 569        |
| 11.16      | Using Single-Row Sequence Generators                            | 572        |
| 11.17      | Generating Repeating Sequences                                  | 575        |
| 11.18      | Numbering Query Output Rows Sequentially                        | 577        |
| <b>12.</b> | <b>Using Multiple Tables</b>                                    | <b>578</b> |
| 12.1       | Combining Rows in One Table with Rows in Another                | 578        |
| 12.2       | Performing a Join Between Tables in Different Databases         | 582        |
| 12.3       | Referring to Join Output Column Names in Programs               | 583        |
| 12.4       | Finding Rows in One Table That Match Rows in Another            | 586        |
| 12.5       | Finding Rows with No Match in Another Table                     | 591        |
| 12.6       | Finding Rows Containing Per-Group Minimum or Maximum Values     | 596        |
| 12.7       | Computing Team Standings  | 599        |
| 12.8       | Producing Master-Detail Lists and Summaries                     | 605        |
| 12.9       | Using a Join to Fill in Holes in a List                         | 609        |
| 12.10      | Enumerating a Many-to-Many Relationship                         | 614        |
| 12.11      | Comparing a Table to Itself                                     | 619        |
| 12.12      | Calculating Differences Between Successive Rows                 | 626        |
| 12.13      | Finding Cumulative Sums and Running Averages                    | 628        |
| 12.14      | Using a Join to Control Query Output Order                      | 633        |
| 12.15      | Converting Subselects to Join Operations                        | 634        |
| 12.16      | Selecting Records in Parallel from Multiple Tables              | 639        |
| 12.17      | Inserting Records in One Table That Include Values from Another | 644        |
| 12.18      | Updating One Table Based on Values in Another                   | 645        |
| 12.19      | Using a Join to Create a Lookup Table from Descriptive Labels   | 650        |
| 12.20      | Deleting Related Rows in Multiple Tables                        | 655        |
| 12.21      | Identifying and Removing Unattached Records                     | 665        |
| 12.22      | Using Different MySQL Servers Simultaneously                    | 671        |
| <b>13.</b> | <b>Statistical Techniques</b>                                   | <b>674</b> |
| 13.1       | Calculating Descriptive Statistics                              | 675        |
| 13.2       | Per-Group Descriptive Statistics                                | 679        |
| 13.3       | Generating Frequency Distributions                              | 681        |
| 13.4       | Counting Missing Values   | 684        |
| 13.5       | Calculating Linear Regressions or Correlation Coefficients      | 686        |



|            |   |            |
|------------|---|------------|
| 13.6       | Generating Random Numbers                         | 688        |
| 13.7       | Randomizing a Set of Rows                         | 689        |
| 13.8       | Selecting Random Items from a Set of Rows         | 694        |
| 13.9       | Assigning Ranks                                   | 695        |
| <b>14.</b> | <b>Handling Duplicates</b>                        | <b>699</b> |
| 14.1       | Preventing Duplicates from Occurring in a Table   | 701        |
| 14.2       | Dealing with Duplicates at Record-Creation Time   | 703        |
| 14.3       | Counting and Identifying Duplicates               | 705        |
| 14.4       | Eliminating Duplicates from a Query Result        | 709        |
| 14.5       | Eliminating Duplicates from a Self-Join Result    | 711        |
| 14.6       | Eliminating Duplicates from a Table               | 713        |
| <b>15.</b> | <b>Performing Transactions</b>                    | <b>720</b> |
| 15.1       | Verifying Transaction Support Requirements        | 721        |
| 15.2       | Performing Transactions Using SQL                 | 724        |
| 15.3       | Performing Transactions from Within Programs      | 725        |
| 15.4       | Using Transactions in Perl Programs               | 728        |
| 15.5       | Using Transactions in PHP Programs                | 730        |
| 15.6       | Using Transactions in Python Programs             | 732        |
| 15.7       | Using Transactions in Java Programs               | 732        |
| 15.8       | Using Alternatives to Transactions                | 733        |
| <b>16.</b> | <b>Introduction to MySQL on the Web</b>           | <b>737</b> |
| 16.1       | Basic Web Page Generation                         | 739        |
| 16.2       | Using Apache to Run Web Scripts                   | 743        |
| 16.3       | Using Tomcat to Run Web Scripts                   | 752        |
| 16.4       | Encoding Special Characters in Web Output         | 762        |
| <b>17.</b> | <b>Incorporating Query Results into Web Pages</b> | <b>770</b> |
| 17.1       | Displaying Query Results as Paragraph Text        | 771        |
| 17.2       | Displaying Query Results as Lists                 | 773        |
| 17.3       | Displaying Query Results as Tables                | 784        |
| 17.4       | Displaying Query Results as Hyperlinks            | 790        |
| 17.5       | Creating a Navigation Index from Database Content | 793        |
| 17.6       | Storing Images or Other Binary Data               | 799        |
| 17.7       | Retrieving Images or Other Binary Data            | 806        |
| 17.8       | Serving Banner Ads                                | 808        |
| 17.9       | Serving Query Results for Download                | 811        |

|   |            |
|---|------------|
| <b>18. Processing Web Input with MySQL</b>                      | <b>814</b> |
| 18.1 Creating Forms in Scripts                                  | 817        |
| 18.2 Creating Single-Pick Form Elements from Database Content   | 820        |
| 18.3 Creating Multiple-Pick Form Elements from Database Content | 836        |
| 18.4 Loading a Database Record into a Form                      | 841        |
| 18.5 Collecting Web Input                                       | 845        |
| 18.6 Validating Web Input                                       | 855        |
| 18.7 Using Web Input to Construct Queries                       | 857        |
| 18.8 Processing File Uploads                                    | 859        |
| 18.9 Performing Searches and Presenting the Results             | 867        |
| 18.10 Generating Previous-Page and Next-Page Links              | 869        |
| 18.11 Generating “Click to Sort” Table Headings                 | 874        |
| 18.12 Web Page Access Counting                                  | 878        |
| 18.13 Web Page Access Logging                                   | 883        |
| 18.14 Using MySQL for Apache Logging                            | 885        |
| <b>19. Using MySQL-Based Web Session Management</b>             | <b>893</b> |
| 19.1 Using MySQL-Based Sessions in Perl Applications            | 896        |
| 19.2 Using MySQL-Based Storage with the PHP Session Manager     | 902        |
| 19.3 Using MySQL for Session Backing Store with Tomcat          | 915        |
| <b>A. Obtaining MySQL Software</b>                              | <b>925</b> |
| <b>B. JSP and Tomcat Primer</b>                                 | <b>930</b> |
| <b>C. References</b>  | <b>958</b> |
| <b>Index</b>  | <b>961</b> |