

Contents

| | |
|---|----------|
| Foreword | xxiii |
| Preface | xxv |
| <i>Origin of the Book</i> | xxv |
| <i>Goals</i> | xxv |
| <i>Intended Audience and Prerequisites</i> | xxvi |
| <i>How the Book Is Organized</i> | xxvii |
| <i>Coding Conventions</i> | xxviii |
| <i>CD-ROM</i> | xxviii |
| Acknowledgments | xxix |
| About the Authors | xxxii |
| | |
| PART I RUNNING ECLIPSE | I |
| Chapter 1 Getting Started | 3 |
| <i>Software Challenge and Eclipse</i> | 4 |
| <i>What Is Eclipse?</i> | 6 |
| Java Development Environment | 6 |
| Tool Integration Platform | 8 |
| Open Source Community | 10 |
| <i>What Is the Common Public License?</i> | 12 |
| <i>Getting and Installing Eclipse</i> | 12 |
| <i>The Eclipse Look: Editors, Views, and Perspectives</i> | 12 |
| <i>Working in Eclipse</i> | 14 |
| <i>A Word to IBM VisualAge Users</i> | 15 |
| <i>Chapter Summary</i> | 16 |
| <i>References</i> | 16 |

| | |
|---|-----------|
| Chapter 2 Using Eclipse | 17 |
| Getting Started | 18 |
| Oops! | 18 |
| Creating Your First Project | 19 |
| Overview of the User Interface | 21 |
| Introducing Preferences | 23 |
| Manipulating the User Interface | 24 |
| Fundamental Eclipse Use | 24 |
| Working with Tasks | 31 |
| Working with Bookmarks | 33 |
| Getting Help | 33 |
| Resource Management | 39 |
| Your Workspace | 40 |
| More on Projects | 47 |
| Importing and Exporting Resources | 49 |
| Moving Resources | 52 |
| Text Editor | 53 |
| Printing | 53 |
| Customizing Eclipse | 54 |
| Perspectives | 54 |
| Running Multiple Eclipse Windows | 57 |
| Customizing Your JRE | 58 |
| Using Other Computer Programs with Eclipse | 59 |
| Help System | 63 |
| Performance | 65 |
| More on Preferences | 66 |
| Workbench | 66 |
| External Tools | 67 |
| Exercise Summary | 68 |
| Chapter Summary | 68 |
| | |
| Chapter 3 Using Java Development Tools | 69 |
| Getting Started | 70 |
| Overview of the JDT User Interface | 70 |
| The Fundamentals | 71 |
| Searching | 73 |
| Writing Java Code | 75 |
| Content Assist | 78 |
| Code Generation | 82 |

| | |
|---|------------|
| Navigating Java Errors and Warnings | 84 |
| Fixing Java Errors with Quick Fix | 84 |
| Refactoring | 86 |
| Browsing Javadoc | 88 |
| Using Code Templates | 89 |
| Externalizing Strings | 92 |
| Generating Javadoc | 95 |
| Writing Java for Nondefault JREs | 96 |
| Running Java Code | 100 |
| Using the Run Action | 100 |
| Managing Launch Configurations | 101 |
| Evaluating Expressions in Scrapbook | |
| Pages | 103 |
| Working with Java Elements | 104 |
| More on Java Projects | 104 |
| Creating Java Projects | 106 |
| Creating Folders | 108 |
| Creating Classes and Interfaces | 110 |
| Importing Java Elements | 111 |
| Local History for Java Elements | 111 |
| Tuning the Performance of JDT | 112 |
| More on JDT Views and Perspectives | 113 |
| Filtering View Contents | 113 |
| Package Explorer View | 113 |
| Hierarchy View | 114 |
| Tasks View | 116 |
| Search View | 116 |
| Java Type Hierarchy Perspective | 116 |
| Java Browsing Perspective | 116 |
| Exercise Summary | 118 |
| Chapter Summary | 119 |
| | |
| Chapter 4 Debugging Java | 121 |
| Overview | 121 |
| The Fundamentals | 122 |
| Setting a Breakpoint | 123 |
| Starting a Debugging Session | 123 |
| Controlling Program Execution | 123 |
| Examining an Executing Program | 124 |

| | |
|---|------------|
| <i>Additional Debugging Capabilities</i> | 124 |
| Evaluating Expressions | 124 |
| Changing Variable and Field Values | 125 |
| Debugging with the Java Editor | 126 |
| Manipulating the Programs You're Debugging | 127 |
| <i>More on Breakpoints</i> | 128 |
| Java Exception Breakpoints | 131 |
| Method Breakpoints | 132 |
| Watchpoints | 132 |
| Program Output in the Console View | 132 |
| <i>Debug Launch Configurations</i> | 133 |
| <i>Associating a Source with Your Programs</i> | 133 |
| <i>Hot Code Replace</i> | 134 |
| <i>Remote Debugging</i> | 136 |
| <i>Exercise Summary</i> | 137 |
| <i>Chapter Summary</i> | 138 |
| | |
| Chapter 5 Teaming Up with Eclipse | 139 |
| <i>Eclipse Support for CVS</i> | 140 |
| <i>General Team Support by Eclipse</i> | 141 |
| Common Principles of Eclipse Team Support | 142 |
| Configuring Team Support | 143 |
| <i>An Overview of CVS for the Novice</i> | 143 |
| Some Key CVS Design Principles | 144 |
| Revisions: Nothing Ever Goes Away | 144 |
| Updating: Keeping Up with the Team | 145 |
| Committing: Your Turn to Share | 145 |
| Versioning: Capturing the Moment | 145 |
| Branching and Merging: Support for Parallel Development | 146 |
| What Happens to Revision Numbers During | |
| Branching and Merging | 147 |
| Managing Binary Files Using CVS | 147 |
| <i>The CVS User Interface in Eclipse</i> | 147 |
| CVS Repository Exploring Perspective: | |
| Your Repository Home Page | 148 |
| The CVS Repositories View | 148 |
| The CVS Resource History View | 150 |
| The CVS Console View | 152 |

| | |
|--|-----|
| How CVS Managed Projects Appear in Your Workspace | 152 |
| CVS Actions Available from the Team Menu | 154 |
| The Very Important CVS Synchronize View | 154 |
| Handling Concurrent Updates to the Same File | 157 |
| <i>Special Situations and How to Handle Them</i> | 158 |
| Renaming, Moving, and Deleting Project Resources | 158 |
| Backing Out a Change: Using Replace and Compare | 159 |
| Setting up Branches for Maintenance and New Release Development | 160 |
| <i>Additional Features</i> | 160 |
| Patches: Sharing Changes Quickly and Easily | 161 |
| Project Sets: Getting That New Workspace Up to Speed | 161 |
| Disconnecting or Reassigning a CVS Project | 162 |
| <i>Exercise Summary</i> | 162 |
| <i>Chapter Summary</i> | 163 |
| <i>References</i> | 163 |
| | |
| Chapter 6 Eclipse Configuration Management | 165 |
| <i>Structure of an Eclipse Installation</i> | 166 |
| Eclipse Directory Content | 166 |
| The Role of Plug-ins | 167 |
| The Role of Features | 168 |
| Update Manager | 168 |
| Identifying Features in the Run-Time Platform | 169 |
| <i>Update Manager—An Introduction</i> | 171 |
| The Configuration, Install Sites, and Update Sites | 172 |
| Viewing Your Configuration | 173 |
| Install Configuration View | 174 |
| Preview View | 176 |
| Feature Updates View | 177 |
| <i>Managing Configuration Processing</i> | 178 |
| Eclipse Startup—the First Time | 178 |
| Beyond the First Time—Subsequent Platform Launches | 179 |
| Establishing a Default Configuration | 180 |
| Preloading Features on a Default Configuration | 181 |
| Sharing the Platform with Others—Multi-User Install | 182 |
| <i>Exercise Summary</i> | 182 |
| <i>Chapter Summary</i> | 183 |

| | |
|---|------------|
| PART II EXTENDING ECLIPSE | 185 |
| Chapter 7 Overview of the Eclipse Architecture | 187 |
| <i>Extensibility</i> | 188 |
| <i>The Eclipse Platform</i> | 192 |
| <i>User Interface Frameworks</i> | 192 |
| Standard Widget Toolkit | 193 |
| JFace UI | 194 |
| Workbench UI | 198 |
| Resources and Workspace API | 199 |
| <i>Chapter Summary</i> | 201 |
| <i>References</i> | 201 |
| Chapter 8 Getting Started: Plug-in Development | 203 |
| <i>Getting Started with Plug-ins</i> | 204 |
| Integration Scenarios | 205 |
| Distributing Your Eclipse-Based Tool | 207 |
| <i>Getting Started with Extensions and Extension Points</i> | 208 |
| <i>Basic Steps of Implementing a Plug-in</i> | 211 |
| Declaring Your Plug-in Manifest | 213 |
| Defining Your Plug-in Class | 216 |
| Installing Your Plug-in | 218 |
| <i>Using the Plug-in Development Environment</i> | 220 |
| PDE Views and Editors | 220 |
| Managing the Run-Time and Development Environment | 223 |
| Creating and Running a Plug-in | 225 |
| Developing Eclipse with Eclipse: Standalone | |
| Versus Distributed Self-Hosting | 227 |
| <i>Exercise Summary</i> | 227 |
| <i>Chapter Summary</i> | 227 |
| <i>References</i> | 228 |
| Chapter 9 Action Contributions: | |
| The Integration Fast Track | 229 |
| <i>Action Contribution Extension Points</i> | 230 |
| <i>The Fundamentals of Action Contributions</i> | 230 |
| The Contribution Action API | 230 |
| Specifying Contributions in the Plug-in Manifest File | 233 |
| Specifying Actions in Menus and Toolbars | 235 |

| | |
|--|------------|
| Using Filters to Refine Where Your Actions Appear | 237 |
| The Class Selection Filter | 238 |
| Creating Elaborate Filters Using Action Expressions | 238 |
| Contributing to the Workbench Menu Bar and Toolbar | 240 |
| Defining Menu and Toolbar Actions Independent of Perspectives | 242 |
| Contributing to the View's Menu and Toolbar | 243 |
| Contributing to an Editor's Menu and Toolbar | 244 |
| Contributing Context Menus to Views and Editors | 245 |
| Contributing a Context Menu to a View | 245 |
| Contributing a Context Menu to an Editor | 246 |
| Contributing a Context Menu to an Object in a View | 247 |
| Chapter Summary | 247 |
| References | 248 |
| | |
| Chapter 10 The Standard Widget Toolkit: A Lean, Mean Widget Machine | 249 |
| The Basic Structure of an SWT Application | 250 |
| Common SWT Widgets | 252 |
| Refining a Widget's Appearance Using Style Bits | 253 |
| Responding to Widget Events | 254 |
| How to Arrange SWT Widgets Using Layout Managers | 256 |
| Fill Layout | 258 |
| Row Layout | 259 |
| Grid Layout | 260 |
| Form Layout | 263 |
| Error Handling | 266 |
| Widgets Have Special Disposal Requirements | 267 |
| Using Threads to Separate UI and non-UI Activities | 268 |
| An Overview of SWT Packages | 270 |
| Exercise Summary | 271 |
| Chapter Summary | 272 |
| References | 272 |
| | |
| Chapter 11 Dialogs and Wizards | 273 |
| Dialogs—You Can Find Them Everywhere | 273 |
| Point of Reference—The UI Framework | 274 |

| | |
|--|----------------|
| Workbench Extension Points for Dialogs and Wizards | 274 |
| Common Reusable Dialogs | 278 |
| Extending the Preferences Dialog to Add Your Own Tool Options | 279 |
| Defining a Preference Page Extension | 281 |
| Implementing a Preference Page | 281 |
| Defining the Preference Page User Interface | 283 |
| Preference Management in a Plug-in | 284 |
| Establishing Default Preference Setting Values | 285 |
| Adding Preference Value Logic to Preference Page | 286 |
| Reacting to Preference Setting Changes | 289 |
| Building a Field Editor Preference Page | 290 |
| Using Property Pages to Remember Something Special About a Resource | 293 |
| Defining a Property Page Extension | 294 |
| Implementing a Property Page | 296 |
| Defining the Property Page User Interface | 297 |
| Adding Resource Property Access Logic | 298 |
| Resource Generic Memories—Using the Inherited Preferences Implementation | 300 |
| Implementing Your Own Properties Dialog | 300 |
| Using Wizards to Extend Workbench Resource Creation and Import/Export Support | 301 |
| Adding Wizards to the Workbench User Interface by Extension | 302 |
| Implementing a Wizard | 304 |
| Implementing a Wizard Page | 305 |
| Customizing the Wizard | 306 |
| Controlling Wizard Page Progression | 307 |
| Reusable Specialized Wizard Pages | 309 |
| Directly Opening a Wizard Dialog | 311 |
| Using a Dialog Setting | 312 |
| Exercise Summary | 313 |
| Chapter Summary | 314 |
| References | 314 |
| Chapter 12 Views | 315 |
| View Behavior and Architecture | 316 |
| Basic Implementation Steps | 319 |

| | |
|---|------------|
| <i>Designing the Look of the View</i> | 320 |
| Declaring the View Extension | 320 |
| Creating the View Class | 321 |
| Creating the Content Provider | 322 |
| Creating the Label Provider | 323 |
| Associating the Viewer and the Model | 325 |
| Synchronizing the Model and View | 326 |
| Handling User Selections | 327 |
| Filtering the View | 328 |
| Sorting the View | 331 |
| Adding View Actions | 332 |
| Supporting Global Actions in Views | 336 |
| Adding Label Decorations on Objects in a View | 336 |
| <i>Interacting with Other Views</i> | 339 |
| Properties View | 339 |
| <i>Exercise Summary</i> | 344 |
| <i>Chapter Summary</i> | 344 |
| <i>References</i> | 344 |
| | |
| Chapter 13 Editors | 347 |
| <i>Editor Behavior and Architecture</i> | 348 |
| <i>Basic Implementation Steps</i> | 349 |
| Designing the Look of the Editor | 349 |
| Creating a New Wizard for the Editor Input (Optional) | 350 |
| Declaring the Editor Extension Point | 351 |
| Creating the Editor Class | 352 |
| Instantiating the Model Using the Editor Input | 352 |
| Creating the Content Provider | 354 |
| Creating the Label Provider | 354 |
| Handling User Modifications of the Editor Input | 354 |
| Handling the Saving of the Editor Input | 354 |
| Associating the Viewer and the Model | 355 |
| Synchronizing the Model and the Editor | 355 |
| Handling User Selections | 356 |
| Adding Editor Actions | 356 |
| <i>Linking an Editor and the Outline View</i> | 360 |
| <i>Exercise Summary</i> | 362 |
| <i>Chapter Summary</i> | 362 |
| <i>References</i> | 362 |

| | |
|--|------------|
| Chapter 14 Perspectives | 363 |
| Perspectives | 363 |
| Creating a Perspective | 364 |
| Using the perspective extensions <i>Extension Point</i> | 366 |
| Exercise Summary | 367 |
| Chapter Summary | 367 |
| References | 367 |
| | |
| Chapter 15 Workspace Resource Programming | 369 |
| Resource Concepts | 369 |
| Physical View | 370 |
| Logical View | 371 |
| Resource Model and File System Interaction | 372 |
| Workspace API | 374 |
| Workspace and Workspace Root—Entry Point for Services and Resources | 374 |
| Resource Containers | 375 |
| Workspace Resource Handles—Understanding What You Get When You Ask | 377 |
| Working with Projects | 377 |
| Working with Resources | 379 |
| Working with Paths | 380 |
| Working with Folders and Files | 382 |
| Processing the Resource Tree | 385 |
| Resource Properties | 386 |
| Session Properties | 386 |
| Persistent Properties | 387 |
| Processing Workspace Change Events | 388 |
| Tracking Changes Using the Workspace API | 389 |
| Adding Resource Change Listeners | 390 |
| Visiting the Resource Delta | 393 |
| Resource Delta Content | 396 |
| Resource Modification Event Management | 397 |
| Using Workspace Save Events to Save Critical Data | 398 |
| Save Events—What and When | 398 |
| Save Participant API | 398 |
| Exercise Summary | 401 |
| Chapter Summary | 401 |
| References | 402 |

| | | |
|-------------------|--|------------|
| Chapter 16 | Managing Resources with Natures and Builders | 403 |
| | <i>Customizing Project Processing</i> | 403 |
| | Extending the Workspace Resource Processing Framework | 404 |
| | Projects and Project Descriptions | 404 |
| | <i>Defining and Implementing Natures</i> | 406 |
| | Creating Natures to Support Project Configuration | 406 |
| | Adding a Nature to a Project | 408 |
| | Managing Nature-Builder Relationships | 409 |
| | Using a Custom Image to Identify Your Project Nature | 410 |
| | <i>Implementing a Custom Builder</i> | 411 |
| | Builder Concepts—The How and When of Build Processing | 412 |
| | Builder Requirements—Why You Should, or Should Not, Create a Builder | 413 |
| | Defining Builders for Incremental Resource Transformation | 414 |
| | <i>Exercise Summary</i> | 419 |
| | <i>Chapter Summary</i> | 419 |
| | <i>References</i> | 419 |
| | | |
| Chapter 17 | Resource Tagging Using Markers | 421 |
| | <i>Marker Concepts</i> | 421 |
| | <i>Creating Markers for Customized Resource Tagging</i> | 423 |
| | <i>Creating New Marker Types</i> | 424 |
| | <i>Extending Markers with Help and Resolution Support</i> | 426 |
| | <i>Exercise Summary</i> | 427 |
| | <i>Chapter Summary</i> | 428 |
| | <i>References</i> | 428 |
| | | |
| Chapter 18 | Contributions Revisited | 429 |
| | <i>Sample Contributions</i> | 429 |
| | <i>A Few More Contribution Nuggets</i> | 443 |
| | <i>Chapter Summary</i> | 448 |
| | | |
| Chapter 19 | Advanced Plug-in Development | 449 |
| | <i>Plug-in Class Loader</i> | 449 |
| | <i>Run-Time Discovery and Delayed Loading</i> | 450 |
| | <i>Plug-in Granularity</i> | 452 |

| | |
|--|------------|
| Plug-in Fragments | 453 |
| Fragments as Language Packs | 454 |
| Fragments as Platform-Specific Content | 454 |
| Chapter Summary | 456 |
| References | 456 |
| | |
| Chapter 20 Creating New Extension Points: How Others Can Extend Your Plug-ins | 457 |
| Overview of the Eclipse Architecture, Revisited | 458 |
| Relationship Between Extension Points and Extensions | 458 |
| Plug-in Registry: The Official List of Enabled Plug-ins, Extensions, and Extension Points | 460 |
| How to Define New Extension Points | 460 |
| Choosing the Existing Code You Want to Enable Others to Extend or Configure | 461 |
| Declaring the Existence of the New Extension Point | 463 |
| Defining an Interface for Expected Behavior | 464 |
| Processing the Plug-in Registry Entries for Your Extension Points | 467 |
| Invoking the Appropriate Methods Per the Previously Defined Interface Contract | 469 |
| How to Enable the Schema-Based New Extension Wizard | 471 |
| Why Define a Schema? | 471 |
| Schema Editor | 473 |
| Exercise Summary | 474 |
| Chapter Summary | 474 |
| References | 474 |
| | |
| Chapter 21 Serviceability | 475 |
| Plug-in Diagnostics: System and Configuration Information | 477 |
| Workbench Status Objects: A Status Collector | 477 |
| MultiStatus Example | 478 |
| Exception Handling: Error Detection | 479 |
| Error Dialogs: Providing Detailed Status in Error Messages | 479 |
| Error Dialog Example | 479 |
| Run-Time Tracing: A Run-Time Diagnostic Tool | 481 |
| Tracing Example | 483 |
| Using Tracing in a Production Environment | 484 |
| Diagnostics: A Comprehensive Error Log | 485 |

| | |
|--|------------|
| <i>Error Logging: Writing to the Workbench Error Log</i> | 485 |
| Adding Error Logging | 486 |
| <i>Exercise Summary</i> | 486 |
| <i>Chapter Summary</i> | 486 |
| | |
| Chapter 22 Developing Features | 487 |
| <i>All About Features</i> | 488 |
| Types of Features | 488 |
| Creating Structure with Features | 489 |
| <i>Feature Definition</i> | 490 |
| Feature Manifest | 490 |
| Identifying Prerequisites, Included Features, and Plug-ins | 491 |
| Prerequisite Version-Matching Rules | 494 |
| Servicing Your Features | 496 |
| <i>Feature Branding</i> | 496 |
| Branding Content in a Feature and Plug-in | 496 |
| Identifying the Primary Feature | 498 |
| Product and Feature Branding in the User Interface | 499 |
| <i>Building on Eclipse</i> | 501 |
| Creating an Installable Feature | 502 |
| Building Your Own Product on the Eclipse Platform | 503 |
| Building Extensions to Other Products | 504 |
| Delivering Features for Installation Using Update Manager | 505 |
| Using the PDE for Feature Development and Deployment | 508 |
| <i>Exercise Summary</i> | 510 |
| <i>Chapter Summary</i> | 510 |
| <i>References</i> | 511 |
| | |
| Chapter 23 Providing Help | 513 |
| <i>Integrating Your Online Documentation</i> | 514 |
| Creating Help Content as HTML Content | 516 |
| Declaring the Help Extension | 516 |
| Creating Table of Contents Files | 517 |
| Eclipse Online Documentation | 519 |
| <i>Creating Context-Sensitive Help</i> | 519 |
| Declaring the Help Context Extension | 521 |
| Defining the Contents of the Infopop | 521 |
| Associating the Infopop with the UI Context | 522 |
| <i>Running Nonintegrated Help</i> | 524 |

| | |
|--|------------|
| <i>Customizing Your Help System</i> | 524 |
| <i>Exercise Summary</i> | 525 |
| <i>Chapter Summary</i> | 525 |
| <i>References</i> | 526 |
| | |
| Chapter 24 OLE and ActiveX Interoperability | 527 |
| COM Support in Eclipse | 527 |
| In-Place OLE Documents | 529 |
| In-Place ActiveX Controls | 529 |
| COM Container Support | 529 |
| Creating an OleFrame Object | 530 |
| Creating an OleClientSite Object | 530 |
| Activating an OLE Object | 532 |
| Deactivating an OLE Object | 532 |
| Eclipse OLE Editor Support | 533 |
| Creating an OleControlSite Object | 534 |
| Activating the OleControlSite Object | 534 |
| OLE Automation—Accessing Extended Behavior | 534 |
| OLE exec Command | 536 |
| IDispatch Interface | 536 |
| Methods | 538 |
| Invocation Without Parameters | 538 |
| Variant Types | 539 |
| Invocation with Parameters | 540 |
| Properties | 540 |
| Events and Property Listeners | 542 |
| Exercise Summary | 543 |
| Chapter Summary | 543 |
| References | 543 |
| | |
| Chapter 25 Swing Interoperability | 545 |
| Background on Integration of Swing and SWT | 545 |
| Launch and Edit Integration | 546 |
| Modes of Invocation | 547 |
| Improving the End User Experience | 548 |
| ABCEditor Example—In-Process Invocation | 548 |
| Implementation Details—In-Process Invocation | 549 |
| Exercise Summary | 553 |
| Chapter Summary | 553 |
| References | 554 |

| | | |
|-------------------|--|------------|
| Chapter 26 | Extending the Java Development Tools | 555 |
| | <i>What Is the JDT and What Does It Do?</i> | 556 |
| | <i>Java Model</i> | 557 |
| | <i>Accessing Reusable JDT Functionality</i> | 560 |
| | JavaCore Class | 560 |
| | JavaUI Class | 564 |
| | ToolFactory Class | 565 |
| | <i>Compiling Java Source Code</i> | 566 |
| | <i>Analyzing Java Source Code</i> | 566 |
| | JDT Abstract Syntax Tree | 567 |
| | Finer-Grain Parsing of Java Source Code | 572 |
| | <i>Manipulating Java Source Code</i> | 577 |
| | Simple Java Element Source Code Manipulations | 577 |
| | More Complex Source Code Manipulations | 578 |
| | <i>Where the JDT Extends Eclipse</i> | 581 |
| | <i>Extending the JDT User Interface</i> | 581 |
| | Contributing View Actions | 582 |
| | Contributing Editor Actions | 584 |
| | Contributing to Java Element Context Menus | 585 |
| | Contributing to Specific View or Editor Context Menus | 586 |
| | Contributing to Global Actions | 586 |
| | Reusing Common JDT Selection Dialogs | 586 |
| | <i>Exercise Summary</i> | 587 |
| | <i>Chapter Summary</i> | 587 |
| | <i>References</i> | 587 |
| | | |
| Chapter 27 | Building a Custom Text Editor with JFace Text | 589 |
| | <i>Standard Text Editor Functions</i> | 590 |
| | Text Editing and Viewing | 590 |
| | Standard Menus and Toolbar Items | 591 |
| | Standard Marker Representation | 591 |
| | <i>Editor Configuration: Customization Points</i> | 592 |
| | What Is Content Assist? | 592 |
| | What Is Syntax Highlighting? | 593 |
| | What Is Content Formatting? | 594 |
| | Miscellaneous Customizations | 594 |
| | <i>Under the Covers of the Text Editor</i> | 595 |
| | AbstractTextEditor Class | 595 |
| | TextViewer Class | 596 |

| | |
|--|------------|
| AbstractTextEditor Class Relationships | 597 |
| Document Class | 598 |
| DocumentProvider Class | 598 |
| Model-View-Controller Relationship | 600 |
| DocumentPartitioner Class | 601 |
| SourceViewerConfiguration Class | 602 |
| How to Create a Basic Source Editor | 602 |
| Phase 1: Creating a Basic Editor | 603 |
| Phase 2: Adding Content Assist to Your Basic Editor | 609 |
| Phase 3: Adding Syntax-Based Color Highlighting | 613 |
| Phase 4: Defining Content Formatting | 618 |
| Exercise Summary | 621 |
| Chapter Summary | 622 |
| References | 622 |
| | |
| PART III EXERCISES | 623 |
| | |
| Chapter 28 Exercise 1: Using Eclipse | 625 |
| Section 1: Your First Eclipse Project | 626 |
| Section 2: Editors and Views | 631 |
| Section 3: Working with Resources | 639 |
| Section 4: Perspectives | 644 |
| Section 5: Using Multiple Eclipse Windows | 646 |
| Section 6: Getting Help | 648 |
| | |
| Chapter 29 Exercise 2: Using the Java Development Tools | 655 |
| Section 1: Hello World | 656 |
| Section 2: Quick Fix | 658 |
| Section 3: Code Generation | 664 |
| Section 4: Refactoring | 671 |
| Section 5: Launch Configurations | 679 |
| Section 6: JRE 1.4 Code | 686 |
| | |
| Chapter 30 Exercise 3: Debugging Java | 693 |
| Section 1: Debugging | 693 |
| Section 2: Debugging Threads | 703 |
| Section 3: Remote Debugging | 708 |

| | | |
|-------------------|---|------------|
| Chapter 31 | Exercise 4: Using CVS with Eclipse | 713 |
| | Exercise Setup | 714 |
| | Creating Your Workspace Project | 714 |
| | Section 1: Getting Started | 716 |
| | Setting Your Team and CVS Preferences | 717 |
| | Defining a CVS Repository Location | 718 |
| | Putting the Project Under CVS Control | 719 |
| | Storing the Project Contents in CVS | 722 |
| | Versioning the Project | 723 |
| | Section 2: Updating, Committing, and Resolving Conflicts | 725 |
| | Modifying the Code in Your Project | 726 |
| | Storing Your Changes in CVS | 727 |
| | Making Additional Changes in Your Project | 729 |
| | Resolving Conflicts with CVS | 730 |
| | Section 3: Branching and Merging | 733 |
| | Branch and Merge Process Using Eclipse | 734 |
| | Updating Your Project and Storing the Changes in a CVS Branch | 734 |
| | Merging Your Project Changes from the Branch Back to CVS HEAD | 738 |
| | Exercise Activity Review | 743 |
| | | |
| Chapter 32 | Exercise 5: Modifying Your Configuration with Update Manager | 745 |
| | Section 1: Installing New Features | 745 |
| | Section 2: Disabling Features | 749 |
| | Section 3: Pending Changes—Discovering Direct Configuration Modification | 750 |
| | Section 4: Searching for New or Updated Features | 754 |
| | | |
| Chapter 33 | Exercise 6: Using the Plug-in Development Environment | 759 |
| | Exercise Setup | 760 |
| | Exercise Instructions | 761 |
| | Section 1: “Hello, World” in Five Minutes or Less | 761 |
| | Section 2: “Hello, World” with Detailed Step-by-Step Instructions | 763 |

| | |
|--|------------|
| Section 3: Testing with the Run-Time Workbench | 777 |
| Section 4: Debugging with the Run-Time Workbench | 779 |
| Section 5: Exploring (and Sometimes Correcting) the Eclipse Platform Code | 782 |
| Section 6: Correcting Common Problems | 785 |
| Exercise Activity Review | 788 |
| | |
| Chapter 34 Exercise 7: Feature Development and Deployment | 789 |
| Exercise Concepts | 789 |
| Exercise Setup | 790 |
| Exercise Instructions | 791 |
| Section 1: Tasks of an Eclipse Feature Developer | 791 |
| Generating JAR Files for Selected Plug-ins | 792 |
| Packaging the Function Provided by Your Plug-ins as a Feature | 797 |
| Adding Product and Feature Branding to the Feature | 804 |
| Repackaging the Feature | 805 |
| Extracting an Installable Feature from Workspace and Implementing an Update Site | 808 |
| Section 2: Tasks of an Eclipse User | 808 |
| Installing a New Feature as an Extension to an Existing Product | 809 |
| Adding a Feature to an Existing Product Configuration from an Update Site | 814 |
| Section 3: Tasks of a Product Developer | 814 |
| Implementing a Branded Product | 815 |
| Launching and Reviewing a Branded Product Installation | 815 |
| Exercise Activity Review | 817 |
| | |
| Index | 819 |