## Contents

Introduction			
1.1	Motiva	ation	1
1.2	Goals	of this thesis	3
1. <b>3</b>	Appro	ach of this thesis and outline	6
Pr	elimina	ries and related work	9
Age	nt-base	d modeling and simulation	11
2.1	Basic	terminology	11
	2.1.1	Complex system	11
	2.1.2	Model	12
	2.1.3	Model development process	13
	2.1.4	Simulation	15
2.2	Agent	-based modeling and simulation	17
	2.2.1	Agent	17
	2.2.2	Agent architecture	19
	2.2.3	Relationships with other modeling paradigms .	21
	2.2.4	Benefits and drawbacks of agent-based modeling	
		and simulation	23
2.3	Relate	$ed work \ldots \ldots$	25
	2.3.1	Klügl (2007)	<b>2</b> 6
	2.3.2	Scheutz, Schermerhorn (2006)	30
	2.3.3	Ferber, Müller (1996) and Weyns, Holvoet (2003)	33
	2.3.4	DEVS and variable structure models	36
	2.3.5	Agent-Object-Relationship Simulation	37
	2.3.6	Further related work	38
	Intra 1.1 1.2 1.3 Pr Age 2.1 2.2 2.3	Introductio         1.1       Motiva         1.2       Goals         1.3       Appro         Prelimina         Agent-base         2.1       Basic         2.1.1       2.1.2         2.1.3       2.1.4         2.2       Agent         2.2.1       2.2.1         2.2.3       2.2.4         2.3       Relate         2.3.1       2.3.2         2.3.3       2.3.4         2.3.5       2.3.6	Introduction         1.1       Motivation         1.2       Goals of this thesis         1.3       Approach of this thesis and outline         2.1       Basic terminology         2.1       Basic terminology         2.1.1       Complex system         2.1.2       Model         2.1.3       Model development process         2.1.4       Simulation         2.2.1       Agent         2.2.1       Agent         2.2.1       Agent         2.2.2       Agent architecture         2.2.3       Relationships with other modeling paradigms         2.2.4       Benefits and drawbacks of agent-based modeling and simulation         2.3.1       Klügl (2007)         2.3.2       Scheutz, Schermerhorn (2006)         2.3.3       Ferber, Müller (1996) and Weyns, Holvoet (2003)         2.3.4       DEVS and variable structure models



		2.3.7	Summary	40	
	2.4	The ro	ble of the environment in agent-based models	44	
		2.4.1	Definition and properties	45	
		2.4.2	Dynamics	46	
3	Para	allel and	d distributed multi-agent simulation	49	
	3.1	Basic	terminology	49	
	3.2	Motiv	ation and requirements with respect to		
		multi-	agent simulation	51	
	3.3	Existi	ng approaches and their limitations	53	
		3.3.1	Pawlaszczyk (2009)	54	
		3.3.2	Logan, Theodoropoulos (2001)	55	
		3.3.3	P. Riley, G. Riley (2003)	55	
		3.3.4	Scheutz, Schermerhorn (2006)	56	
		3.3.5	Aaby et al. (2010)	57	
		3.3.6	Further related work	58	
4	Sun	nmarv		61	
-				•-	
11	Efi	fective	and efficient model development	63	
5	The	e need f	for a reference model for agent-based		
	mod	deling a	and simulation	65	
	5.1	Curre	nt problems and needs of agent-based modeling		
		and si	mulation	65	
		5.1.1	Weak definitions of basic terms and concepts .	65	
		5.1.2	Bad support of collaborative development	67	
		<b>5.1.3</b>	Need for improvement of quality by		
			standardization	68	
	5.2	Gener	al purpose of reference models	68	
	5.3	5.3 Requirements for a reference model			
		5.3.1	Clear distinction between model and simulation		
			engine	70	
		5.3.2	Simulated environment	71	

• ~

.

		5.3.3	Simulation time	71		
		5.3.4	Agents and objects	72		
		5.3.5	Actions, effects and constraints	72		
		5.3.6	Abstraction from specific agent architectures .	73		
		5.3.7	Formal specification	73		
e	<b>CD4</b>		Comment Defension Mandal for Amount based			
<b>b</b> GRAMS – General Reference Model for Agent-based						
	MOC	ieling a	ind Simulation	15		
	6.1	Aims a	and target audience	75		
	6.2	Basic i	idea of the GRAMS reference model	76		
	6.3	Definit	tion of an agent-based model	78		
	6.4	Macro	-level modeling	81		
		<b>6.4</b> .1	Simulation time	81		
		6.4.2	Environment	82		
		6.4.3	Embedding of entities	84		
	6.5	Events	- 3	85		
	6.6	Micro-	level modeling	88		
		6.6.1	Attributes of agents and objects	89		
		6.6.2	Sensors and effectors	90		
		6.6.3	State of an agent	95		
		664	Constraints	95		
		665	Behavior of an agent	08		
	67	Simula	ation of an agant based model	100		
	0.1 C 0		action of all agent-based model	100		
	0.0	Application areas of the GRAMS reference model If				
	6.9	Evalua	$\operatorname{ation}$	104		
		6.9.1	Mapping of basic agent architectures	104		
		6.9.2	Case studies	108		
7	Sun	nmary		111		

. . . . . . . . . . . 158

111	Eff	ective	model execution	115
8	Mod	iel part	itioning and multi-level parallelization	117
	8.1	Model	partitioning strategies	117
		8.1.1	Terms and definitions	117
		8.1.2	Conflict detection as bottleneck	120
		8.1.3	Partitioning strategy: node-level, per agent,	199
		811	Partitioning strategy: node level per agent	122
		0.1.4	dynamic	123
		815	Partitioning strategies on cluster-level	120
	82	Parall	el execution	120
	0.2	821	Parallelization on node- and processor-level	130
		822	Parallelization on cluster-level	131
		823	Multi-level parallelization	131
	8.3	Reliat	ility of a simulation environment	132
9	Exa	m <b>ple i</b> n	nplementation of GRAMS	133
9	<b>Exa</b> 9.1	m <b>ple in</b> Overv	n <b>plementation of GRAMS</b> iew	<b>133</b> 133
9	<b>Exa</b> 9.1 9.2	m <b>ple</b> in Overv Repre	nplementation of GRAMS iew	<b>133</b> 133 1 <b>3</b> 6
9	<b>Exa</b> i 9.1 9.2	m <b>ple in</b> Overv Repre 9.2.1	nplementation of GRAMS iew	<b>133</b> 133 1 <b>3</b> 6 137
9	Exar 9.1 9.2	m <b>ple in</b> Overv Repre 9.2.1 9.2.2	nplementation of GRAMS         iew	<b>133</b> 133 136 137 138
9	Exa 9.1 9.2	mple in Overv Repre 9.2.1 9.2.2 9.2.3	nplementation of GRAMS         iew	<b>133</b> 133 136 137 138 139
9	Exai 9.1 9.2	mple in Overv Repre 9.2.1 9.2.2 9.2.3 9.2.4	nplementation of GRAMS         iew	<ul> <li>133</li> <li>136</li> <li>137</li> <li>138</li> <li>139</li> <li>140</li> </ul>
9	Exai 9.1 9.2	mple in Overv Repre 9.2.1 9.2.2 9.2.3 9.2.4 9.2.5	nplementation of GRAMS         iew	133 133 136 137 138 139 140 142
9	<b>Exa</b> 9.1 9.2	mple in Overv Repre 9.2.1 9.2.2 9.2.3 9.2.3 9.2.4 9.2.5 Simul	nplementation of GRAMS         iew	<ul> <li>133</li> <li>136</li> <li>137</li> <li>138</li> <li>139</li> <li>140</li> <li>142</li> <li>143</li> </ul>
9	<b>Exa</b> 9.1 9.2 9.3	mple in Overv Repre 9.2.1 9.2.2 9.2.3 9.2.3 9.2.4 9.2.5 Simul 9.3.1	nplementation of GRAMS         iew	<ul> <li>133</li> <li>136</li> <li>137</li> <li>138</li> <li>139</li> <li>140</li> <li>142</li> <li>143</li> <li>144</li> </ul>
9	<b>Exa</b> 9.1 9.2 9.3	mple in Overv Repre 9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 Simul 9.3.1 9.3.2	nplementation of GRAMS         iew	<ul> <li>133</li> <li>136</li> <li>137</li> <li>138</li> <li>139</li> <li>140</li> <li>142</li> <li>143</li> <li>144</li> <li>146</li> </ul>
9	<b>Exa</b> 9.1 9.2 9.3	mple in Overv Repre 9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 Simul 9.3.1 9.3.2 9.3.3	nplementation of GRAMS         iew	<ul> <li>133</li> <li>136</li> <li>137</li> <li>138</li> <li>139</li> <li>140</li> <li>142</li> <li>143</li> <li>144</li> <li>146</li> <li>147</li> </ul>
9	<b>Exa</b> 9.1 9.2 9.3	mple in Overv Repre 9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 Simul 9.3.1 9.3.2 9.3.3 9.3.4	nplementation of GRAMS         iew	<ul> <li>133</li> <li>136</li> <li>137</li> <li>138</li> <li>139</li> <li>140</li> <li>142</li> <li>143</li> <li>144</li> <li>146</li> <li>147</li> <li>151</li> </ul>
9	<b>Exal</b> 9.1 9.2 9.3	mple in Overv Repre 9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 Simul 9.3.1 9.3.2 9.3.3 9.3.4 Test a	nplementation of GRAMS         iew         sentation of an agent-based model         Simulation time         Simulation time         Environment         Events         Constraints         Entities         ation engines         Single-threaded event-driven simulation engine         Single-threaded time-stepped simulation engine         Parallelization on node-level         Parallelization on cluster-level	<ul> <li>133</li> <li>136</li> <li>137</li> <li>138</li> <li>139</li> <li>140</li> <li>142</li> <li>143</li> <li>144</li> <li>146</li> <li>147</li> <li>151</li> <li>151</li> </ul>
9	<b>Exal</b> 9.1 9.2 9.3 9.3	mple in Overv Repre 9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 Simul 9.3.1 9.3.2 9.3.3 9.3.4 Test a Empir	nplementation of GRAMS         iew         sentation of an agent-based model         Simulation time         Simulation time         Environment         Events         Constraints         Entities         ation engines         Single-threaded event-driven simulation engine         Single-threaded time-stepped simulation engine         Parallelization on node-level         Parallelization on cluster-level         and verification	<ul> <li>133</li> <li>136</li> <li>137</li> <li>138</li> <li>139</li> <li>140</li> <li>142</li> <li>143</li> <li>144</li> <li>146</li> <li>147</li> <li>151</li> <li>151</li> <li>154</li> </ul>
9	<b>Exal</b> 9.1 9.2 9.3 9.3 9.4 9.5	mple in Overv Repre 9.2.1 9.2.2 9.2.3 9.2.4 9.2.5 Simul 9.3.1 9.3.2 9.3.3 9.3.4 Test a Empin 9.5.1	<b>nplementation of GRAMS</b> iew	<ul> <li>133</li> <li>136</li> <li>137</li> <li>138</li> <li>139</li> <li>140</li> <li>142</li> <li>143</li> <li>144</li> <li>146</li> <li>147</li> <li>151</li> <li>151</li> <li>154</li> <li>154</li> </ul>

simulation time and runtime

	g	9.5.3	Benchmark suites 1 and 2: Dependency between number of agents and runtime	. 160
	g	).5.4	Benchmark suite 3: Parallelization on node-level	. 165
10	Summ	nary		169
IV	Con	clusio	ns	173
11	Concl	usions	and outlook	175
	11.1 §	Summa	ary	. 175
	11.2 \$	Scienti	fic contributions and applicability	. 176
	11.3 (	Outloo	k	. 179
v	Арр	endix		181
A	Case	studie	s of the GRAMS reference model	183
	A.1 (	Case s	tudy: Warehouse	. 183
		A.1.1	Structured problem description	. 183
	L	A.1.2	Conceptual model	. 191
	A.2 (	Case s	tudy: Joint Fire Support	. 204
	Biblio	graph	у	207