

---

# Contents

---

<i>List of figures</i>	xv
<i>List of symbols</i>	xxxix
<i>List of acronyms</i>	xliii
<i>Preface to the first edition</i>	xlvi
<i>Preface to the second edition</i>	xlxi
<i>Preface to the third edition</i>	li
<i>Acknowledgements</i>	liii
<i>Authors</i>	lv
<b>1 Introduction</b>	<b>1</b>
1.1 <i>Absorption versus diffuse reflections</i>	4
1.2 <i>Sustainable absorbers and diffusers</i>	5
References	10
<b>2 Absorbers: applications and basic principles</b>	<b>11</b>
2.1 <i>Types of absorber</i>	11
2.2 <i>Reverberation control</i>	12
2.2.1 <i>A statistical model of reverberation</i>	17
2.3 <i>Noise control in factories and large rooms with diffuse fields</i>	20
2.4 <i>Modal control in critical listening spaces</i>	22
2.5 <i>Echo control in auditoria and lecture theatres—basic sound propagation models</i>	23
2.5.1 <i>Sound propagation—a wave approach</i>	24
2.5.2 <i>Surface impedance, admittance, reflection coefficient, and absorption coefficient</i>	25
2.6 <i>Absorption in sound insulation—transfer matrix modelling</i>	29
2.6.1 <i>Transfer matrix modelling</i>	29
2.7 <i>Pipes, ducts, and silencers—porous absorber characteristics</i>	31
2.7.1 <i>Characterizing porous absorbers</i>	32
2.8 <i>Enclosures, barriers, and roads</i>	33
2.9 <i>Natural noise control</i>	34
2.10 <i>Hearing protection devices</i>	35
2.11 <i>Loudspeaker cabinets</i>	36
2.12 <i>Automotive absorbents and vehicle refinement</i>	36

2.13	<i>Portable vocal booths</i>	37
2.14	<i>Summary</i>	39
	<i>References</i>	40
<b>3</b>	<b>Diffusers: applications and basic principles</b>	<b>41</b>
3.1	<i>Echo control in auditoria</i>	41
3.1.1	<i>Example applications</i>	41
3.1.2	<i>Aesthetics</i>	44
3.1.3	<i>Wavefronts and diffuse reflections</i>	44
3.1.4	<i>Some terminology</i>	49
3.2	<i>Reducing coloration in small reproduction rooms</i>	50
3.2.1	<i>Reflection free zone</i>	51
3.2.2	<i>Surround sound</i>	57
3.2.3	<i>Ambechoic</i>	58
3.3	<i>Reducing coloration in small live rooms</i>	59
3.4	<i>Promoting diffuse fields in reverberation chambers</i>	64
3.5	<i>Improving speech intelligibility</i>	66
3.6	<i>Promoting spaciousness in auditoria</i>	66
3.7	<i>Reducing the effects of early arriving reflections in large spaces</i>	67
3.8	<i>Stage enclosures</i>	68
3.8.1	<i>Overhead canopies</i>	69
3.8.2	<i>Rear and side of stage enclosures</i>	72
3.8.3	<i>Orchestra pits</i>	77
3.8.4	<i>Outdoor stage shells</i>	77
3.9	<i>Blurring the focusing from concave surfaces</i>	78
3.10	<i>In audience areas</i>	79
3.10.1	<i>Coverage</i>	79
3.10.2	<i>Diffuse fields</i>	81
3.11	<i>Diffusing and absorbing lighting</i>	84
3.12	<i>Barriers and streets</i>	86
3.13	<i>Conclusions</i>	86
	<i>References</i>	87
<b>4</b>	<b>Measurement of absorber properties</b>	<b>91</b>
4.1	<i>Impedance tube measurement for absorption coefficient and surface impedance</i>	91
4.1.1	<i>Transfer function method</i>	94
4.1.2	<i>Least mean square method</i>	97
4.1.3	<i>Transmission measurements</i>	97
4.2	<i>Two-microphone free field measurement</i>	100
4.2.1	<i>Multimicrophone techniques for nonisotropic, nonplanar surfaces</i>	101
4.2.2	<i>Multimicrophone free field measurement for periodic surfaces</i>	102
4.3	<i>Reverberation chamber method</i>	103
4.3.1	<i>Measurement of seating absorption</i>	108
4.4	<i>In situ measurement of absorptive properties</i>	110

---

4.5	<i>Measurement of internal properties of porous absorbents</i>	114
4.5.1	<i>Measurement of flow resistivity</i>	115
4.5.2	<i>Measurement of flow impedance</i>	118
4.5.3	<i>Measurement of wavenumber and characteristic impedance</i>	119
4.5.4	<i>Measurement of porosity</i>	121
4.5.5	<i>Measurement of tortuosity</i>	123
4.5.6	<i>Measurement of characteristic lengths</i>	125
4.5.7	<i>Inverse methods for multiple material parameters</i>	126
4.6	<i>Summary</i>	126
	<i>References</i>	127
5	<b>Measurement of reflections: scattering and diffusion</b>	131
5.1	<i>Diffusion coefficients vs scattering coefficients</i>	131
5.2	<i>The diffusion coefficient</i>	134
5.2.1	<i>Measuring polar responses</i>	135
5.2.1.1	<i>Near and far fields</i>	145
5.2.1.2	<i>Sample considerations</i>	149
5.2.2	<i>Calculating the diffusion coefficient</i>	150
5.2.3	<i>Obtaining polar responses</i>	153
5.2.4	<i>Discussion</i>	153
5.2.5	<i>Diffusion coefficient table</i>	153
5.3	<i>The scattering coefficient</i>	154
5.3.1	<i>Principle</i>	155
5.3.2	<i>Rationale and procedure</i>	156
5.3.3	<i>Sample considerations</i>	158
5.3.4	<i>In situ measurement</i>	159
5.3.5	<i>Predicting the scattering coefficient</i>	160
5.3.6	<i>The correlation scattering coefficient (from polar responses)</i>	162
5.3.7	<i>Scattering coefficient table</i>	165
5.4	<i>Other methods for characterizing diffuse reflections</i>	166
5.4.1	<i>Measuring scattering coefficients by solving the inverse problem</i>	166
5.4.2	<i>Temporal evaluation</i>	167
5.5	<i>Summary</i>	171
	<i>References</i>	171
6	<b>Porous sound absorption</b>	175
6.1	<i>Absorption mechanisms and characteristics</i>	175
6.2	<i>Some material types</i>	178
6.2.1	<i>Mineral wool</i>	178
6.2.2	<i>Foam</i>	180
6.2.3	<i>Sustainable materials</i>	180
6.2.4	<i>Curtains (drapes)</i>	183
6.2.5	<i>Carpets</i>	184
6.2.6	<i>Acoustic plaster</i>	185

6.2.7	<i>Aerogels</i>	186
6.2.8	<i>Activated carbon</i>	186
6.2.9	<i>Ground</i>	188
6.3	<i>Covers</i>	188
6.4	<i>Basic material properties</i>	191
6.4.1	<i>Flow resistivity</i>	191
6.4.2	<i>Open porosity</i>	194
6.5	<i>Modelling propagation within porous materials</i>	197
6.5.1	<i>Macroscopic empirical models such as Delany and Bazley</i>	197
6.5.2	<i>Further material properties</i>	202
6.5.2.1	<i>Viscous and thermal characteristic lengths</i>	202
6.5.2.2	<i>Tortuosity</i>	203
6.5.3	<i>Semi-phenomenological models</i>	204
6.5.4	<i>Relaxation model</i>	209
6.6	<i>Predicting the surface impedance and absorption coefficient</i>	210
6.6.1	<i>Single layer of a porous absorber with a rigid backing</i>	211
6.6.2	<i>Modelling covers</i>	212
6.6.3	<i>Ground</i>	213
6.6.4	<i>Multilayer porous absorbers</i>	215
6.7	<i>Local and extended reaction</i>	216
6.8	<i>Oblique incidence</i>	216
6.9	<i>Biot theory for elastic framed material</i>	218
6.10	<i>Time domain models</i>	219
6.11	<i>Summary</i>	219
	<i>References</i>	219

## 7 Resonant absorbers 225

7.1	<i>Mechanisms</i>	225
7.2	<i>Example constructions</i>	227
7.2.1	<i>Low-frequency membrane absorber</i>	227
7.2.2	<i>Absorbing wood</i>	229
7.2.3	<i>Absorption and diffusion</i>	231
7.2.4	<i>Microporperforation</i>	235
7.2.5	<i>Clear absorbers</i>	236
7.2.6	<i>Masonry devices</i>	239
7.2.7	<i>Plate resonators</i>	239
7.3	<i>Design equations: resonant frequency</i>	239
7.3.1	<i>Helmholtz resonator</i>	241
7.3.2	<i>Membrane absorber</i>	246
7.3.3	<i>Losses</i>	247
7.3.3.1	<i>Porous layer right behind perforations</i>	249
7.3.3.2	<i>Porous layer in the middle of cavity with a perforated covering</i>	249
7.3.3.3	<i>More complete solution using transfer matrixes</i>	250
7.3.3.4	<i>Oblique incidence</i>	252

---

7.4	<i>Example calculations</i>	253
7.4.1	<i>Slotted Helmholtz absorber</i>	253
7.4.2	<i>Porous absorbent filling the cavity</i>	254
7.4.3	<i>Bass Helmholtz absorber</i>	255
7.5	<i>Other constructions and innovations</i>	255
7.5.1	<i>Shaped holes and slots</i>	255
7.5.2	<i>Double resonators</i>	256
7.5.3	<i>Microperforation</i>	256
7.5.4	<i>Lateral orifices</i>	260
7.5.5	<i>Passive electroacoustic absorption</i>	260
7.5.6	<i>Activated carbon</i>	261
7.6	<i>Summary</i>	262
	<i>References</i>	262
8	<b>Other absorbers and diffusers</b>	265
8.1	<i>Audience and seating</i>	265
8.2	<i>Absorbers from Schroeder diffusers</i>	268
8.2.1	<i>Energy flow mechanism</i>	269
8.2.2	<i>Boundary layer absorption</i>	270
8.2.3	<i>Absorption or diffusion</i>	271
8.2.4	<i>Depth sequence</i>	272
8.2.5	<i>Use of mass elements</i>	273
8.2.6	<i>Number of wells</i>	274
8.2.7	<i>Theoretical model</i>	274
	8.2.7.1 <i>Admittance of wells</i>	274
	8.2.7.2 <i>From well impedance to absorption: BEM</i>	276
	8.2.7.3 <i>From well impedance to absorption:</i> <i>wave decomposition</i>	277
8.3	<i>Volumetric diffusers</i>	279
8.4	<i>Metamaterials and absorbing sonic crystals</i>	281
8.5	<i>Natural absorbers</i>	285
8.5.1	<i>Tree belts, hedges, shrubs, and crops</i>	285
8.5.2	<i>Green walls, roofs, and barriers</i>	286
8.6	<i>Summary</i>	288
	<i>References</i>	288
9	<b>Prediction of reflection including diffraction</b>	291
9.1	<i>Boundary element methods</i>	291
9.1.1	<i>The Helmholtz–Kirchhoff integral equation</i>	292
9.1.2	<i>General solution method</i>	294
9.1.2.1	<i>Determining surface pressures</i>	294
9.1.2.2	<i>Determining external point pressures</i>	296
9.1.2.3	<i>2D versus 3D</i>	297

9.1.3	<i>Thin-panel solution</i>	298
9.1.3.1	<i>Non-absorbing surface</i>	298
9.1.3.2	<i>Planar, thin surface with non-zero admittance</i>	300
9.1.4	<i>Acceleration schemes</i>	301
9.1.5	<i>BEM accuracy: thin rigid reflectors</i>	301
9.1.6	<i>BEM accuracy: Schroeder diffusers</i>	302
9.1.7	<i>BEM accuracy: hybrid surfaces</i>	304
9.2	<i>Kirchhoff</i>	305
9.3	<i>Fresnel</i>	308
9.4	<i>Fraunhofer or Fourier solution</i>	310
9.4.1	<i>Near and far field</i>	311
9.4.2	<i>Fraunhofer theory accuracy</i>	312
9.5	<i>Finite difference time domain</i>	313
9.5.1	<i>Stability: spatial and time steps</i>	317
9.5.2	<i>Numerical dispersion and simulation bandwidth</i>	318
9.5.3	<i>Boundary modelling and including objects in domain</i>	318
9.5.4	<i>Excitation</i>	320
9.5.5	<i>Near to far field transformation</i>	322
9.5.6	<i>Realization</i>	322
9.6	<i>Time-domain boundary integral methods</i>	322
9.6.1	<i>Kirchhoff and Fraunhofer solutions</i>	323
9.6.2	<i>BEM solution</i>	324
9.7	<i>Other methods</i>	325
9.7.1	<i>Finite element analysis</i>	325
9.7.2	<i>Edge diffraction models</i>	325
9.7.3	<i>Wave decomposition and mode matching approaches</i>	326
9.7.4	<i>Random roughness</i>	326
9.7.5	<i>Boss models</i>	327
9.8	<i>Summary</i>	327
	<i>References</i>	327

10	<b>Schroeder diffusers</b>	331
----	----------------------------	-----

10.1	<i>Basic principles and construction</i>	331
10.2	<i>Design equations</i>	333
10.3	<i>Some limitations and other considerations</i>	334
10.4	<i>Sequences</i>	337
10.4.1	<i>Maximum length sequence diffuser</i>	337
10.4.2	<i>Quadratic residue sequence</i>	340
10.4.3	<i>Primitive root sequence</i>	340
10.4.4	<i>Index sequences</i>	343
10.4.5	<i>Other sequences</i>	343
10.5	<i>Periodicity and modulation</i>	345
10.5.1	<i>Fractal</i>	352
10.5.2	<i>Diffusing covers</i>	352
10.6	<i>Improving the low-frequency response</i>	355

---

10.7 Multidimensional devices	358
10.8 Absorption	362
10.9 Do the simplest theories work?	363
10.10 Optimization	365
10.10.1 Process	365
10.10.2 Results	368
10.11 Summary	370
References	370
<b>11 Geometric reflectors and diffusers</b>	<b>373</b>
11.1 Plane surfaces	373
11.1.1 Single-panel response	373
11.1.2 Panel array response: far field arc	379
11.1.3 Panel array response: near field	380
11.2 Triangles and pyramids	382
11.2.1 Arrays of triangles	385
11.3 Concave surfaces	387
11.4 Convex surfaces	389
11.4.1 Geometric theory and cutoff frequencies	390
11.4.2 Performance of simple curved reflectors	392
11.4.2.1 Arrays of semicylinders	393
11.5 Optimized curved surfaces	396
11.5.1 Example application	396
11.5.2 Design process	396
11.5.3 Performance for unbaffled single optimized diffusers	399
11.5.4 Periodicity and modulation	400
11.5.5 Stage canopies	403
11.6 Fractals	407
11.6.1 Fourier synthesis	408
11.6.2 Step function addition	409
11.7 Materials	411
11.8 Summary	412
References	412
<b>12 Hybrid surfaces</b>	<b>415</b>
12.1 Example devices	415
12.2 Concepts	419
12.3 Number sequences	420
12.3.1 One-dimensional MLS	420
12.3.2 One-dimensional optical sequences	422
12.3.3 One-dimensional ternary and quadriphase sequences	423
12.3.4 Optimized sequences	424
12.3.5 Two-dimensional sequences	426
12.4 Absorption	430
12.5 Accuracy of the Fourier theory	431

12.6	<i>Diffuse reflections</i>	433
12.6.1	<i>Boundary element modelling</i>	435
12.6.2	<i>Planar devices</i>	437
12.7	<i>Summary</i>	439
	<i>References</i>	439
13	<b>Absorbers and diffusers in rooms and geometric room acoustic models</b>	441
13.1	<i>Converting absorption coefficients</i>	441
13.1.1	<i>From impedance tube or free field to random incidence</i>	441
13.1.2	<i>From the reverberation chamber to real rooms</i>	445
13.2	<i>Absorption in GRAMs</i>	445
13.3	<i>Diffuse reflections in GRAMs</i>	447
13.3.1	<i>Ray redirection</i>	448
13.3.2	<i>Transition order using particle tracing</i>	449
13.3.3	<i>Diffuse energy decays with the reverberation time of the hall</i>	449
13.3.4	<i>Radiosity and radiant exchange</i>	450
13.3.5	<i>Early sound field wave model</i>	450
13.3.6	<i>Edge scattering for small surfaces</i>	450
13.3.7	<i>Distributing the diffuse energy</i>	450
13.3.8	<i>Scattering coefficients</i>	453
13.4	<i>Summary</i>	455
	<i>References</i>	456
14	<b>Active absorbers</b>	459
14.1	<i>Some principles of active control</i>	459
14.2	<i>An example active impedance system and a general overview</i>	461
14.3	<i>Active absorption in ducts</i>	464
14.4	<i>Active absorption in three dimensions</i>	465
14.4.1	<i>Low-frequency modal control—example results</i>	466
14.4.2	<i>Low-frequency modal control—alternative control regime</i>	467
14.5	<i>Hybrid active–passive absorption</i>	469
14.6	<i>Summary</i>	473
	<i>References</i>	473
	<i>Appendix A: Table of absorption coefficients</i>	475
	<i>Appendix B: Normalized diffusion coefficient table</i>	481
	<i>Appendix C: Correlation scattering coefficient tables</i>	487
	<i>Appendix D: Random incidence scattering coefficient table</i>	497
	<i>Index</i>	503