

Contents

1	Introduction	1
1.1	Challenges and Goals	3
1.2	Book Outline	4
	References	5
 Part I Games for Semantics Acquisition		
2	State-of-the-Art: Semantics Acquisition and Crowdsourcing	9
2.1	Semantics: Forms and Standards	9
2.2	Semantics in Use	10
2.2.1	Query-Based Search	11
2.2.2	Exploratory Search	12
2.2.3	Creation is the Harder Part	13
2.3	Manual (Expert-Based) Approaches	13
2.4	Automated Approaches	15
2.4.1	Entity Recognition, Instance Population	16
2.4.2	Relationship Discovery and Naming	17
2.4.3	Automated Multimedia Description Acquisition	18
2.5	Crowdsourcing	20
2.5.1	Crowdsourcing Classifications	21
2.5.2	Mechanical Turk	23
2.5.3	Delicious	24
2.5.4	Wikipedia and DBpedia	25
2.5.5	Duolingo: A “Gamified” Crowdsourcing	26
2.5.6	Crowdsourcing Games	27
2.6	Discussion	27
	References	29
3	State-of-the-Art: Semantics Acquisition Games	35
3.1	Image Description Games	38
3.2	Audio Track Semantics Acquisition Games	39
3.3	Text Annotation Games	41

3.4	Domain Modeling Games	43
3.4.1	Verbosity	43
3.4.2	GuessWhat!?	43
3.4.3	OnToGalaxy	44
3.4.4	Connecting the Ontologies: SpotTheLink	44
3.4.5	Categorilla, Categozilla and Free Association	45
3.4.6	Akinator	46
3.5	Discussion	46
	References	49
4	Little Search Game: Lightweight Domain Modeling	51
4.1	Little Search Game: Player Perspective	51
4.2	Term Relationship Inference	53
4.3	Little Search Game Evaluation	54
4.3.1	Game Deployment	54
4.3.2	Term Network Soundness	55
4.3.3	Ability to Retrieve “Hidden” Relationships	56
4.3.4	Network Relationship Types	57
4.4	The TermBlaster	59
4.4.1	TermBlaster Description	61
4.4.2	TermBlaster Validation	63
4.5	Discussion	64
	References	65
5	PexAce: A Method for Image Metadata Acquisition	67
5.1	Description of PexAce	68
5.1.1	Image Tag Extraction	70
5.2	Deployment and Tag Correctness in General Domain	71
5.2.1	Game Deployment: Experimental Dataset Acquisition	71
5.2.2	Experiment: Validation of Annotation Capabilities	71
5.3	PexAce Personal: Personal Imagery Metadata	74
5.4	PexAce Personal: Evaluation	76
5.5	Discussion	79
	References	80
6	CityLights: A Method for Music Metadata Validation	81
6.1	CityLights: Method Overview	82
6.1.1	A Music Question Example	82
6.1.2	Validating Individual Tags	84
6.1.3	More on the Game’s Features	85
6.1.4	Realization of the CityLights	87
6.2	Experiments: Evaluation of the Metadata Validation Ability	89
6.3	Discussion	91
	References	92

Part II Designing the Semantics Acquisition Games

7	State-of-the-Art: Design of the Semantics Acquisition Games	95
7.1	Missing Methodology	96
7.1.1	Game Cloning and Casual Playing	96
7.1.2	Von Ahn's Approach	97
7.1.3	Mechanics, Dynamics and Aesthetics	98
7.1.4	Design Lenses	98
7.2	Aspects of SAG Design	99
7.2.1	Validation of Player Output (Artifacts)	100
7.2.2	Problem Decomposition and Task Difficulty	102
7.2.3	Task Distribution and Player Competences	103
7.2.4	Player Challenges	104
7.2.5	Purpose Encapsulation	106
7.2.6	Cheating and Dishonest Player Behavior	107
7.3	Evaluation of SAGs: Attention, Retention and Throughput	108
7.4	SAG Design at a Glance: Discussion	108
	References	115
8	Our SAGs: Design Aspects and Improvements	119
8.1	Little Search Game	119
8.1.1	Player Motivation, Ladder System	120
8.1.2	Cheating Vulnerability and a Posteriori Cheating Detection	121
8.1.3	Evaluating the Appeal to the Player	124
8.2	PexAce	125
8.2.1	Helper Artifacts: A Novel Approach for Artifact Validation	125
8.2.2	Apparent Purpose and Motivation to Play PexAce	126
8.2.3	Player Competences	128
8.2.4	Cheating Vulnerability	132
8.3	CityLights	132
8.3.1	Validation Games	133
8.3.2	Game Aesthetics in CityLights	134
8.3.3	Player Competences Expressed Through Confidence	136
	References	137
9	Looking Ahead	139
9.1	Brighter Future	140
	References	141