

# Table of Contents

## Volume E 22c

<b>8</b>	<b>Introduction to the Synthesis of Peptidomimetics</b> . . . . .	<b>1</b>
	( <i>C. Toniolo and M. Goodman</i> )	
<b>9</b>	<b>Side-Chain-Modified Peptides</b> . . . . .	<b>3</b>
	( <i>A. M. Felix</i> )	
<b>9.1</b>	<b>Synthesis of Side-Chain Conformationally Restricted <math>\alpha</math>-Amino Acids</b> . . . . .	<b>5</b>
	( <i>V. J. Hruby, G. Han, and P. M. Gittu</i> )	
9.1.1	$\beta$ -Methylphenylalanine . . . . .	6
9.1.1.1	Asymmetric Epoxide Ring Opening . . . . .	6
9.1.1.2	Asymmetric Aziridine Ring Opening . . . . .	10
9.1.1.3	Through Chiral Auxiliary Oxazolidinone . . . . .	10
9.1.2	$\beta$ ,2,6-Trimethyltyrosine . . . . .	10
9.1.2.1	Through Chiral Auxiliary Oxazolidinone . . . . .	12
9.1.3	$\beta$ -Methylnaphthylalanine . . . . .	21
9.1.3.1	Asymmetric Aziridine Ring Opening . . . . .	21
9.1.3.2	Through Chiral Auxiliary Oxazolidinone . . . . .	23
9.1.4	1,2,3,4-Tetrahydroisoquinoline-3-carboxylic Acid . . . . .	23
9.1.4.1	Cyclization of Phenylalanine with Formaldehyde . . . . .	24
9.1.4.2	Alkylation Followed by Resolution Using Menthol . . . . .	24
9.1.4.3	Resolution Using Mandelic Acid . . . . .	26
9.1.5	Substituted Phenylglycine . . . . .	28
9.1.5.1	The Chiral Strecker Reaction . . . . .	28
9.1.5.2	Evans Electrophilic Azidation . . . . .	29
9.1.6	Substituted Glutamic Acid . . . . .	31
9.1.6.1	$\gamma$ -Monosubstituted Glutamic Acid . . . . .	32
9.1.6.1.1	Alkylation of Glutamic Acid . . . . .	32
9.1.6.1.2	Alkylation of Pyroglutamic Acid . . . . .	33
9.1.6.2	$\beta,\gamma$ -Disubstituted Glutamic Acid . . . . .	34
9.1.6.2.1	Asymmetric Diels–Alder Reaction . . . . .	34
9.1.6.2.2	Simmons–Smith Cyclization . . . . .	38
9.1.6.3	$\gamma,\gamma$ -Disubstituted Glutamic Acid . . . . .	40
9.1.6.3.1	Asymmetric Simmons–Smith Cyclization . . . . .	40
9.1.7	Substituted Cysteine . . . . .	42
9.1.7.1	$\beta$ -Methylcysteine . . . . .	43
9.1.7.1.1	Nucleophilic Substitution . . . . .	43
9.1.7.2	$\beta$ -Phenylcysteine . . . . .	45
9.1.7.2.1	Oxazoline Ring Opening . . . . .	45
9.1.7.2.2	Through Auxiliary Oxazolidinone . . . . .	45

<b>9.2</b>	<b>Synthesis of Peptides Containing Proline Analogues</b> . . . . .	52
	( <i>P. Thamm, H.-J. Musiol, and L. Moroder</i> )	
9.2.1	Aziridine-2-carboxylic Acid . . . . .	55
9.2.1.1	Synthesis of Aziridine-2-carboxylic Acid . . . . .	56
9.2.1.2	Protected Aziridine-2-carboxylic Acid Derivatives . . . . .	59
9.2.1.3	Synthesis of Aziridine-2-carboxylic Acid Peptides . . . . .	60
9.2.1.3.1	Acylation with N-Protected Aziridine-2-carboxylic Acid . . . . .	60
9.2.1.3.2	2-Carbonylaziridine Peptides from N-Terminal Serine/Threonine Peptides . . . . .	60
9.2.1.3.3	Acylation of 2-Carbonylaziridine Peptides . . . . .	60
9.2.1.3.4	Deprotection of Aziridine-2-carboxylic Acid Peptides . . . . .	61
9.2.2	Azetidine-2-carboxylic Acid . . . . .	62
9.2.2.1	Synthesis of Azetidine-2-carboxylic Acid . . . . .	62
9.2.2.2	Synthesis of Azetidine-2-carboxylic Acid Peptides . . . . .	63
9.2.3	Five-Membered Proline Analogues . . . . .	64
9.2.3.1	Hydroxyproline . . . . .	64
9.2.3.2	Proline Analogues Derived from Hydroxyproline . . . . .	67
9.2.3.3	Azaprolines . . . . .	68
9.2.3.3.1	Pyrazolidine-2-carboxylic Acid . . . . .	68
9.2.3.3.1.1	Synthesis of Pyrazolidine-2-carboxylic Acid Derivatives . . . . .	69
9.2.3.3.1.2	Synthesis of Pyrazolidine-2-carboxylic Acid Peptides . . . . .	69
9.2.3.3.2	Imidazolidine-2-carboxylic Acid . . . . .	70
9.2.3.3.3	Pyrazolidine-3-carboxylic Acid . . . . .	71
9.2.3.3.3.1	Synthesis of Pyrazolidine-3-carboxylic Acid and Related Derivatives . . . . .	71
9.2.3.3.3.2	Synthesis of Pyrazolidine-3-carboxylic Acid Peptides . . . . .	72
9.2.3.4	Oxaprolines . . . . .	72
9.2.3.4.1	Oxazolidine-4-carboxylic Acid . . . . .	72
9.2.3.4.1.1	Synthesis of Oxazolidine-4-carboxylic Acid Peptides . . . . .	73
9.2.3.4.1.2	Synthesis of Side-Chain-Substituted Oxazolidine-4-carboxylic Acid Peptides . . . . .	73
9.2.3.4.2	Isoxazolidine-3-carboxylic Acid . . . . .	73
9.2.3.4.2.1	Synthesis of Isoxazolidine-3-carboxylic Acid Peptides . . . . .	74
9.2.3.5	Thiaprolines . . . . .	74
9.2.3.5.1	Thiazolidine-2-carboxylic Acid . . . . .	74
9.2.3.5.1.1	Synthesis of Thiazolidine-2-carboxylic Acid Peptides . . . . .	74
9.2.3.5.2	Thiazolidine-4-carboxylic Acid . . . . .	75
9.2.3.5.2.1	Synthesis of Thiazolidine-4-carboxylic Acid and Related Analogues . . . . .	75
9.2.3.5.2.2	Synthesis of Thiazolidine-4-carboxylic Acid Peptides . . . . .	76
9.2.4	Six-Membered Proline Analogues . . . . .	77
9.2.4.1	Pipecolic Acid . . . . .	77
9.2.4.1.1	Synthesis of Pipecolic Acid . . . . .	77
9.2.4.1.2	Synthesis of Pipecolic Acid Peptides . . . . .	77
9.2.4.2	Azapipicolinic Acids . . . . .	78
9.2.4.2.1	Piperazine-2-carboxylic Acid . . . . .	78
9.2.4.2.1.1	Synthesis of Piperazine-2-carboxylic Acid Peptides . . . . .	79
9.2.4.2.2	Piperidazine-3-carboxylic Acid (Piperazic Acid) . . . . .	79
9.2.4.2.2.1	Synthesis of Piperidazine-3-carboxylic Acid (Piperazic Acid) Peptides . . . . .	79
9.2.4.3	Oxapipicolinic Acids . . . . .	80
9.2.4.3.1	Synthesis of Oxapipicolinic Acid Peptides . . . . .	81
9.2.4.4	Thiapipicolinic Acids . . . . .	81

<b>9.3</b>	<b>Synthesis of Photoreactive Peptides</b> . . . . .	87
	( <i>A. Bisello and M. Chorev</i> )	
9.3.1	Peptides Containing Phenyl Azides (Azidoarenes) . . . . .	89
9.3.1.1	Synthesis of 4-Azidophenylalanine and Its Protected Derivatives . .	91
9.3.1.2	Strategies for the Synthesis of Peptides Containing 4-Azidophenylalanine . . . . .	93
9.3.1.3	Synthesis of Protected 4-Aminophenylalanine Derivatives . . . . .	99
9.3.1.4	Synthesis of Tritiated 4-Azidophenylalanine and Its Protected Derivatives . . . . .	100
9.3.1.5	Biochemical, Site-Specific Incorporation of <i>N</i> <sup>ε</sup> -(5-Azido-2-nitrobenzoyl)lysine into Proteins . . . . .	102
9.3.2	Nitrophenyl-Containing Peptides . . . . .	103
9.3.3	Peptides Containing Arenediazoniums . . . . .	104
9.3.4	[3-(Trifluoromethyl)-3 <i>H</i> -diazirin-3-yl]aryl-Containing Peptides . . . .	105
9.3.4.1	Synthesis of <i>N</i> -Protected 4-[3-(Trifluoromethyl)-3 <i>H</i> -diazirin-3-yl]-L-phenylalanine . . . . .	106
9.3.4.2	Methods of Incorporating 4-[3-(Trifluoromethyl)-3 <i>H</i> -diazirin-3-yl]arenes into Peptides . . . . .	112
9.3.4.3	Biochemical, Site-Specific Incorporation of 4-[3-(Trifluoromethyl)-3 <i>H</i> -diazirin-3-yl]phenylalanine into Proteins by Phe(4-Tmd)-tRNA <sup>Phe</sup> . .	114
9.3.5	Peptides Containing Aryl Ketones . . . . .	116
9.3.5.1	Strategies for the Synthesis of Peptides Containing Benzophenone Derivatives . . . . .	117
9.3.5.2	Side Reactions of the Benzophenone Moiety during Peptide Synthesis	120
9.3.5.3	Synthesis of Protected Amino Acids Containing Benzophenone Derivatives . . . . .	121
9.3.5.4	Radiolabeled Benzophenone-Containing Photophores . . . . .	125
9.3.6	Photocaged Peptides . . . . .	129
9.3.6.1	Synthesis of 2-Nitrobenzyl-Protected Amino Acids . . . . .	130
9.3.6.2	Synthesis of Desyl-Protected Amino Acids . . . . .	135
9.3.6.3	4-Hydroxyphenacyl-Protected Amino Acids . . . . .	139
9.3.6.4	Synthesis of Photocaged Peptides . . . . .	140
<b>9.4</b>	<b>Synthesis of Peptides as Receptors and Devices</b> . . . . .	153
	( <i>N. Voyer</i> )	
9.4.1	Crown Ether Peptides . . . . .	153
9.4.1.1	Synthesis of 3-(3,4-Dihydroxyphenyl)alanine Crown Ethers . . . . .	153
9.4.1.2	Synthesis of Crown Ether Lysine and Glutamic Acid Derivatives . .	155
9.4.1.3	Crown Ether at the C- or N-Terminal Position . . . . .	157
9.4.2	Cyclodextrin Peptides . . . . .	158
9.4.3	Porphyrin Peptides . . . . .	159
9.4.4	Peptides with Metal Binding Sites . . . . .	162
9.4.4.1	Pyridyl, Bipyridyl, and Related Metal Ligand Peptides . . . . .	162
9.4.4.2	Peptides with Phosphine Ligands . . . . .	165
9.4.4.3	Peptides with Coenzyme Chimeras . . . . .	167
9.4.4.4	Peptides with a Ligand at Terminal Positions . . . . .	170
9.4.5	Ferrocenyl Peptides . . . . .	171
9.4.5.1	Preparation of Ferrocenylalanine via Resolution . . . . .	171
9.4.5.2	Enantioselective Synthesis of Ferrocenylalanine . . . . .	173
9.4.5.3	Ferrocenyl Modification of Peptide Side Chains . . . . .	175
9.4.6	Peptides with Aminodiacetic Acid and Ethylenediaminetetraacetic Acid Side Chains . . . . .	176
9.4.6.1	Peptides with Aminodiacetic Side Chains . . . . .	176

XII		
9.4.6.2	Peptides with Ethylenediaminetetraacetic Acid Side Chains	178
9.4.7	Peptides with Nucleobase Side Chains	180
9.4.7.1	Nucleo Ethylglycines	181
9.4.7.2	Nucleo Alanines	182
9.4.8	Peptides with Miscellaneous Side Chains	184
9.4.8.1	Peptides with Diazobenzene Alanine	185
9.4.8.2	Peptides with Diazobenzene Aspartic Acid	187
9.4.8.3	Peptides with Pyrenylalanine	187
9.4.8.4	Peptides with Side-Chain-Modified Cysteine	189
9.4.8.5	Peptides with Boronic Acid Side Chains	191
<b>9.5</b>	<b>Synthesis of Cycloisodityrosine Peptides</b>	<b>194</b>
	( <i>D. L. Boger and S. L. Castle</i> )	
9.5.1	Cycloamidation	195
9.5.2	Intramolecular Thallium Trinitrate Oxidative Coupling	197
9.5.3	Intramolecular Ullmann Reaction	199
9.5.4	Intramolecular Nucleophilic Aromatic Substitution	203
<b>9.6</b>	<b>Tryptathionine Peptides</b>	<b>207</b>
	( <i>A. Fontana</i> )	
<b>10</b>	<b>Main-Chain-Modified Peptides</b>	<b>213</b>
	( <i>C. Toniolo</i> )	
<b>10.1</b>	<b>Synthesis of N-Alkylated Peptides</b>	<b>215</b>
	( <i>C. Gilon, M. A. Dechantsreiter, F. Burkhart, A. Friedler, and H. Kessler</i> )	
10.1.1	Synthesis of <i>N</i> -Alkyl Amino Acids as Building Blocks for <i>N</i> -Alkylated Peptides	218
10.1.1.1	<i>N</i> -Alkylation of Protected Amino Acids	220
10.1.1.1.1	<i>N</i> -Alkylation of <i>N</i> <sup>α</sup> -Arylsulfonyl Amino Acids	220
10.1.1.1.2	<i>N</i> -Alkylation of Benzylloxycarbonyl- and <i>tert</i> -Butoxycarbonyl-Protected Amino Acids	223
10.1.1.2	<i>N</i> -Alkylation of Urethane-Protected Amino Acids with Aldehydes	225
10.1.1.2.1	<i>N</i> -Alkylation of Fmoc-Protected $\alpha$ -Amino Acids	226
10.1.1.2.2	<i>N</i> -Alkylation of Benzylloxycarbonyl-Protected $\alpha$ -Amino Acids	227
10.1.1.3	Reductive Alkylation of Amino Acids and Their Derivatives	229
10.1.1.3.1	Direct <i>N</i> -Monoalkylation of Zwitterionic Amino Acids	229
10.1.1.3.2	Reductive Alkylation of Amino Acid Esters	230
10.1.1.3.3	Reductive Alkylation of Temporarily <i>N</i> -Alkyl Protected Amino Acids	232
10.1.1.4	Synthesis of <i>N</i> <sup>α</sup> -( $\omega$ -Functionalized Alkyl) Amino Acids in Solution	233
10.1.1.4.1	Synthesis by Nucleophilic Substitution	234
10.1.1.4.2	Synthesis by Reductive Alkylation	238
10.1.1.4.2.1	Reductive Alkylation Reaction of Zwitterionic Amino Acids	238
10.1.1.4.3	Synthesis by 1,4-Michael Addition to Amino Acid <i>tert</i> -Butyl Esters	240
10.1.1.5	Miscellaneous Methods for the Synthesis of <i>N</i> -Alkyl Amino Acids	241
10.1.2	<i>N</i> -Alkylation of Peptides on Solid Supports	243
10.1.2.1	Site Specific <i>N</i> -Alkylation of Amino Acids and Peptides on Solid Support	244
10.1.2.1.1	Reductive Methylation of 4,4'-Dimethoxybenzhydryl-Protected Amino Acids	244
10.1.2.1.2	On-Resin Reductive Alkylation in Trimethyl Orthoformate	245
10.1.2.1.3	On-Resin Alkylation of Nitrophenylsulfonyl-Protected Peptides	245
10.1.2.1.4	On-Resin Formation of <i>N</i> -Alkylglycines	246
10.1.2.2	Nonspecific <i>N</i> -Alkylation of Peptides	246
10.1.3	Synthesis of <i>N</i> -Alkylated Peptides	247

10.1.3.1	Preventing Piperazine-2,5-dione Formation . . . . .	247
10.1.3.2	Acylation of <i>N</i> -Alkyl Amino Acids during Peptide Synthesis . . . . .	252
10.1.3.3	Lability of <i>N</i> -Alkylated Peptides to Acids . . . . .	257
10.1.3.4	Peptoids: Peptides Based on <i>N</i> -Alkylated Glycines . . . . .	259
10.1.3.4.1	Synthesis of Peptoid Monomers in Solution . . . . .	263
10.1.3.4.2	Submonomer SPPS of Peptoids . . . . .	264
<b>10.2</b>	<b>Synthesis of Depsipeptides</b> . . . . .	<b>272</b>
	<i>(V. T. Ivanov and I. I. Mikhaleva)</i>	
10.2.1	Formation of the Ester Bond . . . . .	274
10.2.1.1	Mixed Anhydrides . . . . .	274
10.2.1.2	Carbodiimides with or without Additives . . . . .	277
10.2.1.3	1,1'-Carbonyldiimidazole Method and Related Approaches . . . . .	280
10.2.1.4	Activation of the Hydroxy Group . . . . .	281
10.2.1.5	Active Esters . . . . .	283
10.2.1.6	Acid Chlorides . . . . .	284
10.2.1.7	Other Synthetic Approaches . . . . .	285
<b>10.3</b>	<b>Synthesis of Peptides Based on C<sup>α</sup>-Tetrasubstituted</b>	
	<b>α-Amino Acids</b> . . . . .	<b>292</b>
	<i>(F. Formaggio, Q. B. Broxterman and C. Toniolo)</i>	
10.3.1	Peptides with Non-consecutive C <sup>α</sup> -Tetrasubstituted α-Amino Acids . . . . .	293
10.3.1.1	Synthesis in Solution . . . . .	293
10.3.1.1.1	<i>N</i> -[3-(Dimethylamino)propyl]- <i>N'</i> -ethylcarbodiimide Hydrochloride/ 7-Aza-1,2,3-benzotriazol-1-ol Activation . . . . .	294
10.3.1.1.2	Symmetrical Anhydride Activation . . . . .	295
10.3.1.2	Synthesis on Solid Support . . . . .	296
10.3.2	Peptides with Consecutive C <sup>α</sup> -Tetrasubstituted α-Amino Acids . . . . .	297
10.3.2.1	Synthesis in Solution . . . . .	298
10.3.2.1.1	Oxazol-5(4 <i>H</i> )-one Activation . . . . .	298
10.3.2.1.2	<i>N</i> -[3-(Dimethylamino)propyl]- <i>N'</i> -ethylcarbodiimide Hydrochloride/ 7-Aza-1,2,3-benzotriazol-1-ol Activation . . . . .	299
10.3.2.1.3	Symmetrical Anhydride Activation . . . . .	300
10.3.2.1.4	Amino Acyl Fluoride Activation . . . . .	300
10.3.2.2	Synthesis on Solid Support . . . . .	301
10.3.3	Peptides Containing C <sup>α</sup> -Trifluoromethylated α-Amino Acids . . . . .	301
10.3.3.1	Synthesis in Solution . . . . .	301
10.3.3.1.1	C <sup>α</sup> -Tetrasubstituted α-Amino Acids as Acyl Donors . . . . .	302
10.3.3.1.2	C <sup>α</sup> -Tetrasubstituted α-Amino Acids as Nucleophiles . . . . .	302
10.3.3.2	Synthesis on Solid Support . . . . .	303
10.3.4	Peptides Containing TOAC Residues . . . . .	303
10.3.4.1	Synthesis in Solution . . . . .	304
10.3.4.1.1	<i>N</i> -[3-(Dimethylamino)propyl]- <i>N'</i> -ethylcarbodiimide Hydrochloride/ 1,2,3-Benzotriazol-1-ol Activation . . . . .	305
10.3.4.1.2	Symmetrical Anhydride Activation . . . . .	305
10.3.4.1.3	<i>N</i> -[3-(Dimethylamino)propyl]- <i>N'</i> -ethylcarbodiimide Hydrochloride/ 7-Aza-1,2,3-benzotriazol-1-ol Activation . . . . .	306
10.3.4.1.4	Amino Acyl Fluoride Activation . . . . .	306
10.3.4.2	Synthesis on Solid Support . . . . .	306
<b>10.4</b>	<b>Synthesis of Azapeptides</b> . . . . .	<b>311</b>
	<i>(J. Gante', H. Kessler, and C. Gibson)</i>	
10.4.1	Addition of Hydrazine Derivatives to Isocyanates . . . . .	312
10.4.2	Reaction of Activated Esters of <i>N</i> -Carboxylic Acids with Amino Groups . . . . .	313

10.4.3	Reaction of <i>N</i> -Azolides with Amino Groups . . . . .	316
10.4.4	Reaction of <i>N</i> -Carboxylic Acid Chlorides with Amino Groups . . . . .	318
10.4.5	Ring Opening of 1,3,4-Oxadiazol-2(3 <i>H</i> )-ones by Amino Groups . . . . .	320
10.4.6	Reaction of Hydrazides with Carbonic Acid Derivatives or Isocyanic Acid . . . . .	321
<b>10.5</b>	<b>Synthesis of Peptides Containing Carbaamide Bond Replacements</b> . . . . .	<b>324</b>
	( <i>D. Tourwé, K. Ierbeke, and E. Mannekens</i> )	
10.5.1	$\psi$ [CH <sub>2</sub> -CH <sub>2</sub> ] Peptides . . . . .	324
10.5.1.1	Arndt-Eistert Homologations . . . . .	327
10.5.1.2	Wittig Alkenation of $\beta$ -Amino Aldehydes . . . . .	328
10.5.1.3	Piperidin-2-one Enolate Alkylation . . . . .	329
10.5.1.4	Chiral Enolate Addition to Acrylonitrile . . . . .	330
10.5.1.5	Reduction of $\psi$ [CH=CH] Dipeptides . . . . .	331
10.5.2	$\psi$ [CX=CY] Peptides . . . . .	332
10.5.2.1	$\psi$ [ <i>E</i> , CH=CH] Isosteres . . . . .	336
10.5.2.1.1	Curtius Rearrangement . . . . .	336
10.5.2.1.2	Alkenation Reactions . . . . .	337
10.5.2.1.2.1	Wittig Type . . . . .	337
10.5.2.1.2.2	Julia Type . . . . .	339
10.5.2.1.2.3	$\beta$ -Elimination . . . . .	341
10.5.2.1.2.4	Silane Elimination: S <sub>E</sub> Reaction . . . . .	342
10.5.2.1.3	S <sub>N</sub> 2' Displacements . . . . .	346
10.5.2.1.3.1	Allylic Mesylates . . . . .	346
10.5.2.1.3.2	Allylic Aziridines . . . . .	350
10.5.2.1.3.3	Trost Alkylation of Allylic Acetates . . . . .	353
10.5.2.1.4	Sigmatropic Rearrangements . . . . .	355
10.5.2.1.4.1	[2,3]-Wittig-Still Rearrangement . . . . .	355
10.5.2.1.4.2	Orthoester Claisen Rearrangement . . . . .	357
10.5.2.1.4.3	Overman Rearrangement . . . . .	358
10.5.2.2	$\psi$ [ <i>Z</i> , CH=CH] Isosteres . . . . .	360
10.5.2.2.1	Ring-Closing Metathesis . . . . .	360
10.5.2.2.2	Wittig-Still Sigmatropic Rearrangement . . . . .	362
10.5.2.3	$\psi$ [ <i>E</i> , CX=CY] Isosteres . . . . .	363
10.5.2.3.1	Overman Rearrangement . . . . .	363
10.5.2.3.2	Substitution of a 1,4-Dibromobut-2-ene . . . . .	364
10.5.2.3.3	S <sub>N</sub> 2' Substitutions . . . . .	365
10.5.3	$\psi$ [C $\equiv$ C] Peptides . . . . .	367
10.5.3.1	Mitsunobu Reaction . . . . .	367
10.5.3.2	Acetylide Addition to Oxirane . . . . .	368
<b>10.6</b>	<b>Synthesis of Peptides Containing C/O Amide Bond Replacements</b> . . . . .	<b>373</b>
	( <i>S. Ro</i> )	
10.6.1	$\psi$ [CH <sub>2</sub> O] (Methyleneoxy) Peptides . . . . .	373
10.6.2	$\psi$ [CH(OH)CH <sub>2</sub> ] (1-Hydroxyethylene) Peptides . . . . .	376
10.6.2.1	Synthesis by Addition of a Grignard Reagent . . . . .	384
10.6.2.2	Synthesis and Alkylation of the Lactone Intermediate . . . . .	386
10.6.3	$\psi$ [CH <sub>2</sub> CH(OH)] (2-Hydroxyethylene) Peptides . . . . .	387
10.6.3.1	Synthesis of 2-Hydroxyethylene Peptides . . . . .	387
10.6.4	$\psi$ [CH(OH)CH(OH)] (1,2-Dihydroxyethylene) Peptides . . . . .	390
10.6.5	$\psi$ [C(=O)CH <sub>2</sub> ] (1-Oxoethylene) Peptides . . . . .	392
10.6.5.1	Synthesis by Reaction of a Halomethyl Ketone . . . . .	394
10.6.6	$\psi$ [CH(O)CH] (Oxirane) Peptides . . . . .	396

<b>10.7</b>	<b>Synthesis of Peptides Containing C/N Amide Bond Replacements . . .</b>	<b>400</b>
	(M. AMBLARD, M. ROLLAND, J.-A. FEHRENTZ, and J. MARTINEZ)	
10.7.1	$\psi$ [CH <sub>2</sub> NH] (Methyleneamino) (Reduced Amide) Peptides . . . . .	400
10.7.1.1	Condensation of a N <sup>α</sup> -Urethane Protected $\alpha$ -Amino Aldehyde with a Free Amino Component . . . . .	401
10.7.1.1.1	Preparation of a N <sup>α</sup> -Urethane Protected $\alpha$ -Amino Aldehyde by Reductive Methods . . . . .	402
10.7.1.1.1.1	Reduction of $\alpha$ -Amino Acid Halides and Esters . . . . .	403
10.7.1.1.1.2	Reduction of 3,5-Dimethylpyrazole Derivatives or Weinreb Amides . . . . .	404
10.7.1.1.2	Preparation of a N <sup>α</sup> -Urethane Protected $\alpha$ -Amino Aldehyde by Oxidative Methods . . . . .	406
10.7.1.1.3	Preparation of a N <sup>α</sup> -Urethane Protected $\alpha$ -Amino or Peptide Aldehyde on a Solid Support . . . . .	407
10.7.1.1.4	Reductive Amination . . . . .	409
10.7.1.1.4.1	Reductive Amination in Solution . . . . .	409
10.7.1.1.4.2	Reductive Amination on Solid Support . . . . .	409
10.7.1.2	Reduction of a Peptide or Thioamide Bond . . . . .	410
10.7.1.2.1	Amide Bond Reduction . . . . .	411
10.7.1.2.2	Thioamide Bond Formation and Reduction . . . . .	411
10.7.2	$\psi$ [CH(CN)NH] [(Ciano)methyleneamino] Peptides . . . . .	412
10.7.2.1	Synthesis of $\psi$ [CH(CN)NH] Pseudopeptides in Solution . . . . .	412
10.7.2.2	Solid Phase Synthesis of $\psi$ [CH(CN)NH] Pseudopeptides . . . . .	414
10.7.2.3	Assignment of Configuration in $\psi$ [CH(CN)NH] Pseudopeptides . . . . .	415
10.7.3	$\psi$ [NHCH <sub>2</sub> ] (Aminomethylene) (Reduced Retro-amide) Peptides . . . . .	415
10.7.3.1	Synthesis of $\psi$ [NHCH <sub>2</sub> ] Pseudopeptides . . . . .	416
10.7.4	$\psi$ [CH=NNH] (Iminoaza) Peptides . . . . .	416
10.7.4.1	Synthesis of Iminoaza Peptides . . . . .	417
10.7.5	$\psi$ [CH <sub>2</sub> NHNH] (Reduced Iminoaza) Peptides . . . . .	419
10.7.5.1	Synthesis of Reduced Iminoaza Peptides . . . . .	419
<b>10.8</b>	<b>Peptides Containing C/N/O Amide Bond Replacements . . . . .</b>	<b>423</b>
	(M. Marraud and R. Vanderesse)	
10.8.1	(Nitrono) Peptides . . . . .	423
10.8.2	[Methyleneamino(hydroxy)] or (N-Hydroxy reduced amide) Peptides . . . . .	424
10.8.3	(N-Hydroxyamide) Peptides . . . . .	425
10.8.3.1	Synthesis of $\alpha$ -Hydroxyamino Acids and Derivatives . . . . .	425
10.8.3.1.1	Halogen Substitution . . . . .	426
10.8.3.1.2	Oxime Reduction . . . . .	426
10.8.3.1.3	Oxaziridine or Imidazolidine-4-one Hydrolysis . . . . .	427
10.8.3.1.4	$\alpha$ -Amino Acid Oxidation . . . . .	428
10.8.3.2	(N-Hydroxyamide) Peptide Synthesis . . . . .	429
10.8.3.2.1	C-Coupling of N-Benzyloxy $\alpha$ -Amino Acids . . . . .	429
10.8.3.2.2	N-Coupling of N-Benzyloxy $\alpha$ -Amino Acid Derivatives . . . . .	430
10.8.3.2.3	Cleavage of the O-Benzyl Group . . . . .	431
10.8.3.2.4	Methodologies for (N-Hydroxyamide) Peptide Synthesis . . . . .	431
10.8.4	(N-Aminoamide) Peptides . . . . .	434
10.8.4.1	Synthesis of $\alpha$ -Hydrazino Acids . . . . .	434
10.8.4.1.1	Asymmetric Synthesis . . . . .	434
10.8.4.1.2	Shestakov Rearrangement . . . . .	436
10.8.4.1.3	N-Amination of $\alpha$ -Amino Acids . . . . .	437
10.8.4.2	(N-Aminoamide) Peptide Synthesis . . . . .	437
10.8.4.2.1	Regioselective N-Protection of $\alpha$ -Hydrazino Acid Derivatives . . . . .	438
10.8.4.2.2	C- and N <sup>α</sup> -Coupling of N <sup>β</sup> -Protected $\alpha$ -Hydrazino Acid Derivatives . . . . .	438

10.8.4.2.3	Strategies for ( <i>N</i> -Aminoamide) Peptide Synthesis	439
10.8.4.3	( <i>N</i> -Aminoamide) Peptide Synthesis by Ugi's Reaction	440
10.8.5	(Hydrazide) Peptides	441
10.8.5.1	(Hydrazide) Peptide Synthesis in Solution	441
10.8.5.2	Solid-Phase (Hydrazide) Peptide Synthesis	442
10.8.5.3	(Hydrazide) Polypeptide Synthesis	443
10.8.6	(Amidoxy) Peptides	444
10.8.6.1	Synthesis of $\alpha$ -Aminoxy Acid Derivatives	444
10.8.6.2	(Amidoxy) Peptide Synthesis	444
10.8.7	(Oxomethyleneamino) Peptides	445
10.8.7.1	Modified Dakin-West Reaction	446
10.8.7.2	From Chloromethyl Ketones	446
10.8.8	[(Hydroxy)ethyleneamino] Peptides	447
10.8.8.1	From (Oxomethyleneamino) Peptides	447
10.8.8.2	Stereoselective Opening of Epoxides	448
10.8.9	(Ethyleneamino) Peptides	449
10.8.10	(Oxime) Peptides	450
10.8.11	(But-2-enamide) Peptides [(Vinylogous amide) Peptides]	451
10.8.11.1	( <i>E</i> )-4-Aminobut-2-enoic Acids	452
10.8.11.2	( <i>Z</i> )-4-Aminobut-2-enoic Acids	453
10.8.11.3	(But-2-enamide) Peptide Synthesis	453
<b>10.9</b>	<b>Synthesis of Peptides with Sulfur-Containing Amide Bond</b>	
	<b>Replacements</b>	458
	( <i>A. F. Spatola, K. Darlak, and P. Romanovskis</i> )	
10.9.1	$\psi$ [C(=S)-NH] (Thioamide) Peptides	458
10.9.1.1	Selective Thionylation	459
10.9.1.2	Thioacylation with <i>N</i> -Protected Amino Monothioacids	460
10.9.1.3	Thioacylation with a Benzimidazolone Derivative	461
10.9.2	$\psi$ [CH <sub>2</sub> -S] (Methylenethio) Peptides	463
10.9.2.1	Synthesis of $\psi$ [CH <sub>2</sub> -S]Gly Peptides	464
10.9.2.2	Synthesis of $\psi$ [CH <sub>2</sub> -S]Xaa (Xaa $\neq$ Gly) Peptides	465
10.9.2.3	Solid-Phase Synthesis of $\psi$ [CH <sub>2</sub> -S] Peptides	467
10.9.3	$\psi$ [CH <sub>2</sub> -SO] Sulfinyl Peptides	469
10.9.4	$\psi$ [CH <sub>2</sub> -SO <sub>2</sub> ] and $\psi$ [SO <sub>2</sub> -CH <sub>2</sub> ] (Sulfonyl and Retro-sulfonyl) Peptides	469
10.9.5	$\psi$ [C(=O)-S] (Thioester) Peptides	469
10.9.5.1	Solution Synthesis of Thioester Peptides	470
10.9.5.2	Solid-Phase Synthesis of Thioester Peptides	471
10.9.6	$\psi$ [C(=S)-S] (Dithioester) Peptides	474
10.9.6.1	Preparation of Dithioesters via the Pinner Reaction	475
10.9.6.2	Preparation of Dithioesters Using Lawesson's Reagent	476
10.9.7	$\psi$ [SO-NH] and $\psi$ [CH <sub>2</sub> -SO-NH] (Sulfonamide and Methylene Sulfonamide) Peptides, and $\psi$ [SO <sub>2</sub> -NH] and $\psi$ [CH <sub>2</sub> -SO <sub>2</sub> -NH] (Sulfonamide and Methylene Sulfonamide) Peptides	478
10.9.7.1	Preparation of an $\alpha$ -Aminosulfonic Acid	478
10.9.7.2	Synthesis of Protected $\alpha$ -Aminosulfonamides	479
10.9.7.3	Synthesis of Taurine-Containing Analogues	481
10.9.7.4	Synthesis of Methylene Sulfonamides Through Methylene Sulfinyl Derivatives	483
10.9.8	$\psi$ [NH-SO <sub>2</sub> ] (Retro-sulfonamide) Peptides	486
10.9.9	$\psi$ [C=C-SO <sub>2</sub> NH] (Vinylogous Sulfonamide) Peptides	487



<b>10.10</b>	<b>Synthesis of Peptides with Phosphorus-Containing Amide Bond Replacements</b> . . . . .	492
	( <i>P. A. Bartlett, J. E. Hanson, B. P. Morgan, and B. A. Ellsworth</i> )	
10.10.1	Phosphorus Analogues of $\alpha$ -Amino Acids . . . . .	492
10.10.1.1	Synthesis of Phosphonate Amino Acid Analogues . . . . .	493
10.10.1.1.1	Strecker-Type Synthesis of $\alpha$ -Aminoalkylphosphonic Acids . . . . .	493
10.10.1.1.2	Phosphonic Amino Acids and Their Derivatives via <i>N</i> -Acyliminium Ion Intermediates . . . . .	494
10.10.1.1.2.1	Condensation with Triaryl Phosphites . . . . .	494
10.10.1.1.2.2	Condensation with Aminal Derivatives . . . . .	495
10.10.1.1.3	Alkylation of Protected Aminomethylphosphonic Acids . . . . .	496
10.10.1.1.4	Amination of Alkyl- and Acylphosphonates . . . . .	498
10.10.1.1.5	Reaction of $\alpha$ -Iminoalkylphosphonates with Nucleophiles . . . . .	499
10.10.1.1.6	Preparation of Optically Active $\alpha$ -Aminoalkylphosphonic Acids via Separation of Covalent Diastereomers . . . . .	500
10.10.1.1.7	Asymmetric Synthesis of $\alpha$ -Aminoalkylphosphonic Acids . . . . .	502
10.10.1.2	Synthesis of Hydrogen Phosphinate Amino Acid Analogues . . . . .	504
10.10.1.2.1	Strecker-Type Condensation . . . . .	504
10.10.1.2.2	Alkylation of Protected Aminomethylphosphinic Acid . . . . .	505
10.10.1.2.3	Resolution of $\alpha$ -Aminoalkylphosphinic Acids via Crystallization of Diastereomeric Salts . . . . .	508
10.10.2	Compounds Containing Phospha-Peptide Linkages: P–N, P–O, and P–C Bonds . . . . .	510
10.10.2.1	Synthesis of Phosphonamidate Peptide Analogues . . . . .	510
10.10.2.1.1	Formation of Phosphonic Acid Monoesters . . . . .	510
10.10.2.1.2	Synthesis of Phosphonamidates from Phosphonic Acid Monoesters . . . . .	511
10.10.2.1.3	Synthesis of Phosphonamidates from H-Phosphinates . . . . .	513
10.10.2.2	Synthesis of Phosphonate Peptide Analogues . . . . .	514
10.10.2.2.1	Synthesis via Electrophilic, Activated Phosphonates . . . . .	514
10.10.2.2.2	Synthesis of Phosphonates via Mitsunobu Displacement . . . . .	514
10.10.2.3	Synthesis of Phosphinate Peptide Analogues . . . . .	515
10.10.2.3.1	Reactions Involving Nucleophilic Phosphorus . . . . .	515
10.10.2.3.1.1	Conjugate Addition of Alkyl Phosphonites to Acrylates . . . . .	515
10.10.2.3.1.2	Addition of Alkyl Phosphonites to Carbonyl Compounds and Imines . . . . .	517
10.10.2.3.2	Reactions Involving Electrophilic Phosphorus . . . . .	519
10.10.3	Peptides Containing Deprotected Phosphorus . . . . .	519
10.10.3.1	P–O Cleavage: Acid- and Base-Catalyzed Deprotection . . . . .	521
10.10.3.2	O–C Cleavage by Nucleophilic Reagents . . . . .	521
10.10.3.2.1	Bromotrimethylsilane . . . . .	522
10.10.3.2.2	Lithium Propanethiolate . . . . .	523
10.10.3.3	Oxidation of H-Phosphinates . . . . .	524
<b>10.11</b>	<b>Synthesis of <i>retro-inverso</i>-Peptides</b> . . . . .	528
	( <i>L. Scheibler and M. Chorev</i> )	
10.11.1	Synthesis in Solution . . . . .	534
10.11.1.1	Preparation of <i>gem</i> -Diaminoalkyl Derivatives . . . . .	534
10.11.1.2	Coupling Procedures Leading to <i>gem</i> -Diaminoalkyl Derivatives . . . . .	539
10.11.1.3	Preparation of C2-Substituted Malonyl Derivatives . . . . .	540
10.11.2	Solid-Phase Synthesis of Partially Modified <i>retro-inverso</i> Peptides . . . . .	544
10.11.2.1	On-Resin Generation of <i>gem</i> -Diaminoalkyl Moieties . . . . .	544
10.11.2.2	Synthesis by Incorporation of Partially Modified <i>retro-inverso</i> Dipeptide Synthons . . . . .	546

	<b>Synthesis of Peptides Based on <math>\beta</math>-Amino Acids</b> . . . . .	552
<b>10.12</b>	( <i>J. L. Matthews</i> )	
	Peptides Containing a Single $\beta$ -Amino Acid . . . . .	552
10.12.1	Peptides Containing a Single $\beta$ -Amino Acid . . . . .	553
10.12.1.1	Synthesis by Silver Alkanoate Activation . . . . .	554
10.12.1.2	Synthesis by Light Activation . . . . .	555
10.12.2	$\beta^3$ -Peptides . . . . .	555
10.12.2.1	Peptide Coupling via an Activated Ester . . . . .	557
10.12.3	$\beta^2$ -Peptides . . . . .	557
10.12.3.1	Synthesis via Evans Methodology . . . . .	558
10.12.4	$\beta^{2,3}$ -Peptides . . . . .	559
10.12.4.1	$\beta^{2,3}$ -Peptides Bearing Protein Amino Acid Side Chains . . . . .	559
10.12.4.1.1	Synthesis via Alkylation of $\beta^3$ -Amino Acids . . . . .	560
10.12.4.2	$\beta^{2,3}$ -Peptides from Cycloalkyl-Substituted Amino Acids . . . . .	560
10.12.4.2.1	Coupling of Cycloalkyl-Substituted Amino Acids . . . . .	562
10.12.4.3	$\beta^{2,3}$ -Peptides Bearing Allyl Substituents . . . . .	562
10.12.4.3.1	Iterative Free Radical C-Allylation Reactions . . . . .	564
10.12.4.3.2	One-Pot Triallylation Reaction . . . . .	564
10.12.5	$\beta$ -Peptide Polymers . . . . .	565
10.12.5.1	Polymerization of $\alpha$ -Protected Aspartic Acid . . . . .	565
10.12.6	Cyclo- $\beta$ -peptides . . . . .	566
10.12.6.1	Synthesis via a Pentafluorophenyl Ester . . . . .	567
10.12.7	Applications of Solid-Phase Peptide Synthesis to $\beta$ -Peptides . . . . .	567
10.12.7.1	Fmoc Strategy . . . . .	570
<b>10.13</b>	<b>Synthesis of Peptides Based on <math>\gamma</math>-Amino Acids</b> . . . . .	570
	( <i>P. Jouin</i> )	
10.13.1	$\gamma$ -Amino- $\beta$ -hydroxy Acids . . . . .	571
10.13.1.1	Aldol Condensation of Amino Aldehydes with Ester Enolates . . . . .	571
10.13.1.1.1	Substrate Control in the Aldol Reaction . . . . .	572
10.13.1.1.2	Reagent Control in the Aldol Reaction . . . . .	572
10.13.1.2	Allylation of Amino Aldehydes . . . . .	573
10.13.1.3	Reduction of $\gamma$ -Amino- $\beta$ -oxo Esters . . . . .	575
10.13.1.3.1	Diastereoselectivity during Borohydride Reduction . . . . .	575
10.13.1.3.2	Asymmetric Hydrogenation of $\beta$ -Oxo Esters . . . . .	576
10.13.1.4	4-Hydroxy Lactam Intermediates . . . . .	576
10.13.1.4.1	Chiral Tetramic Acids via Meldrum's Acid Condensation . . . . .	577
10.13.1.4.2	Chiral Tetramic Acids via Cyclization of $\gamma$ -Amino- $\beta$ -oxo Esters . . . . .	577
10.13.1.4.3	Stereoselective Reduction of Tetramic Acids . . . . .	578
10.13.2	Other $\gamma$ -Amino Acids . . . . .	578
10.13.2.1	Synthesis of N/O-Methylated $\gamma$ -Amino- $\beta$ -hydroxy Acids . . . . .	578
10.13.2.1.1	Synthesis from N-Methyl Amino Acids or Amino Aldehydes . . . . .	579
10.13.2.1.2	Methylation of N-Protected $\gamma$ -Amino- $\beta$ -hydroxy Acids . . . . .	579
10.13.2.1.3	Methylation of Allylic Derivatives . . . . .	580
10.13.2.2	Synthesis of $\alpha$ -Substituted $\gamma$ -Amino- $\beta$ -hydroxy Acids . . . . .	580
10.13.2.2.1	$\alpha$ -Heterosubstituted $\gamma$ -Amino- $\beta$ -hydroxy Acids . . . . .	580
10.13.2.2.2	$\alpha,\alpha$ -Dihalogenated $\gamma$ -Amino- $\beta$ -hydroxy Acids . . . . .	581
10.13.2.2.3	$\alpha$ -Alkylated $\gamma$ -Amino- $\beta$ -hydroxy Acids . . . . .	582
10.13.2.3	Synthesis of $\beta,\gamma$ -Diamino Acids . . . . .	583
10.13.3	Peptides Containing $\gamma$ -Amino- $\beta$ -hydroxy Acids . . . . .	584
10.13.4	Stereochemical Determination . . . . .	584
10.13.4.1	Determination of Enantiomeric Purity . . . . .	584
10.13.4.1.1	$\gamma$ -Amino Derivatization . . . . .	585
10.13.4.1.2	$\beta$ -Hydroxy Derivatization . . . . .	585

10.13.4.2	Absolute Configurations of $\gamma$ -Amino- $\beta$ -hydroxy Acids . . . . .	586
10.13.4.2.1	Stereochemistry Determined from Oxazolidinones . . . . .	586
10.13.4.2.2	Stereochemistry Determined from Pyrrolidinones . . . . .	587
<b>10.14</b>	<b>Synthesis of Peptides Containing Ureine and Urethane Linkages . . . . .</b>	<b>590</b>
	<i>(M. E. Wilson and J. S. Nowick)</i>	
10.14.1	Ureine Peptides . . . . .	590
10.14.1.1	Ureine Linkages from Amines and Isocyanates . . . . .	591
10.14.1.1.1	Available Isocyanates . . . . .	591
10.14.1.1.2	Isocyanates Prepared with Phosgene or Triphosgene . . . . .	593
10.14.1.1.3	Isocyanates Prepared by the Curtius Rearrangement . . . . .	594
10.14.1.2	Ureine Linkages by Coupling Amines with Carbonic Acid Derivatives . . . . .	595
10.14.1.2.1	Carbamoyl Chlorides . . . . .	595
10.14.1.2.2	Carbonyl Diimidazole . . . . .	597
10.14.1.2.3	Aryl Carbamates . . . . .	597
10.14.1.3	Coupling Urea-Containing Segments to Amino Acids or Peptides . . . . .	599
10.14.2	Urethane Peptides . . . . .	600
10.14.2.1	Urethane Linkages by Coupling Amines and Alcohols with Carbonic Acid Derivatives . . . . .	601
10.14.2.2	Coupling Urethane-Containing Segments to Amino Acids or Peptides . . . . .	603
<b>10.15</b>	<b>Synthesis of Peptides Containing an Aromatic Spacer . . . . .</b>	<b>606</b>
	<i>(D. Tourwé, J. Van Hemel, and J. Piron)</i>	
10.15.1	Aminobenzoic Acid Peptides . . . . .	606
10.15.1.1	Synthesis of Aminobenzoyl Peptides . . . . .	608
10.15.1.1.1	Acylation with Unprotected Aminobenzoic Acid Active Esters . . . . .	608
10.15.1.1.2	Acylation with Isatoic Anhydride . . . . .	609
10.15.1.1.3	Coupling of Nitrobenzoic Acid . . . . .	609
10.15.1.1.4	Coupling with Urethane-Protected Aminobenzoic Acid . . . . .	610
10.15.1.2	Synthesis of Peptidyl-Aminobenzoic Acid . . . . .	611
10.15.1.2.1	Acylation of Unprotected Aminobenzoic Acid . . . . .	612
10.15.1.2.2	Coupling of Hindered Amino Acids to Aminobenzoic Acid Esters . . . . .	612
10.15.2	(Aminophenyl)acetic Acid Peptides . . . . .	613
10.15.2.1	Synthesis of (Aminophenyl)acetyl Peptides . . . . .	613
10.15.3	(Aminomethyl)benzoic Acid Peptides . . . . .	614
10.15.3.1	Synthesis of (Aminomethyl)benzoic Acid Peptides: Construction and Protection of (Aminomethyl)benzoic Acid . . . . .	615
10.15.3.1.1	3- and 4-(Aminomethyl)benzoic Acid From Cyanobenzoic Acid . . . . .	617
10.15.3.1.2	2-(Aminomethyl)benzoic Acid From Phthalimidine . . . . .	617
10.15.3.1.3	N-Protection of (Aminomethyl)benzoic Acid . . . . .	617
10.15.3.1.4	(Aminomethyl)benzoic Acid from (Chloromethyl)benzoic Acid . . . . .	618
10.15.3.1.5	$\alpha$ -Substituted 3-(Aminomethyl)benzoic Acid Derivatives . . . . .	619
10.15.3.2	Synthesis of (Aminomethyl)benzoyl Peptides . . . . .	619
10.15.3.3	(Aminomethyl)benzoic Acid: Coupling of Amino Acids or Peptides to (Aminomethyl)benzoic Acid . . . . .	620
10.15.4	(Aminomethylphenyl)acetic Acid Peptides . . . . .	620
10.15.4.1	Synthesis of (Aminomethylphenyl)acetic Acid Isomers . . . . .	621
10.15.4.1.1	2-(Aminomethylphenyl)acetic Acid From (2-Methylphenyl)acetic Acid . . . . .	622
10.15.4.1.2	2-(Aminomethylphenyl)acetic Acid From $\delta$ -Lactams . . . . .	622
10.15.4.1.3	Preparation of $\alpha$ - and $\delta$ -Substituted 2-(Aminomethylphenyl)acetic Acid . . . . .	622
10.15.4.1.4	Synthesis of 3-(Aminomethylphenyl)acetic Acid . . . . .	624

10.15.4.1.5	Synthesis of 4-(Aminomethylphenyl)acetic Acid . . . . .	625
10.15.5	(Aminomethyl)biphenylcarboxylic Acid Peptides . . . . .	625
10.15.5.1	Synthesis of Derivatives of (Aminomethyl)biphenylcarboxylic Acids .	627
10.15.6	(Aminomethyl)thienylcarboxylic Acid Peptides . . . . .	628
10.15.6.1	Synthesis of Derivatives of (Aminomethyl)thienylcarboxylic Acids .	628
10.15.7	(Aminomethyl)pyrrolecarboxylic Acid Peptides . . . . .	629
10.15.7.1	Synthesis of Derivatives of (Aminomethyl)pyrrolecarboxylic Acids .	630
<b>11</b>	<b>Combined Side-Chain- and Main-Chain-Modified Peptides . . . . .</b>	<b>635</b>
	( <i>C. Toniolo</i> )	
<b>11.1</b>	<b>Synthesis of Peptides Based on <math>\alpha,\beta</math>-Didehydro-<math>\alpha</math>-amino Acids . . . .</b>	<b>636</b>
	( <i>R. M. Joshi and V. S. Chauhan</i> )	
11.1.1	$\alpha,\beta$ -Didehydro- $\alpha$ -amino Acids . . . . .	637
11.1.1.1	General Methods of Synthesis of $\alpha,\beta$ -Didehydro- $\alpha$ -amino Acids . . .	638
11.1.1.1.1	<i>N</i> -Acyl $\alpha,\beta$ -Didehydro- $\alpha$ -amino Acids Via Azlactones [Oxazol-5(4 <i>H</i> )-ones] . . . . .	638
11.1.1.1.1.1	Erlenmeyer Synthesis . . . . .	638
11.1.1.1.1.2	Bergmann-Stern Synthesis . . . . .	639
11.1.1.1.1.3	Azlactone Formation from $\beta$ -Hydroxy- $\alpha$ -amino Acids . . . . .	639
11.1.1.1.1.4	Oxidation of Saturated Azlactones . . . . .	640
11.1.1.1.2	Synthesis of $\alpha,\beta$ -Didehydro- $\alpha$ -amino Acid Derivatives by Condensation of Amides or Nitriles with $\alpha$ -Oxo Acids . . . . .	641
11.1.1.1.2.1	Condensation of Amides . . . . .	641
11.1.1.1.2.2	Condensation of Nitriles . . . . .	643
11.1.1.1.3	Synthesis of $\alpha,\beta$ -Didehydro- $\alpha$ -amino Acids by Elimination Reactions .	644
11.1.1.1.3.1	Elimination Reactions from $\beta$ -Hydroxy- $\alpha$ -amino Acid Derivatives . .	644
11.1.1.1.3.2	$\beta$ -Elimination Reactions from Serine Side-Chain Derivatives . . . . .	645
11.1.1.1.3.3	$\beta$ -Elimination Reactions from Cysteine Side-Chain Derivatives . . .	646
11.1.1.1.4	$\alpha,\beta$ -Didehydro- $\alpha$ -amino Acid Derivatives by <i>N</i> -Chlorination/ Dehydrochlorination . . . . .	647
11.1.1.2	Synthesis of Aromatic $\alpha,\beta$ -Didehydro- $\alpha$ -amino Acids . . . . .	648
11.1.1.2.1	Synthesis of $\alpha,\beta$ -Didehydrophenylalanine Derivatives . . . . .	648
11.1.1.2.2	Synthesis of $\alpha,\beta$ -Didehydrotyrosine Derivatives . . . . .	649
11.1.1.2.3	Synthesis of $\alpha,\beta$ -Didehydrotryptophan Derivatives . . . . .	650
11.1.1.3	Synthesis of Aliphatic $\alpha,\beta$ -Didehydro- $\alpha$ -amino Acids . . . . .	650
11.1.1.3.1	Synthesis of $\alpha,\beta$ -Didehydroalanine and $\alpha,\beta$ -Didehydroaminobutanoic Acid Peptides . . . . .	650
11.1.1.3.2	Synthesis of $\alpha,\beta$ -Didehydrovaline, $\alpha,\beta$ -Didehydroleucine, and $\alpha,\beta$ - Didehydroisoleucine Peptides . . . . .	651
11.1.1.3.3	Synthesis of $\alpha,\beta$ -Didehydroglutamic Acid and $\alpha,\beta$ -Didehydroaspartic Acid Peptides . . . . .	652
11.1.1.3.4	Synthesis of $\alpha,\beta$ -Didehydroornithine and $\alpha,\beta$ -Didehydrolysine Peptides . . . . .	653
11.1.2	$\alpha,\beta$ -Didehydropeptides . . . . .	655
11.1.2.1	Synthesis of $\alpha,\beta$ -Didehydropeptides in Solution . . . . .	655
11.1.2.2	Synthesis of $\alpha,\beta$ -Didehydropeptides on Solid Support . . . . .	657
11.1.3	Bioactive Peptides Containing $\alpha,\beta$ -Didehydro- $\alpha$ -amino Acids . . . .	657
11.1.3.1	Synthesis and Structure-Function Analysis of Bioactive Peptides Containing $\alpha,\beta$ -Didehydro- $\alpha$ -amino Acids . . . . .	657
<b>11.2</b>	<b>Synthesis of Peptides Based on Aromatic Heterocycles . . . . .</b>	<b>663</b>
	( <i>C. P. Miller and P. Wipf</i> )	
11.2.1	Pyrrole-Based Peptides . . . . .	663

11.2.2	Imidazole-Based Peptides . . . . .	665
11.2.3	Oxazole-, Dihydrooxazole-, and Oxazolidine-Based Peptides . . . . .	666
11.2.3.1	Peptide-Based Dihydrooxazoles as Precursors to Peptide-Based Oxazoles . . . . .	666
11.2.3.2	Oxidation of Peptide-Based Dihydrooxazoles to Peptide-Based Oxazoles . . . . .	669
11.2.3.3	Peptide-Based Oxazoles from Glycine Acylation and Cyclodehydration . . . . .	669
11.2.3.4	Peptide-Based Oxazoles by Oxidation and Cyclodehydration of Threonine and $\beta$ -Phenylserine Residues . . . . .	671
11.2.3.5	Peptide-Based Oxazoles by Rhodium-Mediated Carbenoid Insertion of Diazocarbonyl Compounds into an Amide N-H Bond Followed by Cyclodehydration . . . . .	674
11.2.4	Thiazole-, Dihydrothiazole-, and Thiazolidine-Based Peptides . . . . .	676
11.2.4.1	Peptide-Based Dihydrothiazoles as Precursors to Peptide-Based Thiazoles: The Interconversion of Peptide-Based Dihydrooxazoles to Peptide-Based Dihydrothiazoles . . . . .	676
11.2.4.2	Peptide-Based Dihydrothiazoles from Condensation of an Imidate and a $\beta$ -Amino Thiol . . . . .	678
11.2.4.3	Oxidation of Peptide-Based Dihydrothiazoles to Peptide-Based Thiazoles . . . . .	679
11.2.4.4	Peptide-Based Thiazoles via the Condensation of $\beta$ -Halo- $\alpha$ -oxo Esters with Thioamides: A Modified Hantzsch Synthesis . . . . .	679
11.2.4.5	Peptide-Based Thiazoles from the Synthesis and Oxidation of Peptide-Based Thiazolidines . . . . .	680
11.2.5	Oxadiazole-Based Peptides . . . . .	682
11.2.5.1	Peptide-Based 1,2,4-Oxadiazoles by the Reaction of Amino Acid Anhydrides with Amidoximes . . . . .	682
11.2.5.2	Peptide-Based 1,3,4-Oxadiazoles by the Preparation and Reaction of Diacylhydrazines . . . . .	684
11.2.6	Triazole-Based Peptides . . . . .	685
11.2.6.1	Peptide-Based 1,2,4-Triazoles by the Preparation and Reaction of Acylamidrazones . . . . .	686
11.2.7	Tetrazole-Based Peptides . . . . .	688
11.2.7.1	Peptide-Based Tetrazoles from the Reaction of Imidoyl Chlorides and Hydrazoic Acid . . . . .	688
<b>12</b>	<b>Peptides Incorporating Secondary Structure Inducers and Mimetics</b> . . . . . (C. Toniolo)	<b>693</b>
<b>12.1</b>	<b>Synthesis of Peptides Incorporating <math>\beta</math>-Turn Inducers and Mimetics</b> . . . . . (M. KAHN and M. EGUCHI)	<b>695</b>
12.1.1	$\beta$ -Turn Inducers . . . . .	696
12.1.1.1	C $^{\alpha}$ -Alkyl $\alpha$ -Amino Acids . . . . .	696
12.1.1.2	$\alpha,\beta$ -Didehydro- $\alpha$ -amino Acids . . . . .	697
12.1.1.3	N $^{\alpha}\leftrightarrow$ C $^{\alpha}$ and C $^{\alpha}\leftrightarrow$ C $^{\alpha}$ Cyclized $\alpha$ -Amino Acids and Dipeptide Units . . . . .	697
12.1.2	$\beta$ -Turn Mimetics and Their Incorporation into Peptide Sequences . . . . .	700
<b>12.2</b>	<b>Synthesis of Peptides Incorporating <math>\gamma</math>-Turn Inducers and Mimetics</b> . . . . . (M. Kahn and M. Eguchi)	<b>741</b>
12.2.1	Peptides Incorporating $\gamma$ -Turn Inducers and Mimetics . . . . .	741
12.2.1.1	Synthesis of $\gamma$ -Turn Inducers and Mimetics . . . . .	744
12.2.1.2	Synthesis of Peptides Containing $\gamma$ -Turn Inducers and Mimetics . . . . .	755

<b>12.3</b>	<b>Synthesis of Peptides Incorporating Helix Inducers and Mimetics</b> . . .	759
	( <i>E. Doval Santos and A. C. Satterthwait</i> )	
12.3.1	Helix Inducers . . . . .	760
12.3.1.1	Helix Induction Resulting from the Peptide Sequence . . . . .	760
12.3.1.1.1	Proteinogenic Amino Acids . . . . .	760
12.3.1.1.2	Nonproteinogenic $\alpha$ -Amino Acids . . . . .	761
12.3.1.1.2.1	C <sup><math>\alpha</math></sup> -Disubstituted Glycines . . . . .	761
12.3.1.1.2.2	$\alpha,\beta$ -Didehydrophenylalanine . . . . .	763
12.3.1.1.3	Helix End Capping . . . . .	763
12.3.1.1.4	Helix Stabilization by Side-Chain Interactions . . . . .	767
12.3.1.2	Other Factors Affecting Helix Stability . . . . .	768
12.3.2	Helix Mimetics . . . . .	769
12.3.2.1	Synthetic Templates . . . . .	769
12.3.2.1.1	Kemp's Templates: Restricted Analogues of Oligoprolines . . . . .	769
12.3.2.1.2	Bartlett's Templates: Derivatives of 3,6-Dimethyl-4-oxo-2,3,4,5,6,7-hexahydro-1 <i>H</i> -indole-3,6-dicarboxylic Acid . . . . .	770
12.3.2.1.3	Tetrahydronaphthalene-Based Templates . . . . .	772
12.3.2.1.4	Other Templates . . . . .	773
12.3.2.2	Covalent Main-Chain Links . . . . .	773
12.3.2.2.1	Hydrogen Bond Mimic: $\alpha$ -Helix Nucleation from the N-Terminus . . . . .	773
12.3.2.2.2	N-Terminal Extension of a Nucleated Helix . . . . .	776
12.3.2.3	Covalent Side-Chain Links . . . . .	777
12.3.2.3.1	Lactams . . . . .	777
12.3.2.3.2	Disulfides . . . . .	779
12.3.2.3.3	Alkanediyl Links . . . . .	780
12.3.2.3.4	[(4-Aminomethyl)phenyl]acetic Acid Bridged Peptides: Single or Overlapping <i>i, i + 7</i> Side-Chain Bridges . . . . .	782
12.3.2.4	Metal-Chelated Side-Chain Cross-links . . . . .	785
12.3.2.4.1	Chelation with Metal Ions . . . . .	786
12.3.2.4.2	Chelation with Metal Complexes . . . . .	786
12.3.2.4.3	Incorporation of Metal-Binding Ligands in a Peptide Chain . . . . .	788
<b>12.4</b>	<b>Synthesis of <math>\beta</math>-Sheet Peptides and Proteins Incorporating Templates</b> . . . . .	793
	( <i>P. Chitnumsub, S. Deechongkit, R. Kaul, J. P. Schneider, K. Y. Tsang, A. Moretto, H. Bekele, S. R. LaBrenz, H. A. Lashuel, and J. W. Kelly</i> )	
12.4.1	$\beta$ -Sheet Peptides Incorporating Templates via Solution-Phase Synthesis . . . . .	793
12.4.1.1	Incorporation of the Dibenzofuran-2,8-dipropanoic Acid Template . . . . .	793
12.4.1.2	Incorporation of the Dibenzofuran-4,6-dipropanoic Acid Template . . . . .	796
12.4.1.3	Incorporation of the Dibenzofuran-4,6-dipropanoic Acid Template with Intervening Ethylene Glycol Units Between the Template and Peptide Strands . . . . .	797
12.4.2	$\beta$ -Sheet Peptides and Proteins Incorporating Templates via Solid-Phase Peptide Synthesis . . . . .	799
12.4.2.1	Incorporation of the 4-(2-Aminoethyl)dibenzofuran-6-propanoic Acid Template . . . . .	799
12.4.2.2	Incorporation of the 4-(2-Aminoethyl)-2,8-bis(2-carboxyethyl)-dibenzofuran-6-propanoic Acid Template . . . . .	801
12.4.2.3	Incorporation of the 6,6'-Bis(acylamino)-2,2'-bipyridine-Based Template . . . . .	802
12.4.3	$\beta$ -Sheet Peptides Incorporating Templates via a Combination of Solution- and Solid-Phase Peptide Synthesis . . . . .	803
12.4.3.1	Incorporation of the Dibenzofuran-4,6-dipropanoic Acid Template . . . . .	803

<b>12.5</b>	<b>Synthesis of Peptides with Sugar Amino Acids</b> . . . . .	807
	( <i>E. Gräfin von Roedern, M. A. Born, M. Stöckele, and H. Kessler</i> )	
12.5.1	Sugar Amino Acids as Peptidomimetics . . . . .	807
12.5.1.1	Sugar Amino Acid Building Blocks . . . . .	810
12.5.1.1.1	Synthesis of 2-Amino-2-deoxy-1- <i>O</i> -methyl- $\alpha/\beta$ -D-glucopyranuronic Acid . . . . .	810
12.5.1.1.2	Synthesis of 7-Amino-2,6-anhydro-7-deoxy-L- <i>glycero</i> -L- <i>gulo</i> -heptonic Acid . . . . .	811
12.5.1.1.3	Synthesis of 7-Amino-2,6-anhydro-3,4,5-tri- <i>O</i> -benzyl-7-deoxy-L- <i>glycero</i> -L- <i>gulo</i> -heptonic Acid . . . . .	813
12.5.1.1.4	Synthesis of 3-Amino-2,6-anhydro-4,5,7-tri- <i>O</i> -benzyl-3-deoxy-D- <i>glycero</i> -D- <i>gulo</i> -heptonic Acid . . . . .	815
12.5.1.2	Peptides with Sugar Amino Acid Building Blocks . . . . .	816
12.5.1.2.1	Solution-Phase Synthesis of Peptides Based on 2-Amino-2-deoxy-1- <i>O</i> -methyl- $\alpha$ -D-glucopyranuronic Acid . . . . .	817
12.5.1.2.2	Solid-Phase Synthesis of Peptides Based on 3-Amino-2,6-anhydro-3-deoxy-D- <i>glycero</i> -D- <i>gulo</i> -heptonic Acid . . . . .	818
<b>12.6</b>	<b>Peptide Nucleic Acids</b> . . . . .	822
	( <i>A. Püschl and P. E. Nielsen</i> )	
12.6.1	Peptide Nucleic Acid Monomers . . . . .	824
12.6.1.1	Synthesis of the <i>N</i> -[2-( <i>tert</i> -Butoxycarbonylamino)ethyl]glycine Backbone . . . . .	824
12.6.1.2	Synthesis of the Pseudoisocytosine Peptide Nucleic Acid Monomer . . . . .	825
12.6.1.3	Synthesis of the 2,6-Diamino-9 <i>H</i> -purine Peptide Nucleic Acid Monomer . . . . .	826
12.6.1.4	Synthesis of the D-Lysine Peptide Nucleic Acid Monomer . . . . .	827
12.6.2	Peptide Nucleic Acid Oligomers . . . . .	829
12.6.2.1	<i>tert</i> -Butoxycarbonyl/Benzyloxycarbonyl Method . . . . .	829
12.6.2.2	9-Fluorenylmethoxycarbonyl/Benzhydryloxycarbonyl Method . . . . .	831
12.6.3	Peptide Nucleic Acid-Peptide Conjugates . . . . .	832
12.6.4	Labeled Peptide Nucleic Acid Oligomers . . . . .	833
12.6.4.1	Radioactive Labeling . . . . .	833
12.6.4.2	Non-radioactive Labeling . . . . .	833