

Table of content

Acknowledgement	VII
Foreword	IX
List of symbols used	XV
I. Greek symbols.....	XV
II. Latin symbols.....	XV
1 Basics	1
1.1 Basics and technical implementation of bentonite lubrication systems....	1
1.1.1 Control unit.....	2
1.1.2 Mixing tank.....	2
1.1.3 Storage tank	3
1.1.4 Main jacking station	3
1.1.5 Tunnelling machine	3
1.1.6 Lubrication ring.....	3
1.1.7 Intermediate jacking station	3
1.1.8 Jacked pipe	3
1.1.9 Lubrication station.....	3
1.1.10 Injection fittings	4
1.1.11 Bentonite pump	4
1.1.12 Compressed air feed	5
1.1.13 Control cable.....	5
1.1.14 Bentonite or feed line	5
1.2 Annular gap lubrication in pipe jacking	5
1.3 Preliminary remarks about the ground	6
2 Bentonite and bentonite suspensions	9
2.1 Composition and structure.....	9
2.2 Hydration behaviour.....	10
2.3 Card house structure and thixotropy	11
2.4 Yield point, viscosity and gel strength.....	12
2.5 Stability	17
2.6 Usual types of bentonite	19
2.6.1 Natural bentonite (Ca or Na).....	19
2.6.2 Activated or active bentonite.....	19
2.6.3 Bentonite with polymer additives.....	20

3	Additives.....	21
3.1	Polymers.....	21
3.1.1	Functions of polymer additives.....	21
3.2	Types of polymer additives.....	24
3.2.1	Starch.....	24
3.2.2	Xanthan	25
3.2.3	Guaran	26
3.2.4	Modified celluloses (PAC, MEC, HEC, CMC).....	26
3.2.5	Polyacrylamide/-acrylate	27
3.3	Overview of polymer additives and their functions.....	27
4	Correct preparation of bentonite suspensions.....	29
4.1	Mixing	29
4.1.1	Procedure for the preparation of suspension.....	30
4.2	Mixing equipment.....	33
4.3	Mixing instructions.....	34
4.3.1	Mixing instructions for mixers with mixing pump	34
4.3.2	Mixing instructions for mixers with water jet pump	34
4.4	Hydration tank.....	35
5	Properties of the suspension and measurement processes	37
5.1	Viscosity: Marsh funnel.....	37
5.2	Yield point: ball-harp rheometer	40
5.3	Viscosity and gel strength: Rotational viscometer	42
5.4	Filtrate water and thickness of filter cake: filter press	43
5.5	Density	45
5.5.1	Measurement using a mud balance	45
5.5.2	Measurement using a pycnometer	45
5.6	Water hardness: test strips	46
5.7	pH value	46
5.7.1	Determination with pH test strips.....	46
5.7.2	Measurement with a pH meter.....	46
5.8	Conductivity	46
5.9	Temperature.....	47
6	Ground and groundwater.....	49
6.1	Geology of solid rock.....	49
6.1.1	Classification of rocks	50
6.1.2	Mineral content and mineral structure	50
6.1.3	Uniaxial rock compression strength	50
6.1.4	Tension strength	53
6.1.5	Rock mass strength	54
6.1.6	Rock abrasiveness	54
6.1.7	Interface structure	55
6.1.8	Degree of weathering	58
6.1.9	Rock mass classification	59

6.2	Geology of soils	65
6.2.1	Types of minerals	65
6.2.2	Grain size and grain size distribution	65
6.2.3	Grain rounding	77
6.2.4	Pores	78
6.2.5	Compactness	80
6.2.6	Shear strength	82
6.2.7	Atterberg limits	83
6.2.8	Swelling capability	85
6.3	Stability and stand-up time	85
6.3.1	Assessment of stability according to the working face behaviour	85
6.3.2	Evaluation of stand-up time using the RMR and Q systems	87
6.4	Hydrogeology	88
6.4.1	Basic hydrological terms	88
6.4.2	Permeability	89
6.4.3	Determination of permeability of soil	93
6.4.4	Determination of permeability in rock	96
6.5	Influence of various rock properties on the use of bentonite	99
6.6	Contamination in the ground, groundwater or mixing water	100
6.6.1	pH value	100
6.6.2	Salt water	101
6.6.3	Water hardness due to calcium or magnesium ions	101
6.6.4	Chlorine	102
6.6.5	Iron	102
6.6.6	Humic acids	102
6.6.7	Cement / concrete	102
6.6.8	Overview of the thresholds for contamination of the mixing water	103
6.6.9	Effects of contaminations on the properties of the suspension	103
7	Bentonite suspensions for annular gap lubrication	105
7.1	Size of the annular gap	105
7.1.1	Skin friction	106
7.2	Vertical position of the pipe string in the driven cavity	107
7.2.1	Floating	108
7.2.2	Ballasting	109
7.2.3	Vertical position of the pipe string in stable ground	109
7.2.4	Vertical position of the pipe string in unstable ground	110
7.3	Functions of the lubricant in the annular gap	111
7.3.1	Support function	112
7.3.2	Lubricating function	115
7.3.3	Carrying capacity	116
7.3.4	Consequences of poor adaptation of the lubricant	117
7.4	Adaptation of the bentonite suspension to the ground	119
7.4.1	Basic geological parameters	119
7.4.2	Flow diagrams for rock	119
7.4.3	Flow diagrams for soils	121

7.4.4	Relationships between ground and lubricant parameters	123
7.4.5	Hydrogeological parameters.....	124
7.5	Rheological parameters of the bentonite suspension.....	124
7.5.1	Particle size.....	125
7.5.2	Yield point	127
7.5.3	Viscosity.....	129
7.5.4	Gel strength.....	130
7.6	Suspension quantities	132
7.6.1	Definition of terms.....	132
7.6.2	Basic principles for the determination of the required suspension quantity.....	141
7.6.3	Calculation of the suspension quantities V_{machine} and $V_{\text{pipe string}}$	145
7.7	Time-dependant loss volumes.....	147
7.8	Lubrication strategies	148
7.8.1	Interval-controlled systems.....	148
7.8.2	Volume-controlled systems	150
7.8.3	Lubrication strategies for initial and subsequent injection	152
7.8.4	Special lubrication strategies with Direct Pipe [®] and related processes ...	153
8	Lubrication technology	155
8.1	Arrangement and spacing of the lubrication points in the pipe string	155
8.2	Number and arrangement of the injection fittings per lubricating point in the pipe cross-section	156
8.3	Non-return valves.....	157
8.4	Lubrication circuit	158
8.5	Interaction between the support pressure at the face and the annular gap pressure	159
8.6	Bentonite supply in the starting area.....	160
8.7	Lubricant pressure, lubricant quantity and pressure losses.....	161
9	Reporting	163
9.1	Which parameters should be documented for bentonite lubrication?	163
9.2	Forms.....	163
10	Lists of the required injection quantities	167
10.1	Explanation of the lists.....	167
Literature		197