
Contents

| | | |
|----------|--|----|
| 6 | Random sums | 1 |
| 6.1 | Basic notions and estimates | 2 |
| 6.1.a | Symmetric random variables and randomisation | 4 |
| 6.1.b | Kahane's contraction principle | 9 |
| 6.1.c | Norm comparison of different random sums | 10 |
| 6.1.d | Covariance domination for Gaussian sums | 15 |
| 6.2 | Comparison of different L^p -norms | 17 |
| 6.2.a | The discrete heat semigroup and hypercontractivity ... | 18 |
| 6.2.b | Kahane–Khintchine inequalities | 21 |
| 6.2.c | End-point bounds related to $p = 0$ and $q = \infty$ | 24 |
| 6.3 | The random sequence spaces $\varepsilon^p(X)$ and $\gamma^p(X)$ | 26 |
| 6.3.a | Coincidence with square function spaces when $X = L^q$. | 28 |
| 6.3.b | Dual and bi-dual of $\varepsilon_N^p(X)$ and $\gamma_N^p(X)$ | 29 |
| 6.4 | Convergence of random series | 33 |
| 6.4.a | Itô–Nisio equivalence of different modes of convergence . | 33 |
| 6.4.b | Boundedness implies convergence if and only if $c_0 \not\subseteq X$. | 39 |
| 6.5 | Comparison of random sums and trigonometric sums | 42 |
| 6.6 | Notes | 46 |
| 7 | Type, cotype, and related properties | 53 |
| 7.1 | Type and cotype | 54 |
| 7.1.a | Definitions and basic properties | 54 |
| 7.1.b | Basic examples | 56 |
| 7.1.c | Type implies cotype | 63 |
| 7.1.d | Type and cotype for general random sequences | 66 |
| 7.1.e | Extremality of Gaussians in (co)type 2 spaces | 69 |
| 7.2 | Comparison theorems under finite cotype | 73 |
| 7.2.a | Summing operators | 74 |
| 7.2.b | Pisier's factorisation theorem | 75 |
| 7.2.c | Contraction principle with function coefficients | 79 |
| 7.2.d | Equivalence of cotype and Gaussian cotype | 81 |

| | | |
|----------|---|------------|
| 7.2.e | Finite cotype in Banach lattices | 85 |
| 7.3 | Geometric characterisations | 88 |
| 7.3.a | Kwapień's characterisation of type and cotype 2 | 89 |
| 7.3.b | Maurey–Pisier characterisation of non-trivial (co)type | 96 |
| 7.4 | K -convexity | 109 |
| 7.4.a | Definition and basic properties | 109 |
| 7.4.b | K -convexity and type | 114 |
| 7.4.c | K -convexity and duality of the spaces $\varepsilon_N^p(X)$ | 115 |
| 7.4.d | K -convexity and interpolation | 118 |
| 7.4.e | K -convexity with respect to general random variables | 120 |
| 7.4.f | Equivalence of K -convexity and non-trivial type | 123 |
| 7.5 | Contraction principles for double random sums | 129 |
| 7.5.a | Pisier's contraction property | 130 |
| 7.5.b | The triangular contraction property | 136 |
| 7.5.c | Duality and interpolation | 140 |
| 7.5.d | Gaussian version of Pisier's contraction property | 142 |
| 7.5.e | Double random sums in Banach lattices | 145 |
| 7.6 | Notes | 146 |
| 8 | R-boundedness | 163 |
| 8.1 | Basic theory | 164 |
| 8.1.a | Definition and comparison with related notions | 164 |
| 8.1.b | Testing R -boundedness with distinct operators | 168 |
| 8.1.c | First examples: multiplication and averaging operators | 170 |
| 8.1.d | R -boundedness versus boundedness on $\varepsilon_N^p(X)$ | 177 |
| 8.1.e | Stability of R -boundedness under set operations | 178 |
| 8.2 | Sources of R -boundedness in real analysis | 183 |
| 8.2.a | Pointwise domination by the maximal operator | 183 |
| 8.2.b | Inequalities with Muckenhoupt weights | 185 |
| 8.2.c | Characterisation by weighted inequalities in L^p | 187 |
| 8.3 | Fourier multipliers and R -boundedness | 192 |
| 8.3.a | Multipliers of bounded variation on the line | 192 |
| 8.3.b | The Marcinkiewicz multiplier theorem on the line | 197 |
| 8.3.c | Multipliers of bounded rectangular variation | 200 |
| 8.3.d | The product-space multiplier theorem | 205 |
| 8.3.e | Necessity of Pisier's contraction property | 209 |
| 8.4 | Sources of R -boundedness in operator theory | 211 |
| 8.4.a | Duality and interpolation | 211 |
| 8.4.b | Unconditionality | 214 |
| 8.5 | Integral means and smooth functions | 217 |
| 8.5.a | Integral means I: elementary estimates | 217 |
| 8.5.b | The range of differentiable and holomorphic functions | 221 |
| 8.5.c | Integral means II: the effect of type and cotype | 225 |
| 8.5.d | The range of functions of fractional smoothness | 231 |
| 8.6 | Coincidence of R -boundedness with other notions | 234 |

| | | |
|-----------|---|------------|
| 8.6.a | Coincidence with boundedness implies (co)type 2 | 234 |
| 8.6.b | Coincidence with γ -boundedness implies finite cotype . . | 237 |
| 8.7 | Notes | 241 |
| 9 | Square functions and radonifying operators | 251 |
| 9.1 | Radonifying operators | 252 |
| 9.1.a | Heuristics | 252 |
| 9.1.b | The operator spaces $\gamma_\infty(H, X)$ and $\gamma(H, X)$ | 254 |
| 9.1.c | The ideal property | 260 |
| 9.1.d | Convergence results | 261 |
| 9.1.e | Coincidence $\gamma_\infty(H, X) = \gamma(H, X)$ when $c_0 \not\subseteq X$ | 265 |
| 9.1.f | Trace duality | 267 |
| 9.1.g | Interpolation | 269 |
| 9.1.h | The indefinite integral and Brownian motion | 271 |
| 9.2 | Functions representing a γ -radonifying operator | 275 |
| 9.2.a | Definitions and basic properties | 275 |
| 9.2.b | Square integrability versus γ -radonification | 278 |
| 9.2.c | Trace duality and the γ -Hölder inequality | 282 |
| 9.3 | Square function characterisations | 284 |
| 9.3.a | Square functions in L^p -spaces | 284 |
| 9.3.b | Square functions in Banach function spaces | 287 |
| 9.4 | Function space properties | 293 |
| 9.4.a | Convergence theorems | 293 |
| 9.4.b | Fubini-type theorems | 296 |
| 9.4.c | Partitions, type and cotype | 298 |
| 9.5 | The γ -multiplier theorem | 299 |
| 9.5.a | Sufficient conditions for pointwise multiplication | 300 |
| 9.5.b | Necessity of γ -boundedness | 303 |
| 9.6 | Extension theorems | 308 |
| 9.6.a | General extension results | 308 |
| 9.6.b | R -bounded extensions via Pisier's contraction property . | 311 |
| 9.6.c | R -bounded extensions via type and cotype | 314 |
| 9.7 | Function space embeddings | 320 |
| 9.7.a | Embedding Sobolev spaces | 321 |
| 9.7.b | Embedding Hölder spaces | 326 |
| 9.7.c | Embeddings involving holomorphic functions | 329 |
| 9.7.d | Hilbert sequences | 337 |
| 9.8 | Notes | 345 |
| 10 | The H^∞-functional calculus | 359 |
| 10.1 | Sectorial operators | 360 |
| 10.1.a | Examples | 362 |
| 10.1.b | Basic properties | 364 |
| 10.2 | Construction of the H^∞ -calculus | 368 |
| 10.2.a | The Dunford calculus | 369 |

| | | |
|----------|--|-----|
| 10.2.b | The H^∞ -calculus | 379 |
| 10.2.c | First examples | 388 |
| 10.3 | R -boundedness of the H^∞ -calculus | 398 |
| 10.3.a | R -sectoriality | 399 |
| 10.3.b | The main R -boundedness result | 401 |
| 10.3.c | Unconditional decompositions associated with A | 404 |
| 10.3.d | Proof of the main result | 406 |
| 10.4 | Square functions and H^∞ -calculus | 413 |
| 10.4.a | Discrete square functions | 414 |
| 10.4.b | Continuous square functions | 422 |
| 10.4.c | The quadratic H^∞ -calculus | 432 |
| 10.4.d | Le Merdy's theorem on the angle of the H^∞ -calculus | 435 |
| 10.5 | Necessity of UMD and Pisier's contraction property | 440 |
| 10.6 | The bisectorial H^∞ -calculus | 446 |
| 10.6.a | Bisectorial operators | 446 |
| 10.6.b | Basic theory of the bisectorial calculus | 449 |
| 10.7 | Functional calculus for (semi)group generators | 451 |
| 10.7.a | The Phillips calculus | 452 |
| 10.7.b | Coifman–Weiss transference theorems | 456 |
| 10.7.c | Hieber–Prüss theorems on H^∞ -calculus for generators | 461 |
| 10.7.d | Analytic semigroups of positive contractions on L^p | 462 |
| 10.8 | Notes | 468 |
| P | Problems | 479 |
| E | Probability theory | 487 |
| E.1 | Random variables | 487 |
| E.1.a | Modes of convergence | 488 |
| E.1.b | Independence | 491 |
| E.1.c | Characteristic functions | 493 |
| E.2 | Gaussian variables | 495 |
| E.2.a | Multivariate Gaussian variables | 498 |
| E.2.b | The central limit theorem | 502 |
| E.2.c | The maximum of Gaussian variables | 505 |
| E.3 | Notes | 509 |
| F | Banach lattices | 511 |
| F.1 | Definitions and basic properties | 511 |
| F.2 | The Krivine calculus | 512 |
| F.3 | Lorentz spaces | 514 |
| F.4 | Notes | 517 |

| | | |
|----------|--|-----|
| G | Semigroups of linear operators | 519 |
| | G.1 Unbounded linear operators..... | 519 |
| | G.2 C_0 -semigroups | 523 |
| | G.3 The inhomogeneous abstract Cauchy problem | 531 |
| | G.4 The Hille–Yosida theorem | 532 |
| | G.5 Analytic semigroups | 536 |
| | G.6 Stone’s theorem | 543 |
| | G.7 Notes | 545 |
| H | Hardy spaces of holomorphic functions | 549 |
| | H.1 Hardy spaces on a strip | 549 |
| | H.2 Hardy spaces on a sector | 552 |
| | H.3 The Franks–McIntosh decomposition..... | 553 |
| | H.4 Notes | 559 |
| I | Akcoglu’s theory of positive contractions on L^p | 561 |
| | I.1 Isometric dilations | 561 |
| | I.2 Maximal ergodic averages | 569 |
| | I.3 Notes | 574 |
| J | Muckenhoupt weights | 577 |
| | J.1 Weighted boundedness of the maximal operator | 577 |
| | J.2 Rubio de Francia’s weighted extrapolation theorem | 579 |
| | J.3 Notes | 583 |
| | References | 585 |
| | Index | 610 |