

## PRINCIPLES AND ASPECTS OF BROADBAND SWITCHING

Peter Heuer

|   |  |    |
|---|--|----|
| 1 | Introduction . . . . .                           | 1  |
| 2 | Classification of switching techniques . . . . . | 3  |
| 3 | Circuit-oriented broadband switching . . . . .   | 5  |
| 4 | Packet-oriented broadband switching . . . . .    | 8  |
| 5 | Optical switching . . . . .                      | 14 |
| 6 | Summary and outlook . . . . .                    | 15 |
| 7 | References . . . . .                             | 16 |

## BROADBAND CIRCUIT SWITCHING TECHNOLOGY

Bernhard Schaffer

|   |   |    |
|---|---|----|
| 1 | Introduction . . . . .  | 18 |
|   | 1.1 Expansion of ISDN into Broadband ISDN . . . . .                   | 18 |
|   | 1.2 Network Concepts . . . . .  | 20 |
| 2 | Hybrid networks . . . . .   | 22 |
|   | 2.1 User/network interface . . . . .                                  | 22 |
|   | 2.2 Network structure . . . . .                                       | 23 |
| 3 | Switching networks for circuit switching . . . . .                    | 25 |
|   | 3.1 Examples for transparent SDM switches in ECL technology . . . . . | 27 |
|   | 3.2 Example of a synchronous TDM switch in CMOS technology . . . . .  | 28 |
| 4 | Multichannel switching and traffic engineering aspects . . . . .      | 31 |
| 5 | Conclusion . . . . .  | 36 |
| 6 | References . . . . .  | 36 |

THE BROADBAND COMMUNICATIONS SYSTEM OF ETH AND  
UNIVERSITY OF ZURICH - KOMETH

Peter L. Heinzmann and Willi Huber

|   |   |    |
|---|---|----|
| 1 | Introduction . . . . .                              | 38 |
| 2 | Single Cable Broadband System Overview . . . . .    | 39 |
| 3 | Reasons for choosing Broadband Technology . . . . . | 40 |

|  | PAGE |
|--|------|
| 4 Services offered on KOMETH today . . . . . | 41   |
| 5 Experiences . . . . .                      | 43   |
| 6 Trends for the Near Future . . . . .       | 45   |
| 7 Conclusions . . . . .                      | 47   |
| 8 Literature . . . . .                       | 48   |

## ON PERFORMANCE ASPECTS OF BROADBAND-SWITCHES USING THE ASYNCHRONOUS TRANSFER MODE

Ralf Lehnert

|  |    |
|--|----|
| 1 Introduction . . . . .   | 49 |
| 2 Asynchronous Transfer Mode . . . . .   | 49 |
| 3 Architectures For ATM-Switches . . . . .   | 51 |
| 3.1 Definitions . . . . .  | 51 |
| 3.2 Classification of ATM-Switches by the Arrangement of the<br>Queueing Buffers . . . . . | 52 |
| 4 Performance Bottlenecks . . . . .  | 52 |
| 5 Prototypes . . . . .   | 54 |
| 5.1 PRELUDE . . . . .  | 54 |
| 5.2 STARLITE . . . . .   | 55 |
| 5.3 TRANSNET . . . . .   | 56 |
| 5.4 KNOCKOUT-Switch . . . . .  | 57 |
| 6 Performance Analysis . . . . .   | 58 |
| 6.1 Systems with a Central Buffer . . . . .  | 58 |
| 6.2 Systems with Input Buffers . . . . .   | 58 |
| 6.3 Systems with Input and Output Buffers . . . . .  | 59 |
| 6.4 Systems with Crosspoint Buffers . . . . .  | 60 |
| 6.5 Systems with Output Buffers . . . . .  | 60 |
| 7 Conclusions . . . . .  | 62 |
| 8 References . . . . .   | 63 |

## EXPERIMENT ON A BROADBAND ATD-NETWORK: PRELUDE

Hervé LE BRIS

|  |    |
|--|----|
| 1 Introduction . . . . .                     | 64 |
| 1.1 Entering the Time-Division era . . . . . | 65 |

|   | PAGE |
|---|------|
| 1.2 Circuit or packet? . . . . .                            | 65   |
| 1.3 Towards a flexible and future-proof technique . . . . . | 66   |
| 2 ATD Basic Features . . . . .                              | 66   |
| 2.1 Immediate consequences . . . . .                        | 67   |
| 2.2 Limitations . . . . .                                   | 68   |
| 3 The PRELUDE Experiment . . . . .                          | 69   |
| 3.1 Coding . . . . .  | 69   |
| 3.2 Protections . . . . .                                   | 71   |
| 3.3 Terminal interfaces and Home Networks . . . . .         | 71   |
| 3.4 Results on Terminal and Home Networks . . . . .         | 75   |
| 3.5 Integrated multiplexing and switching . . . . .         | 76   |
| 4 Further Studies . . . . .                                 | 83   |
| 5 Conclusion . . . . .                                      | 84   |
| 6 References . . . . .                                      | 85   |

CIRCUIT AND PACKET SWITCHING IN AN ISDN

Maurizio Decina

|  |    |
|--|----|
| 1 Introduction . . . . .                                   | 86 |
| 2 Services, technologies and communication modes . . . . . | 87 |
| 3 Wideband network approaches . . . . .                    | 92 |
| 3.1 Wideband circuit network . . . . .                     | 92 |
| 3.2 Wideband packet network . . . . .                      | 93 |
| 3.3 Wideband multi-access network . . . . .                | 94 |
| 3.4 Wideband hybrid network . . . . .                      | 95 |
| 4 Summary remarks on alternatives . . . . .                | 97 |

APPENDIX

ISDN-TERMS: RECOMMENDATION OF THE INFORMATIONSTECHNISCHE  
GESELLSCHAFT (ITG) 1.6/01/1987

|                                      |     |
|--------------------------------------|-----|
| 1 The general ISDN Concept . . . . . | 99  |
| 2 Service Aspects . . . . .          | 100 |
| 3 Network Aspects . . . . .          | 101 |

|  | PAGE |
|--|------|
| 4 Aspects of the User Connection . . . . .   | 103  |
| 5 Service and Network Transitions . . . . .  | 106  |
| 6 Key-Word Index . . . . .                   | 106  |
| THE AUTHORS AND EDITOR'S ADDRESSES . . . . . | 108  |