## Contents

## Preface

1	Some General Aspects of Restoration of Natural Stone	1
2	Classification of Natural Stone	5
2.1	Classification According Genesis	5
2.2	Minerals that Form Natural Stone	6
2.3	Textures and Structures of Natural Stone	10
2.4	Properties and Durability of Important Types of	
	Natural Building Stone	11
2.5	Performance Requirements and Test Methods for	
	Natural Building Stone	11
3	Physical Properties of Porous Natural Stone and	
	Other Building Materials	17
3.1	Porosity	17
3.2	Texture and Structure of Natural Stone	20
3.3	Mechanical Properties of Natural Stone	22
3.4	Water Absorption of Mineral Building Materials	22
3.4.1	Capillary Water Absorption	22
3.4.2	Condensation	28
3.4.3	Capillary Condensation	29
3.4.4	Hygroscopic Moisture Uptake and Osmosis	30
3.5	Diffusion Processes	31
3.5.1	Diffusion Resistance Number $\mu$	32
3.5.2	Actual Diffusion Resistance	32



4	Deterioration of Natural Stone	34
4.1 4.2	Weathering Agents Properties of Natural Stone that Promote Deterioration by	34
	Weathering	36
4.3	Freeze-thaw Damage	37
4.4	Damages from Salt Crystallization	39
4.4.1	Crystallization Pressure	41
4.4.2	Hydration Pressure	44
4.4.3	Freeze-Salt Damage	45
4.5	Chemical Corrosion	46
4.6	Biotic Corrosion	49
4.7	Appearance of Deteriorated Stone	51
5	Conservation of Natural Stone	53
5.1	Performance Requirement for Consolidants	53
5.2	Consolidating Materials	54
5.2.1	Glue and Gelatin	56
5.2.2	Waterglass	56
5.2.3	Fluorides and Fluates	57
5.2.4	Poppyseed-oil, Waxes, Linseed-oil, Paraffins	58
5.2.5	Barium Hydroxide Solutions	58
5.2.6	Metal Salts	59
5.2.7	Organic Resins	60
5.2.8	History of Tetraethyl Silicates in Preservation Techniques	60
5.2.9	Water-Repellents Based on Alkyloxy Silianes	67
5.3	Comparison of Mode of Action and Performance Requirements	
	of Diveres Conservation Products	69
6	Laboratory Testing Program to evaluate the best Performing	
	Consolidation and Preservation Treatments	71
6.1	Test Procedures for Assessment of Material Features	72
6.2	Determination of Effectiveness of a Consolidation Treatment	76
6.3	Determination of Water Vapour Permeability	80
6.4	Compressive Strength	82
6.5	Salt Destruction Test (Astm C-88, DIN 52111)	82
6.6	Freeze Thaw Resistance Accordiing to DIN 52104	
	(ASTM C-290, 291)	84

8   Cleaning of Masonry   87     8.1   Soiling   88     8.2   Cleaning with Water   88     8.3   Acidic Cleaners   89     8.4   Cleaning with Alkalies   90     8.5   Special Chemicals for Cleaning Masonry   90     8.6   Mechanical Cleaning   92     9   Additional Restoration Techniques   94     9.1   Repointing   94     9.2   Fungicide Treatment   95     9.3   Stone Repair and Replacement   96     9.3.1.1   Preliminary Remarks   99     9.4   Paints on Natural Stone   103     9.5   Plaster and Stucco on Natural Stone   107     9.6   Covering of Prominent Architectural Units   109     10   Conservation Measures and Field Application   111     10.1.1   The traaethyl Silicates and their Field Application   115     10.1.2   The Usage of Compresses in Stone Consolidation   115     10.1.3   Vacuum Treatment   117     10.4   Application of Hydrophobic Products   123     10.4	7	Pretesting and Planning	85
8.1   Soiling   88     8.2   Cleaning with Water   88     8.3   Acidic Cleaners   89     8.4   Cleaning with Alkalies   90     8.5   Special Chemicals for Cleaning Masonry   90     8.6   Mechanical Cleaning   92     9   Additional Restoration Techniques   94     9.1   Repointing   94     9.2   Fungicide Treatment   95     9.3   Stone Repair and Replacement   96     9.3.1   General Remarks to Stone Replacement   98     9.3.1.1   Preliminary Remarks   99     9.4   Paints on Natural Stone   107     9.5.1   Requirements for Plasters   107     9.6   Covering of Prominent Architectural Units   109     10   Conservation Measures and Field Application   111     10.1.1   The Immersion Technique   115     10.1.2   The Usage of Compresses in Stone Consolidation   115     10.1.3   Vacuum Treatment   117     10.1.4   Continuous Spray Application   118     10.3   Vacuum Treatment of	8	Cleaning of Masonry	87
8.2   Cleaning with Water   88     8.3   Acidic Cleaners   89     8.4   Cleaning with Alkalies   90     8.5   Special Chemicals for Cleaning Masonry   90     8.6   Mechanical Cleaning   92     9   Additional Restoration Techniques   94     9.1   Repointing   94     9.2   Fungicide Treatment   95     9.3   Stone Repair and Replacement   96     9.3.1   General Remarks to Stone Replacement   98     9.3.1.1   Preliminary Remarks   99     9.4   Paints on Natural Stone   103     9.5   Plaster and Stucco on Natural Stone   107     9.6   Covering of Prominent Architectural Units   109     10   Conservation Measures and Field Application   111     10.1   Tetraethyl Silicates and their Field Application   115     11.2   The Usage of Compresses in Stone Consolidation   115     10.1.3   Vacuum Treatment   117     10.1.4   Continuous Spray Application   118     10.2   Organic Resins   118     10	8.1	Soiling	88
8.3   Acidic Čleaners   89     8.4   Cleaning with Alkalies   90     8.5   Special Chemicals for Cleaning Masonry   90     8.6   Mechanical Cleaning   92     9   Additional Restoration Techniques   94     9.1   Repointing   94     9.2   Fungicide Treatment   95     9.3   Stone Repair and Replacement   96     9.3.1   General Remarks to Stone Replacement   98     9.3.1.1   Preliminary Remarks   99     9.4   Paints on Natural Stone   103     9.5.1   Requirements for Plasters   107     9.5.1   Requirements for Plasters   107     9.6   Covering of Prominent Architectural Units   109     10   Conservation Measures and Field Application   111     10.1.1   The Immersion Technique   115     10.1.2   The Usage of Compresses in Stone Consolidation   115     10.1.3   Vacuum Treatment of Natural Stone with Organic Resins   118     10.2   Organic Resins   118     10.3   Vacuum Treatment of Natural Stone with Organic Resins	8.2	Cleaning with Water	88
8.4   Cleaning with Alkalies   90     8.5   Special Chemicals for Cleaning Masonry   90     8.6   Mechanical Cleaning   92     9   Additional Restoration Techniques   94     9.1   Repointing   94     9.2   Fungicide Treatment   95     9.3   Stone Repair and Replacement   96     9.4.1   Performing Remarks to Stone Replacement   98     9.3.1.1   Preliminary Remarks   99     9.4   Paints on Natural Stone   103     9.5   Plaster and Stucco on Natural Stone   107     9.6   Covering of Prominent Architectural Units   109     10   Conservation Measures and Field Application   111     10.1   Tetraethyl Silicates and their Field Application   111     10.1.1   The Immersion Technique   115     10.1.2   The Usage of Compresses in Stone Consolidation   115     10.1.3   Vacuum Treatment   117     10.1.4   Continuous Spray Application   118     10.3   Vacuum Treatment of Natural Stone with Organic Resins   118     10.3   Vacuum Treatment	8.3	Acidic Cleaners	89
8.5   Special Chemicals for Cleaning Masonry   90     8.6   Mechanical Cleaning   92     9   Additional Restoration Techniques   94     9.1   Repointing   94     9.2   Fungicide Treatment   95     9.3   Stone Repair and Replacement   95     9.3.1   General Remarks to Stone Replacement   98     9.3.1.1   Preliminary Remarks   99     9.4   Paints on Natural Stone   103     9.5   Plaster and Stucco on Natural Stone   107     9.6   Covering of Prominent Architectural Units   109     10   Conservation Measures and Field Application   111     10.1   Tetraethyl Silicates and their Field Application   111     10.1.2   The Usage of Compresses in Stone Consolidation   115     10.1.3   Vacuum Treatment   117     10.1.4   Continuous Spray Application   118     10.2   Organic Resins   123     10.3   Vacuum Treatment of Natural Stone with Organic Resins   118     10.4   Application of Hydrophobic Products   123     10.4.1   Definition and	8.4	Cleaning with Alkalies	90
8.6   Mechanical Cleaning   92     9   Additional Restoration Techniques   94     9.1   Repointing   94     9.2   Fungicide Treatment   95     9.3   Stone Repair and Replacement   96     9.3.1   General Remarks to Stone Replacement   98     9.3.1.1   Preliminary Remarks   99     9.4   Paints on Natural Stone   103     9.5   Plaster and Stucco on Natural Stone   107     9.5.1   Requirements for Plasters   107     9.6   Covering of Prominent Architectural Units   109     10   Conservation Measures and Field Application   111     10.1   Tetraethyl Silicates and their Field Application   111     10.1.1   The Immersion Technique   115     10.1.2   The Usage of Compresses in Stone Consolidation   115     10.1.3   Vacuum Treatment   117     10.1.4   Cortinuous Spray Application   118     10.2   Organic Resins   118     10.3   Vacuum Treatment of Natural Stone with Organic Resins   118     10.4   Application of Hydrophobic Products<	8.5	Special Chemicals for Cleaning Masonry	90
9   Additional Restoration Techniques   94     9.1   Repointing   94     9.2   Fungicide Treatment   95     9.3   Stone Repair and Replacement   96     9.3.1   General Remarks to Stone Replacement   98     9.3.1.1   Preliminary Remarks   99     9.4   Paints on Natural Stone   103     9.5   Plaster and Stucco on Natural Stone   107     9.6   Covering of Prominent Architectural Units   109     10   Conservation Measures and Field Application   111     10.1   Tetraethyl Silicates and their Field Application   111     10.1.1   The Immersion Technique   115     10.1.2   The Usage of Compresses in Stone Consolidation   115     10.1.2   The Usage of Compresses in Stone Consolidation   118     10.2   Organic Resins   118     10.3   Vacuum Treatment   117     11.4   Continuous Spray Application   118     10.3   Vacuum Treatment of Natural Stone with Organic Resins   118     10.4   Application of Hydrophobic Products   123     10.4.1 <t< td=""><td>8.6</td><td>Mechanical Cleaning</td><td>92</td></t<>	8.6	Mechanical Cleaning	92
9.1   Repointing   94     9.2   Fungicide Treatment   95     9.3   Stone Repair and Replacement   96     9.3.1   General Remarks to Stone Replacement   98     9.3.1.1   Preliminary Remarks   99     9.4   Paints on Natural Stone   103     9.5   Plaster and Stucco on Natural Stone   107     9.6   Covering of Prominent Architectural Units   109     10   Conservation Measures and Field Application   111     10.1   Tetraethyl Silicates and their Field Application   111     10.1.1   The Usage of Compresses in Stone Consolidation   115     10.1.2   The Usage of Compresses in Stone Consolidation   115     10.1.3   Vacuum Treatment   117     10.1.4   Continuous Spray Application   118     10.2   Organic Resins   118     10.3   Vacuum Treatment of Natural Stone with Organic Resins   118     10.4   Application of Hydrophobic Products   123     10.4.1   Definition and Properties of Masonry Water-Repellents   124     10.4.1.2   Water Vapour Permeability   126  <	9	Additional Restoration Techniques	94
9.2   Fungicide Treatment   95     9.3   Stone Repair and Replacement   96     9.3.1   General Remarks to Stone Replacement   98     9.3.1.1   Preliminary Remarks   99     9.4   Paints on Natural Stone   103     9.5   Plaster and Stucco on Natural Stone   107     9.5   Plaster and Stucco on Natural Stone   107     9.6   Covering of Prominent Architectural Units   109     10   Conservation Measures and Field Application   111     10.1   Tetraethyl Silicates and their Field Application   111     10.1.2   The Usage of Compresses in Stone Consolidation   115     10.1.3   Vacuum Treatment   117     10.1.4   Continuous Spray Application   118     10.2   Organic Resins   118     10.3   Vacuum Treatment of Natural Stone with Organic Resins   118     10.4   Application of Hydrophobic Products   123     10.4.1   Definition and Properties of Masonry Water-Repellents   124     10.4.1.2   Water Vapour Permeability   126     10.4.1.2   Water Vapour Permeability   126 <td>9.1</td> <td>Repointing</td> <td>94</td>	9.1	Repointing	94
9.3   Stone Repair and Replacement   96     9.3.1   General Remarks to Stone Replacement   98     9.3.1.1   Preliminary Remarks   99     9.4   Paints on Natural Stone   103     9.5   Plaster and Stucco on Natural Stone   107     9.6   Covering of Prominent Architectural Units   109     10   Conservation Measures and Field Application   111     10.1   Tetraethyl Silicates and their Field Application   111     10.1.1   The Immersion Technique   115     10.1.2   The Usage of Compresses in Stone Consolidation   115     10.1.3   Vacuum Treatment   117     10.1.4   Continuous Spray Application   118     10.2   Organic Resins   118     10.3   Vacuum Treatment of Natural Stone with Organic Resins   118     10.4   Application of Hydrophobic Products   123     10.4.1   Definition and Properties of Masonry Water-Repellents   124     10.4.1.2   Water Vapour Permeability   126     10.4.1.3   Alkali Resistance   126     10.4.1.4   UV-Stabilility   128	9.2	Fungicide Treatment	95
9.3.1General Remarks to Stone Replacement989.3.1.1Preliminary Remarks999.4Paints on Natural Stone1039.5Plaster and Stucco on Natural Stone1079.5.1Requirements for Plasters1079.6Covering of Prominent Architectural Units10910Conservation Measures and Field Application11110.1Tetraethyl Silicates and their Field Application11110.1.2The Usage of Compresses in Stone Consolidation11510.1.3Vacuum Treatment11710.1.4Continuous Spray Application11810.2Organic Resins11810.3Vacuum Treatment of Natural Stone with Organic Resins11810.4Definition and Properties of Masonry Water-Repellents12510.4.1.1Reduction of Water Absorption12510.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.4UV-Stability12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	9.3	Stone Repair and Replacement	96
9.3.1.1Preliminary Remarks999.4Paints on Natural Stone1039.5Plaster and Stucco on Natural Stone1079.5.1Requirements for Plasters1079.6Covering of Prominent Architectural Units10910Conservation Measures and Field Application11110.1Tetraethyl Silicates and their Field Application11110.1.1The Immersion Technique11510.1.2The Usage of Compresses in Stone Consolidation11510.1.3Vacuum Treatment11710.1.4Continuous Spray Application11810.2Organic Resins11810.3Vacuum Treatment of Natural Stone with Organic Resins11810.4Application of Hydrophobic Products12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.4UV-Stability12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	9.3.1	General Remarks to Stone Replacement	98
9.4Paints on Natural Stone1039.5Plaster and Stucco on Natural Stone1079.5.1Requirements for Plasters1079.6Covering of Prominent Architectural Units10910Conservation Measures and Field Application11110.1Tetraethyl Silicates and their Field Application11110.1.1The Immersion Technique11510.1.2The Usage of Compresses in Stone Consolidation11510.1.3Vacuum Treatment11710.1.4Continuous Spray Application11810.2Organic Resins11810.3Vacuum Treatment of Natural Stone with Organic Resins12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.1Reduction of Water Absorption12510.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.4UV-Stability12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	9.3.1.1	Preliminary Remarks	99
9.5Plaster and Stucco on Natural Stone1079.5.1Requirements for Plasters1079.6Covering of Prominent Architectural Units10910Conservation Measures and Field Application11110.1Tetraethyl Silicates and their Field Application11110.1.1The Immersion Technique11510.1.2The Usage of Compresses in Stone Consolidation11510.1.3Vacuum Treatment11710.1.4Continuous Spray Application11810.2Organic Resins11810.3Vacuum Treatment of Natural Stone with Organic Resins11810.4Application of Hydrophobic Products12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.4UV-Stability12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	9.4	Paints on Natural Stone	103
9.5.1Requirements for Plasters1079.6Covering of Prominent Architectural Units10910Conservation Measures and Field Application11110.1Tetraethyl Silicates and their Field Application11110.1.1The Immersion Technique11510.1.2The Usage of Compresses in Stone Consolidation11510.1.3Vacuum Treatment11710.1.4Continuous Spray Application11810.2Organic Resins11810.3Vacuum Treatment of Natural Stone with Organic Resins11810.4Application of Hydrophobic Products12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.2Water Vapour Permeability12610.4.1.3Alakli Resistance12610.4.1.4UV-Stability12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	9.5	Plaster and Stucco on Natural Stone	107
9.6Covering of Prominent Architectural Units10910Conservation Measures and Field Application11110.1Tetraethyl Silicates and their Field Application11110.1.1The Immersion Technique11510.1.2The Usage of Compresses in Stone Consolidation11510.1.3Vacuum Treatment11710.1.4Continuous Spray Application11810.2Organic Resins11810.3Vacuum Treatment of Natural Stone with Organic Resins11810.4Application of Hydrophobic Products12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.4UV-Stablility12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	9.5.1	Requirements for Plasters	107
10Conservation Measures and Field Application11110.1Tetraethyl Silicates and their Field Application11110.1.1The Immersion Technique11510.1.2The Usage of Compresses in Stone Consolidation11510.1.3Vacuum Treatment11710.1.4Continuous Spray Application11810.2Organic Resins11810.3Vacuum Treatment of Natural Stone with Organic Resins11810.4Application of Hydrophobic Products12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.4UV-Stability12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	9.6	Covering of Prominent Architectural Units	109
10.1Tetraethyl Silicates and their Field Application11110.1.1The Immersion Technique11510.1.2The Usage of Compresses in Stone Consolidation11510.1.3Vacuum Treatment11710.1.4Continuous Spray Application11810.2Organic Resins11810.3Vacuum Treatment of Natural Stone with Organic Resins11810.4Application of Hydrophobic Products12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.1Reduction of Water Absorption12510.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	10	Conservation Measures and Field Application	111
10.1.1The Immersion Technique11510.1.2The Usage of Compresses in Stone Consolidation11510.1.3Vacuum Treatment11710.1.4Continuous Spray Application11810.2Organic Resins11810.3Vacuum Treatment of Natural Stone with Organic Resins11810.4Application of Hydrophobic Products12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.1Reduction of Water Absorption12510.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	10.1	Tetraethyl Silicates and their Field Application	111
10.1.2The Usage of Compresses in Stone Consolidation11510.1.3Vacuum Treatment11710.1.4Continuous Spray Application11810.2Organic Resins11810.3Vacuum Treatment of Natural Stone with Organic Resins11810.4Application of Hydrophobic Products12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.1Reduction of Water Absorption12510.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.4UV-Stablility12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	10.1.1	The Immersion Technique	115
10.1.3Vacuum Treatment11710.1.4Continuous Spray Application11810.2Organic Resins11810.3Vacuum Treatment of Natural Stone with Organic Resins11810.4Application of Hydrophobic Products12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.1Reduction of Water Absorption12510.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.4UV-Stablility12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	10.1.2	The Usage of Compresses in Stone Consolidation	115
10.1.4Continuous Spray Application11810.2Organic Resins11810.3Vacuum Treatment of Natural Stone with Organic Resins11810.4Application of Hydrophobic Products12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.1Reduction of Water Absorption12510.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.4UV-Stablility12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	10.1.3	Vacuum Treatment	117
10.2Organic Resins11810.3Vacuum Treatment of Natural Stone with Organic Resins11810.4Application of Hydrophobic Products12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.1Reduction of Water Absorption12510.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.4UV-Stablility12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	10.1.4	Continuous Spray Application	118
10.3Vacuum Treatment of Natural Stone with Organic Resins11810.4Application of Hydrophobic Products12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.1Reduction of Water Absorption12510.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.4UV-Stablility12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	10.2	Organic Resins	118
10.4Application of Hydrophobic Products12310.4.1Definition and Properties of Masonry Water-Repellents12410.4.1.1Reduction of Water Absorption12510.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.4UV-Stablility12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	10.3	Vacuum Treatment of Natural Stone with Organic Resins	118
10.4.1Definition and Properties of Masonry Water-Repellents12410.4.1Reduction of Water Absorption12510.4.1.2Water Vapour Permeability12610.4.1.3Alkali Resistance12610.4.1.4UV-Stability12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	10.4	Application of Hydrophobic Products	123
10.4.1.1 Reduction of Water Absorption12510.4.1.2 Water Vapour Permeability12610.4.1.3 Alkali Resistance12610.4.1.4 UV-Stability12810.4.1.5 Depth of Deposition of a Water-Repellent12810.4.1.6 Tack-free drying13010.4.2 Classification of Hydrophobic Agents for Restoration of Natural Stone130	10.4.1	Definition and Properties of Masonry Water-Repellents	124
10.4.1.2 Water Vapour Permeability12610.4.1.2 Water Vapour Permeability12610.4.1.3 Alkali Resistance12610.4.1.4 UV-Stability12810.4.1.5 Depth of Deposition of a Water-Repellent12810.4.1.6 Tack-free drying13010.4.2 Classification of Hydrophobic Agents for Restoration of Natural Stone130	10.4.1.1	Reduction of Water Absorption	125
10.4.1.3 Alkali Resistance12610.4.1.4 UV-Stability12810.4.1.5 Depth of Deposition of a Water-Repellent12810.4.1.6 Tack-free drying13010.4.2 Classification of Hydrophobic Agents for Restoration of Natural Stone130	10.4.1.2	water Vapour Permeability	126
10.4.1.40.4-Stability12810.4.1.5Depth of Deposition of a Water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	10.4.1.3	Alkali Kesistance	126
10.4.1.5Depth of Deposition of a water-Repellent12810.4.1.6Tack-free drying13010.4.2Classification of Hydrophobic Agents for Restoration of Natural Stone130	10.4.1.4	UV-Stability	128
10.4.1.0 Tack-free drying 10.4.2 Classification of Hydrophobic Agents for Restoration of Natural Stone 130	10.4.1.5	Depth of Deposition of a water-Repellent	128
Natural Stone 130	10.4.1.0	Tack-free drying Classification of Hudronhohio Agents for Destantion of	130
	10.4.2	Natural Stone	130

10.4.3	Silanes, Siloxanes, Silicone Resins	132
10.4.3.1	Molecule Structure and Reactivity	132
10.4.3.2	Job Site Application of Silicone-Based Water-Repellents	135
10.4.3.3	Results of Conservation Measures on Some Typical European	
	Sandstones	136
11	Case History	150
11.1	Restoration of the 'Alte Pinakothek' in Munich	151
11.1.1	Identification of Deterioration Processes	151
11.1.2	Laboratory Pretesting	153
11.1.3	Layout of a Test Area	156
11.2	Restoration of the 'Angel of Peace'	162
11.2.1	Description of Damages	163
11.2.2	Cleaning of Dense Limestones	163
11.2.3	Conservation Measures	164
11.2.4	Complementary Measures	1 <b>65</b>

## Literature

Index

168

166