

Contents

| | |
|-----------------------|---|
| Introduction | |
| H. P. HIGER | 1 |

I. Methods and Techniques

Relaxation Parameters

Chairmen: J. CHAMBRON, Strasbourg Cédex, France
R. A. LERSKI, Dundee, United Kingdom
A. LUITEN, Best, The Netherlands
F. PODO, Rome, Italy
H. POST, Rheinstetten, FRG
S. J. RIEDERER, Rochester, USA

| | |
|--|----|
| General Need for Quantitative Methodologies in Tissue Characterization by MRI | |
| F. PODO | 7 |
| NMR Parameter Calculations | |
| S. J. RIEDERER (With 6 Figures) | 14 |
| The Application of Surface Coils for Tissue Characterization – Demonstrated by the Determination of T2 Relaxation Times | |
| J. GEHRIG, R. BADER, H.-J. ZABEL, and W. J. LORENZ (With 4 Figures) | 26 |
| Determination of T1 by Three-dimensional Measurement with Triangle Excitation | |
| U. KLOSE (With 3 Figures) | 31 |
| Improving the Accuracy of T1 Measurements In Vivo: The Use of the Hyperbolic Secant Pulse in the Saturation Recovery/Inversion Recovery Sequence | |
| P. A. GOWLAND, M. O. LEACH, and J. C. SHARP (With 4 Figures) . | 36 |
| Volume-Selective Tissue Characterization by T1 _ρ Dispersion Measurements and T1 _ρ Dispersion Imaging | |
| E. ROMMEL and R. KIMMICH (With 2 Figures) | 43 |
| Two New Pulse Sequences for Efficient Determination of Tissue Parameters in MRI | |
| S. J. RIEDERER, F. FARZANEH, and H. Z. WANG (With 4 Figures) . | 48 |

Characterization of Brain Tissues by the Field Dependence of Their Longitudinal Relaxation Rates
H. W. FISCHER, P. A. RINCK, and R. N. MULLER (With 3 Figures) 54

A Biochemical Approach to the Interpretation of MRI Images: In Vitro Study on a Craniopharyngioma
F. DI SALLE, L. SIMONETTI, F. CARANCI, S. CIRILLO, R. ELEFANTE, and F. SMALTINO (With 3 Figures) 59

Comparison of Algorithms for the Decomposition of Multiexponential Relaxation Processes Using SUNRISE
M. STAEMMLER, P. BARTH, R. BRILL, H. WERN, and K. GERSONDE (With 4 Figures) 63

Preprocessing of Magnetization Decays to Improve Multiexponential T2 Analysis
H. HANDELS, T. TOLXDORFF, and K. BOHNDORF (With 5 Figures) . 69

Advantages of Multiexponential T2 Analysis
T. TOLXDORFF, H. HANDELS, and K. BOHNDORF (With 5 Figures) . 75

MRI Relaxation of Brain Tissue: A Statistical Estimate of Deviations from Ideality
J. D. SHOOP, R. J. KURLAND, T. J. HYMAN, and G. C. LEVY (With 1 Figure) 81

Lower Error Bounds for the Estimation of Relaxation Parameters
A. R. BRENNER, E. A. PENNER, R. GEBHARDT, and W. AMELING (With 3 Figures) 88

Signal Mechanisms and Influences

Chairmen: J. DE CERTAINES, Rennes, France
W. LÖFFLER, Erlangen, FRG

Multiexponential Relaxation Analysis of Precontrast MRI in Comparison with Gadolinium-DTPA MRI
L. R. SCHAD, G. BRIX, I. ZUNA, W. HÄRLE, W. SEMMLER, and W. J. LORENZ (With 5 Figures) 94

A Chemical Shift Imaging Strategy for Paramagnetic Contrast-Enhanced MRI
J. SZUMOWSKI, J. H. SIMON, S. TOTTERMAN, and A. CHACKO (With 5 Figures) 103

Experimental Approach to Rho-Related Contrast in Clinical MRI
E. STOLLE, R. SUNDERMEYER, and A. KÜHNERT (With 5 Figures) . 112

Serial Inversion Nulling Syntheses ("SINS") to Enhance Lesion Contrast
R. J. KURLAND, J. D. SHOOP, and G. R. FUNKHOUSER (With 4 Figures) 118

Pattern Recognition

Chairmen: O. HENRIKSEN, Copenhagen, Denmark

S. MEINDL, Wiesbaden, FRG

D. A. ORTENDAHL, South San Francisco, USA

W. VON SEELEN, Mainz, FRG

Tissue Characterization with MRI: The Value of the MR Parameters

D. A. ORTENDAHL, N. M. HYLTON, and L. KAUFMAN

(With 8 Figures) 126

Using an "Information Manager" as a Component of a Tissue Classification System in NMR Tomography

M. JUNGKE, G. BIELKE, W. VON SEELEN, S. MEINDL, M. GRIGAT, and H. P. HIGER (With 3 Figures) 139

MR Tissue Characterization Using Iconic Fuzzy Sets

W. MENHARDT (With 1 Figure) 145

Tissue Discrimination in Three-dimensional Imaging by Texture Analysis

H.-H. EHRIKKE and G. LAUB (With 6 Figures) 149

Generation of Tissue-Specific Images by Means of Multivariate Data Analysis of MR Images

A. WITTMANN and G. BURGER (With 5 Figures) 154

Feature Extraction from NMR Images Using Factor Analysis

M. ŠÁMAL, M. KÁRNÝ, H. ŠUROVÁ, and J. ZAJÍČEK 161

Multispectral Analysis of Magnetic Resonance Images: A Comparison Between Supervised and Unsupervised Classification Techniques

A. ALAUX and P. A. RINCK 165

Textural Analysis of Quantitative Magnetic Resonance Imaging in Metabolic Bone Disease – An Approach to Tissue Characterisation of the Spine

J. P. R. JENKINS, X. P. ZHU, R. W. WHITEHOUSE, I. ISHERWOOD,

J. E. ADAMS, and P. H. ADAMS (With 4 Figures) 170

Tissue Type Imaging – An Approach to Clinical Use

S. MEINDL, M. JUNGKE, G. BIELKE, M. GRIGAT, W. VON SEELEN,

P. PEDROSA, and H. P. HIGER (With 4 Figures) 174

II. Clinical Results

Musculoskeletal

Chairmen: K. BOHNDORF, Aachen, FRG
 M. REISER, Münster, FRG

MRI Evaluation of Early Degenerative Cartilage Disease by a Three-dimensional Gradient Echo Sequence
 K. GLÜCKERT, B. KLDADNY, G. HOFMANN, W. WILLAUSCHUS, A. BLANK-SCHÄL, and P. WIRTZ (With 5 Figures) 185

MRI vs Scintigraphy in the Detection of Vertebral Metastases: Preliminary Results
 P. R. ALGRA, J. L. BLOEM, L. J. VERBOOM, J. W. ARNDT, H. J. P. VOGEL, H. TISSING, and T. H. M. FALKE (With 1 Figure) . 193

MRI of Osteomyelitis
 D. DUQUE REINA, K. BOHNDORF, and G. ALZEN (With 4 Figures) 198

MRI in Bone Infection
 G. F. GÖTZ and K. MATHIAS (With 2 Figures). 204

MR Imaging After Trauma and Orthopedic Surgery
 K. WENDA, G. RITTER, H. P. HIGER, and P. PEDROSA (With 1 Figure). 208

MRI Tissue Characterization of an Anatomical Structure Subject to Major Functional Displacement: The Temporomandibular Joint
 A. M. BERNARD, J. C. QUEMAR, H. ROMDANE, and J. D. DE CERTAINES (With 2 Figures) 211

Body

Chairmen: G. VAN KAICK, Heidelberg, FRG
 D. D. STARK, Boston, USA

Tissue Characterization of Focal Lesions by Liver MR Imaging
 C. J. FRETZ and D. D. STARK (With 5 Figures) 214

Differentiation of Focal Liver Lesions by Contrast-Enhanced MRI
 P. HEINTZ, CH. EHRENHEIM, G. OETTING, and H. HUNDESHAGEN (With 5 Figures) 225

Investigation of Liver Pathology with Magnetite-Dextran Superparamagnetic Nanoparticles as New MRI Contrast Agent
 D. POULIQUEN, R. PERDRISOT, A. ERMIAIS, S. AKOKA, P. JALLET, and J. J. LE JEUNE (With 10 Figures). 234

Contrast-Enhanced MR Imaging of Urinary Bladder Neoplasms
 J. M. NEUERBURG, K. BOHNDORF, M. SOHN, F. TEUFL, R. W. GUENTHER, and H. J. DAUS (With 3 Figures) 242

Stage I Endometrial Carcinoma: High Field (1.5T) MR Imaging Features

S. SIRONI, C. BELLONI, G. TACCAGNI, and A. DEL MASCHIO
(With 4 Figures) 250

Mamma

Chairmen: A. W. GOODE, Whitechapel, United Kingdom
P. A. RINCK, Trondheim, Norway

Breast-Tissue Differentiation by MRI: Results of 361 Examinations in 5 Years

W. A. KAISER and O. MITTELMEIER 254

T1 Measurements by TOMROP: First Experiences and Applications in In Vivo Breast Studies

TH. HILBERTZ, S. H. HEYWANG, R. BECK, and M. DEIMLING
(With 4 Figures) 258

Miscellaneous

Chairmen: P. PEDROSA, Wiesbaden, FRG
W. STEINBRICH, Köln, FRG

Correlations Between NMR Relaxation Times and Histopathological Features in Abnormal Thyroid and Parathyroid Glands: Preliminary Results

A. DEGEORGES, J. M. BRULE, B. GASSER, Y. MAUSS, C. SCHEIBER, D. GOUNOT, J. M. LANZ, J. MARESCAUX, and J. CHAMBRON
(With 4 Figures) 264

Proton NMR Relaxation Times and Trace Paramagnetic Metal Contents: Pattern Recognition Analysis of the Discrimination Between Normal and Pathological Tissue of the Gastrointestinal Tract and Bone Marrow

S. S. RANADE, P. N. TRIVEDI, V. S. BAMANE, J. C. LINDON, D. J. LIVINGSTONE, and E. RAHR (With 5 Figures) 270

Head and Brain

Chairmen: M. BRANT-ZAWADZKI, Newport Beach, USA
R. FELIX, Berlin, FRG
H. P. HIGER, Wiesbaden, FRG
S. WENDE, Mainz, FRG

Tissue Characterization in Brain Lesions: A Review of the State of the Art

H. P. HIGER and M. BRANT-ZAWADZKI 284

Quantitative Analysis of Multiple Sclerosis by Means of MRI

J. P. ARMSPACH, D. GOUNOT, L. RUMBACH, and J. CHAMBRON
(With 3 Figures) 290

Differentiation of Gliomas Using Tissue Parameters and a Three-dimensional Density Distribution Model
 P. PEDROSA, M. JUNGKE, M. GRIGAT, H. P. HIGER, S. MEINDL, and G. BIELKE (With 2 Figures) 294

Tissue Accessibility of Gd-DTPA in Meningiomas and Neuromas
 T. WATABE and T. IWATA (With 1 Figure) 299

Eye Muscle Changes in Graves' Ophthalmopathy: Differentiation by MRI
 N. HOSTEN, B. SANDER, M. CORDES, D. ROLL, W. SCHÖRNER, and R. FELIX (With 2 Figures) 304

Assessment of Clinical Activity in Endocrine Orbitopathy with T2 Values – Response to Immunomodulating Therapy
 P. PEDROSA, K. NEIDL, H. P. HIGER, CH. UTECH, K. G. WULLE, and P. PFANNENSTIEL (With 4 Figures) 307

MRI Tissue Characterization and Segmentation of Human Brain Tissues Using a Prolog-Based Expert System
 W. HÄRLE, I. ZUNA, L. R. SCHAD, G. BRIX, W. SEMMLER, G. VAN KAICK, and W. J. LORENZ (With 5 Figures) 313

Calculated T1 and T2 in Nonresectable Brain Tumors to Monitor the Effects of Cranial Radiation
 P. PEDROSA, F. H. REIS, M. GRIGAT, and H. P. HIGER (With 5 Figures) 319

Dexamethasone Effect on MR Parameters in Brain Tumors
 A. BEUTLER, D. VOTH, P. PEDROSA, M. GRIGAT, and H. P. HIGER (With 1 Figure) 324

III. Round-Table Discussion 329

- Panel: G. BIELKE, Wiesbaden, FRG
 M. BRANT-ZAWADZKI, Newport Beach, USA
 H. P. HIGER, Wiesbaden, FRG
 O. HENRIKSEN, Copenhagen, Denmark
 J. S. ORR (Chairman), London, United Kingdom
 D. A. ORTENDAHL, South San Francisco, USA
 F. PODO, Rome, Italy
 M. REISER, Münster, FRG
 S. J. RIEDERER, Rochester, USA
 D. D. STARK, Boston, USA

Concluding Remarks
 J. S. ORR 339