

Jacqueline Bergeron (Ed.)

The Early Universe with the VLT

Proceedings of the ESO Workshop
Held at Garching, Germany,
1–4 April 1996



Springer

Contents

1. Introduction

| | |
|--|---|
| Cosmological Questions for the European Southern Observatory Very Large Telescope | 3 |
| <i>D. Tytler</i> | |

2. The VLT First Generation Instrument Capabilities as Cosmological Tools

| | |
|---|----|
| ISAAC – IR Spectrometer and Array Camera | 21 |
| <i>A.F.M. Moorwood, J. Spyromilio</i> | |
| Observing the Early Universe with CONICA | 27 |
| <i>R. Lenzen</i> | |
| Spectroscopy of Faint Distant Objects with FORS | 35 |
| <i>I. Appenzeller, O. Stahl, S. Kiesewetter-K., R.-P. Kudritzki, H. Nicklas, G. Rupprecht</i> | |
| FUEGOS: Multi-Objects and 2-D Spectrograph for the VLT | 43 |
| <i>P. Felenbok</i> | |
| The ESO UV-Visual Echelle Spectrograph (UVES) | 54 |
| <i>S. D'Odorico</i> | |

3. Galaxy Evolution at $z \lesssim 1$

| | |
|---|----|
| The Evolution of Normal Galaxies: HST Morphologies and Deep Spectroscopy | 65 |
| <i>R. Ellis</i> | |

| | |
|--|-----|
| The Canada France Redshift Survey | 79 |
| <i>F. Hammer, S. Lilly, D. Crampton, O. Le Fèvre, H. Flores, D. Schade</i> | |
| Galaxy Evolution: Luminosities and Linewidths | 87 |
| <i>M. Colless</i> | |
| Distant Supernovae and Cosmic Deceleration | 95 |
| <i>B. Leibundgut, J. Spyromilio</i> | |
| Evolution of Elliptical Galaxies up to $z \approx 1$ | 105 |
| <i>R. Bender, R.P. Saglia, B. Ziegler</i> | |
| Constraining the Evolution of Galaxy Masses and the M/L Ratios out to $z = 1$ | 113 |
| <i>M. Franx, P.G. van Dokkum</i> | |
| 2D Spectroscopy of Remote Radiogalaxies with TIGER ... | 119 |
| <i>G. Adam</i> | |
| Spectro-Imaging of Starburst Galaxies: Present and Future | 126 |
| <i>G. Comte, T. Movsessyan, A. Petrosian</i> | |

4. Search for Highest Redshift Galaxies

| | |
|---|-----|
| Keck Spectroscopy of Redshift $z \sim 1$ Field Galaxies | 133 |
| <i>D.C. Koo</i> | |
| VIRMOS: Deep Redshift Surveys with the VLT | 143 |
| <i>O. Le Fèvre, P. Vettolani, J.G. Cuby, D. Maccagni, D. Mancini, A. Mazure, Y. Mellier, J.P. Picat</i> | |
| The AUSTRALIS Instrument Concept – an Interim Report | 151 |
| <i>K. Taylor, M. Colless</i> | |
| Numerical Simulations of Galaxy Formation | 156 |
| <i>M. Steinmetz</i> | |
| The Calar Alto Deep Imaging Survey for Primeval Galaxies | 165 |
| <i>K. Meisenheimer, S. Beckwith, R. Fockenbrock, J. Fried, H. Hippelein, U. Hopp, Ch. Leinert, H.-J. Röser, E. Thommes, C. Wolf</i> | |

| | |
|---|-----|
| Faint Emission Line Galaxies Detected in CADIS | 173 |
| <i>E. Thommes, R. Fockenbrock, H. Hippelein, K. Meisenheimer, H.-J. Röser</i> | |
| A Global Approach to Star and Galaxy Formation | 177 |
| <i>S.M. Fall</i> | |
| Metal Absorption from Galaxies in the Process of Formation | 185 |
| <i>M.G. Haehnelt</i> | |
| Weak Lensing at the Limit of the Sky Background Noise .. | 189 |
| <i>Y. Mellier, B. Fort</i> | |
| Morphology of High Redshift Galaxies with HST | 200 |
| <i>F.D. Macchetto</i> | |
| Search for Galaxies at $z > 4$ from a Deep Multicolor Survey | 208 |
| <i>E. Giallongo, S. Charlot, S. Cristiani, S. D'Odorico, A. Fontana</i> | |
| 5. Clusters and Large-Scale Structure | |
| Large-Scale Structure at High Redshift | 219 |
| <i>S.D.M. White</i> | |
| The CNO Cluster Survey | 231 |
| <i>R.G. Carlberg, H.K.C. Yee, E. Ellingson, S. Morris, R. Abraham, P. Gravel, F.D.A. Hartwick, J.E. Hesser, J.B. Hutchings, J.B. Oke, C.J. Pritchett, T. Smecker-Hane</i> | |
| Clusters of Galaxies and the VLT | 239 |
| <i>G. Chincarini, L. Guzzo, D. Lazzati, R. Scaramella</i> | |
| Visible Multi-Object Spectroscopy: Prospects and Requirements | 243 |
| <i>G. Vettolani, D. Maccagni</i> | |
| Dark Matter Searches with Weak Gravitational Lensing .. | 250 |
| <i>P. Schneider</i> | |
| Large-Scale Structure at High Redshift | 258 |
| <i>P.J. Francis</i> | |
| Clustering of Absorption Line Systems | 266 |
| <i>P. Petitjean</i> | |
| Searches for High Redshift Clusters | 274 |
| <i>M. Dickinson</i> | |

6. First Active Objects

| | |
|--|-----|
| High Redshift Radio Galaxies with the VLT | 285 |
| <i>H. Röttgering, G. Miley</i> | |
| Keck Spectropolarimetry of High z Radio Galaxies: Discerning the Components of the Alignment Effect | 300 |
| <i>A. Cimatti, A. Dey, W. van Breugel, R. Antonucci, T. Hurt, H. Spinrad</i> | |
| The Importance of IR Polarimetry for the Study of High Redshift Galaxies | 304 |
| <i>S. di Serego Alighieri</i> | |
| Quasar Surveys | 308 |
| <i>S. Cristiani, F. La Franca</i> | |
| Starburst Galaxies at High Redshift | 312 |
| <i>M. Rowan-Robinson</i> | |
| Prospects for ISO Deep Surveys | 322 |
| <i>A. Franceschini, L. Danese</i> | |
| Optical Searches for Quasars with $z > 5$ | 333 |
| <i>R.G. McMahon</i> | |
| Dust and the Search for High Redshift Quasars | 341 |
| <i>R.L. Webster, M.J. Drinkwater, P.J. Francis, F.J. Masci, B.A. Peterson</i> | |
| Radio-Selected High Redshift Quasars | 349 |
| <i>P. Shaver, J. Wall, K. Kellermann, C. Jackson, M. Hawkins</i> | |
| Millimetre Emission from High Redshift Radioquiet Quasars | 357 |
| <i>A. Omont, R.G. McMahon, J. Bergeron, P. Cox, S. Guilloteau, E. Kreysa, F. Pajot, E. Pécontal, P. Petitjean, P.M. Solomon, L.J. Storrie-Lombardi</i> | |
| Can Photoionization Solve the Overcooling Problem? | |
| A Quick Look at the Cosmological History of Baryons | 361 |
| <i>A. Blanchard, D. Barbosa, S. Prunet</i> | |

7. Concluding Remarks

| | |
|---|-----|
| Which Second Generation VLT Instrumentation? | 369 |
| <i>G. Monnet, R. Gilmozzi</i> | |

8. Poster Papers

| | |
|---|-----|
| Galaxy Evolution at Low Redshift? | |
| Inferences from Optical and IR Counts | 377 |
| <i>E. Bertin, M. Dennefeld</i> | |
| Novae as Distance Indicators: Simulation of | |
| VLT Observations of Fornax | 380 |
| <i>M. Della Valle, R. Gilmozzi</i> | |
| The Search for Clustering at $z > 0.8$ | 382 |
| <i>J.-M. Deltorn, O. Le Feuvre, D. Crampton, M. Dickinson</i> | |
| Emission-Line Profile Studies of QSOs at $z \simeq 3$ | 384 |
| <i>M. Dietrich, M. Kümmel, S. Wagner</i> | |
| Redshift and Photometric Survey of the X-Ray Cluster | |
| of Galaxies Abell 85 | 386 |
| <i>F. Durret, P. Felenbok, D. Gerbal, J. Guibert, G. Lima-Neto,</i> | |
| <i>C. Lobo, V. Pislar, E. Slezak</i> | |
| CFRS: The Minimal Ages for Starburst Galaxies | 388 |
| <i>H. Flores, F. Hammer</i> | |
| Object Detection and Classification in CADIS | 390 |
| <i>R. Fockenbrock, E. Thommes, H. Hippelein,</i> | |
| <i>K. Meisenheimer, H.-J. Röser</i> | |
| Simulations of High Redshift Galaxies Colors | |
| at the NTT-SUSI2 and VLT-FORS | 392 |
| <i>A. Fontana, S. Charlot, S. Cristiani, S. D'Odorico,</i> | |
| <i>E. Giallongo, R. Gilmozzi, G. Marconi</i> | |
| Spectral Classification of Galaxies with $z \lesssim 0.5$ | 394 |
| <i>G. Galaz, V. de Lapparent</i> | |
| The Galaxy Environment of QSOs as a Function | |
| of Redshift | 396 |
| <i>K. Jäger, K.J. Fricke, W. Kollatschny</i> | |

| | |
|---|-----|
| Detailed Kinematics of Extended Lyman-α Regions Around Radio Galaxies at $z > 2$ | 398 |
| <i>A. Koekemoer, W.J.M. van Breugel, J. Bland-Hawthorn</i> | |
| AGN Host Galaxies at Intermediate Redshift | 400 |
| <i>W. Kollatschny, A. Goerdt</i> | |
| Void Hierarchy – a Guiding Principle to the Study of Faint Structures in Voids | 402 |
| <i>U. Lindner, J. Einasto, M. Einasto, K.J. Fricke</i> | |
| Implications for Optical Identifications of QSO Absorption Systems from Galaxy Evolution Models | 404 |
| <i>U. Lindner, U. Fritze - von Alvensleben, K.J. Fricke</i> | |
| The Extended Luminosity Function in Clusters of Galaxies: a Tool to Search for Environmental Effects | 406 |
| <i>C. Lobo, A. Biviano, F. Durret, D. Gerbal, O. Le Fèvre, A. Mazure, E. Slezak</i> | |
| A High Redshift Line Emitting Object Discovered in the Near Infared | 408 |
| <i>F. Mannucci, S.V.W. Beckwith, D.J. Thompson</i> | |
| Looking for High Redshift Forming Galaxies in the Near Infrared | 410 |
| <i>F. Mannucci, D.J. Thompson, S.V.W. Beckwith</i> | |
| Neoclassic Cosmological Tests with QSOs | 412 |
| <i>G. Mathez, Y. Mellier, J.-P. Picat, L. Van Waerbeke</i> | |
| Chemical Evolution at High Redshift | 414 |
| <i>F. Matteucci, P. Molaro, G. Vladilo</i> | |
| Measurement of q_0 with Type Ia Supernovae | 416 |
| <i>R. Pain</i> | |
| Spectrophotometric Investigations of Blue Compact Dwarf Galaxies with the VLT | 418 |
| <i>P. Papaderos, K.J. Fricke</i> | |
| A Deep 20 cm Radio Mosaic of the ESP Galaxy Redshift Survey | 420 |
| <i>I. Prandoni, L. Gregorini, P. Parma, R.H. de Ruiter, G. Vettolani, M.H. Wieringa, R.D. Ekers</i> | |
| A New Model of Spectral Evolution: PEGASE Application to Galaxy Counts | 422 |
| <i>B. Rocca-Volmerange, M. Fioc</i> | |

| | |
|---|-----|
| An Hα Search for Star Forming Galaxies at $z = 1.5$ | 424 |
| <i>J. Rönnback, N. Bergvall, G. Östlin</i> | |
| RXJ1347-1145: a Galaxy Cluster with Exceptional Properties | 426 |
| <i>S. Schindler</i> | |
| A Survey for Hα Emission at $z = 2.2\text{--}2.4$ | 428 |
| <i>P.P. van der Werf, M.N. Bremer, A.F.M. Moorwood, H.J.A. Röttgering, G.K. Miley</i> | |
| Neutral Nitrogen in Damped Lyman α Systems | 430 |
| <i>G. Vladilo, P. Molaro, F. Matteucci, M. Centurión</i> | |
| Colours, Luminosity Functions, and Clustering Properties of Faint Starburst Galaxies | 432 |
| <i>S.J. Wagner, M.W. Kümmel</i> | |
| Large-Scale Structure at $z \sim 3$ | 434 |
| <i>G.M. Williger, A. Smette, C. Hazard, J.A. Baldwin, R.G. McMahon</i> | |
| Author Index | 437 |