

# Transport Phenomena

Henrik Smith

and

H. Højgaard Jensen

*H.C. Ørsted Institute,  
University of Copenhagen, Copenhagen*

CLARENDON PRESS • OXFORD

1989

# CONTENTS

<b>List of symbols</b>	<b>ix</b>
<b>List of tables</b>	<b>xiii</b>
<b>1 Gases</b>	<b>1</b>
1.1 The Boltzmann equation	1
1.2 The $H$ -theorem	5
1.3 Conservation laws	8
1.4 Linearization and eigenfunction expansion	10
1.5 Variational principles	15
1.6 The relaxation time approximation	16
1.7 Thermal conductivity and viscosity	19
1.8 Second viscosity	34
1.9 Diffusion	39
1.10 Boundary scattering and fluid slip	45
1.11 Knudsen flow	54
1.12 The Onsager relations	60
1.13 The density matrix method	63
1.14 Sound and spin waves	70
1.15 Dielectric screening	81
<b>2 Normal metals</b>	<b>91</b>
2.1 Electron-impurity scattering	91
2.2 Transport properties of the free electron gas	100
2.3 Electrons in a periodic potential	116
2.4 Magnetoconductivity and band anisotropy	125
2.5 Open orbits and magnetic breakdown	135
2.6 Electron-phonon scattering	140
2.7 Electrical and thermal conductivity	149
2.8 Skin effect and cyclotron resonance	163
2.9 Matthiessen's rule	180
2.10 Electron-electron scattering	185
2.11 Thermopower and phonon drag	197
<b>3 Semiconductors</b>	<b>206</b>
3.1 Transport in homogeneous semiconductors	206
3.2 Scattering processes in semiconductors	221

3.3	Hot electrons	228
3.4	Transport in high magnetic fields	239
<b>4</b>	<b>Insulators</b>	<b>246</b>
4.1	The phonon Boltzmann equation	246
4.2	Thermal conductivity	254
4.3	Second sound	260
<b>5</b>	<b>Superconductors</b>	<b>268</b>
5.1	The quasiparticle Boltzmann equation	268
5.2	Thermal conductivity	279
5.3	Charge imbalance	287
5.4	The matrix kinetic equation	297
5.5	The two-fluid model	305
5.6	Thermoelectricity	312
<b>6</b>	<b>Normal Fermi liquids</b>	<b>319</b>
6.1	Landau theory	319
6.2	Thermal conductivity and viscosity	332
6.3	Sound propagation	340
6.4	Spin dynamics	345
<b>7</b>	<b>Superfluid quantum liquids</b>	<b>354</b>
7.1	Superfluid $^4\text{He}$	354
7.2	Superfluid $^3\text{He}$	364
<b>8</b>	<b>Impure metals</b>	<b>374</b>
8.1	The Keldysh method	374
8.2	Weak localization	387
<b>9</b>	<b>The validity of the Boltzmann equation</b>	<b>403</b>
9.1	Classical gases	404
9.2	Normal metals	404
9.3	Superconductors	407
<b>Appendix A</b>	<b>Second quantization formalism</b>	<b>409</b>
A.1	Second quantization	409
A.2	Bosons	409
A.3	Fermions	412
A.4	Phonon-mediated electron–electron interaction	414
<b>Appendix B</b>	<b>The Boltzmann equation for particle–particle scattering</b>	<b>417</b>
<b>Appendix C</b>	<b>Principal value integration</b>	<b>419</b>
	<b>References</b>	<b>420</b>
	<b>Index</b>	<b>428</b>