

Nikolai M. Plakida

High-Temperature Superconductivity

Experiment and Theory

With 87 Figures



Springer

Contents

| | |
|---|----|
| 1. Introduction | 1 |
| 1.1 The Discovery of High-Temperature Superconductivity | 1 |
| 1.2 A New Class of Oxide Superconductors | 5 |
| 1.3 General Properties of Oxide Superconductors | 6 |
| 2. Crystal Structure | 10 |
| 2.1 The Structure of $\text{Ba}_{1-x}\text{K}_x\text{BiO}_3$ | 10 |
| 2.2 $\text{La}_{1-x}\text{M}_x\text{CuO}_4$ Compounds | 12 |
| 2.2.1 The Structure of $\text{La}_{2-x}\text{M}_x\text{CuO}_{4-y}$ | 14 |
| 2.2.2 A Phenomenological Theory of Structural Phase Transitions in La_2CuO_4 -Based Compounds | 18 |
| 2.3 $\text{Nd}_{2-x}\text{Ce}_x\text{CuO}_4$ Compounds | 21 |
| 2.4 Y–Ba–Cu–O-Based Compounds | 23 |
| 2.4.1 The Structure of $\text{YBa}_2\text{Cu}_3\text{O}_{7-y}$ | 24 |
| 2.4.2 Modifications of the YBCO Structure | 28 |
| 2.5 Bi–Ca–Sr–Cu–O and Tl–Ca–Ba–Cu–O Compounds | 30 |
| 3. Antiferromagnetism in High-Temperature Superconductors | 33 |
| 3.1 Antiferromagnetism in La_2CuO_4 Compounds | 34 |
| 3.1.1 Magnetic Structure | 34 |
| 3.1.2 A Phenomenological Theory of Magnetic Phase Transitions in La_2CuO_4 | 35 |
| 3.1.3 Spin Dynamics in $\text{La}_{2-x}\text{M}_x\text{CuO}_4$ | 37 |
| 3.2 Antiferromagnetism in $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$ Compounds | 43 |
| 3.2.1 The Magnetic Phase Diagram | 43 |
| 3.2.2 Spin Dynamics in $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$ | 45 |
| 3.2.3 Antiferromagnetism of Rare-Earth Ions in $\text{REBa}_2\text{Cu}_3\text{O}_{6+x}$ | 47 |
| 3.3 Spin Dynamics Studied by the NMR Method | 48 |
| 3.3.1 The Knight Shift | 51 |
| 3.3.2 Spin–Lattice Relaxation | 55 |

| | |
|--|-----|
| 4. Thermodynamic Properties of High-Temperature Superconductors | 62 |
| 4.1 The Anisotropic Ginsburg–Landau Model | 62 |
| 4.2 Specific Heat | 67 |
| 4.3 Magnetic Properties | 75 |
| 5. Electronic Properties of High-T_c Superconductors | 84 |
| 5.1 Crystal Chemistry of Oxide Superconductors | 84 |
| 5.2 The Effect of Impurity Substitution | 87 |
| 5.3 Theoretical Electronic Band-Structure Studies | 96 |
| 5.3.1 Electronic Band-Structure Calculations | 97 |
| 5.3.2 Effective Hamiltonians in Models of La ₂ CuO ₄ | 101 |
| 5.4 Experimental Studies of the Electronic Structure | 107 |
| 5.4.1 High-Energy Scale Spectroscopy | 107 |
| 5.4.2 Studies of the Fermi Surface | 114 |
| 5.4.3 Optical Electron Spectroscopy | 118 |
| 5.5 Transport Properties | 127 |
| 5.5.1 Resistivity | 129 |
| 5.5.2 Hall Effect | 132 |
| 5.5.3 Thermopower and Heat Conductivity | 136 |
| 5.6 Superconducting Gap | 140 |
| 5.6.1 Tunneling Experiments | 141 |
| 5.6.2 Other Experiments | 143 |
| 6. Lattice Dynamics and Electron–Phonon Interaction | 145 |
| 6.1 Phonon Spectra – Neutron Scattering | 146 |
| 6.2 Optical Investigations | 151 |
| 6.3 Theoretical Models | 156 |
| 7. Theoretical Models of High-Temperature Superconductivity | 163 |
| 7.1 Quasi-Particles in Models with Strong Correlation | 163 |
| 7.1.1 Model Hamiltonians | 165 |
| 7.1.2 The One-Hole Quasi-Particle Spectrum | 169 |
| 7.1.3 Spin Fluctuation Spectrum | 175 |
| 7.2 Superconductivity in Systems with Strong Correlations | 181 |
| 7.2.1 Unconventional Ground States | 181 |
| 7.2.2 Superconductivity in the <i>t</i> - <i>J</i> Model | 184 |
| 7.2.3 Superconductivity in the <i>p</i> - <i>d</i> Model | 188 |
| 7.3 Antiferromagnetism and Superconductivity | 191 |
| 7.4 Electron–Phonon Mechanism | 194 |
| 7.4.1 Isotope Effect | 194 |
| 7.4.2 Strong Electron–Phonon Coupling | 195 |
| 7.4.3 Anharmonic Model of a Superconductor | 195 |
| 7.4.4 Polarons and Bipolaron Superconductivity | 197 |

| | | |
|----------------------|--|------------|
| 7.4.5 | Weak Coupling in the Quasi-Two-Dimensional Lattice | 199 |
| 7.4.6 | Spin-Fluctuation and Electron-Phonon Interactions | 200 |
| 7.5 | Exciton Models | 202 |
| 7.5.1 | Plasmon Model | 202 |
| 7.5.2 | Jahn-Teller Excitations and the <i>d-d</i> Model | 204 |
| 7.5.3 | Coulomb Interaction in the Multiband Models | 205 |
| 8. | Conclusion | 207 |
| References | | 209 |
| Subject Index | | 225 |