
Diode Lasers and Photonic Integrated Circuits

L. A. COLDREN

S. W. CORZINE

*University of California
Santa Barbara, California*



A WILEY-INTERSCIENCE PUBLICATION

JOHN WILEY & SONS, INC.

NEW YORK / CHICHESTER / BRISBANE / TORONTO / SINGAPORE

Contents

| | |
|--|--------------|
| PREFACE | xvii |
| ACKNOWLEDGEMENTS | xxi |
| LIST OF FUNDAMENTAL CONSTANTS | xxiii |
| | |
| 1 Ingredients | 1 |
| 1.1 Introduction | 1 |
| 1.2 Energy Levels and Bands in Solids | 2 |
| 1.3 Spontaneous and Stimulated Transitions: the Creation of Light | 4 |
| 1.4 Transverse Confinement of Carriers and Photons in Diode Lasers: the Double Heterostructure | 6 |
| 1.5 Semiconductor Materials for Diode Lasers | 9 |
| 1.6 Epitaxial Growth Technology | 13 |
| 1.7 Lateral Confinement of Current, Carriers, and Photons for Practical Lasers | 17 |
| References | 24 |
| Reading List | 25 |
| Problems | 25 |
| | |
| 2 A Phenomenological Approach to Diode Lasers | 28 |
| 2.1 Introduction | 28 |
| 2.2 Carrier Generation and Recombination in Active Regions | 29 |
| 2.3 Spontaneous Photon Generation and LEDs | 32 |
| 2.4 Photon Generation and Loss in Laser Cavities | 34 |
| 2.5 Threshold or Steady-State Gain in Lasers | 37 |
| 2.6 Threshold Current and Power Out vs. Current | 41 |
| 2.6.1 Basic P - I Characteristics | 41 |
| 2.6.2 Relation of Laser Drive Current to Mirror Reflectivity and Cavity Length | 44 |
| | vii |

| | | |
|----------|--|------------|
| 2.7 | Relaxation Resonance and Frequency Response | 48 |
| 2.8 | Characterizing Real Diode Lasers | 52 |
| 2.8.1 | Internal Parameters for In-Plane Lasers: α_i , η_i , and g vs. J | 52 |
| 2.8.2 | Internal Parameters for VCSELs: η_i and g vs. J , α_i , and α_m | 54 |
| 2.8.3 | Efficiency and Heat Flow | 55 |
| 2.8.4 | Temperature Dependence of Drive Current | 57 |
| 2.8.5 | Derivative Analysis | 59 |
| | References | 61 |
| | Reading List | 61 |
| | Problems | 62 |
| 3 | Mirrors and Resonators for Diode Lasers | 65 |
| 3.1 | Introduction | 65 |
| 3.2 | Scattering Theory | 66 |
| 3.3 | S and T Matrices for some Common Elements | 71 |
| 3.3.1 | The Dielectric Interface | 71 |
| 3.3.2 | Transmission Line with no Discontinuities | 72 |
| 3.3.3 | Dielectric Segment and the Fabry–Perot Etalon | 73 |
| 3.3.4 | Fabry–Perot Laser | 77 |
| 3.4 | Three- and Four-Mirror Laser Cavities | 79 |
| 3.4.1 | Three-Mirror Lasers | 79 |
| 3.4.2 | Four-Mirror Lasers | 83 |
| 3.5 | Gratings | 85 |
| 3.5.1 | Introduction | 85 |
| 3.5.2 | Transmission Matrix Theory | 87 |
| 3.5.3 | Effective Mirror Model for Gratings | 93 |
| 3.6 | DBR Lasers | 95 |
| 3.6.1 | Introduction | 95 |
| 3.6.2 | Threshold Gain and Power Out | 97 |
| 3.6.3 | Mode Selection and Tunability | 99 |
| 3.7 | DFB Lasers | 102 |
| 3.8 | Mode Suppression Ratio in Single-Frequency Lasers | 106 |
| | Reading List | 108 |
| | Problems | 108 |
| 4 | Gain and Current Relations | 111 |
| 4.1 | Introduction | 111 |
| 4.2 | Radiative Transitions | 112 |
| 4.2.1 | Basic Definitions and Fundamental Relationships | 112 |

| | | |
|----------|--|------------|
| 4.2.2 | Fundamental Description of the Radiative Transition Rate | 116 |
| 4.2.3 | Transition Matrix Element | 119 |
| 4.2.4 | Reduced Density of States | 123 |
| 4.2.5 | Correspondence with Einstein's Stimulated Rate Constant | 126 |
| 4.3 | Optical Gain | 126 |
| 4.3.1 | General Expression for Gain | 126 |
| 4.3.2 | Lineshape Broadening | 130 |
| 4.3.3 | General Features of the Gain Spectrum | 134 |
| 4.3.4 | Many-Body Effects | 136 |
| 4.4 | Spontaneous Emission | 139 |
| 4.4.1 | Single-Mode Spontaneous Emission Rate | 139 |
| 4.4.2 | Total Spontaneous Emission Rate | 140 |
| 4.4.3 | Spontaneous Emission Factor | 143 |
| 4.5 | Nonradiative Transitions | 144 |
| 4.5.1 | Defect and Impurity Recombination | 144 |
| 4.5.2 | Surface and Interface Recombination | 148 |
| 4.5.3 | Auger Recombination | 153 |
| 4.6 | Active Materials and their Characteristics | 160 |
| 4.6.1 | Strained Materials and Doped Materials | 161 |
| 4.6.2 | Gain Spectra of Common Active Materials | 162 |
| 4.6.3 | Gain vs. Carrier Density | 163 |
| 4.6.4 | Spontaneous Emission Spectra and Current vs. Carrier Density | 169 |
| 4.6.5 | Gain vs. Current Density | 171 |
| 4.6.6 | Experimental Gain Curves | 174 |
| 4.6.7 | Dependence on Well Width, Doping, and Temperature | 174 |
| | References | 178 |
| | Reading List | 179 |
| | Problems | 179 |
| 5 | Dynamic Effects | 185 |
| 5.1 | Introduction | 185 |
| 5.2 | Review of Chapter 2 | 186 |
| 5.2.1 | The Rate Equations | 187 |
| 5.2.2 | Steady-State Solutions | 189 |
| 5.2.3 | Steady-State Multimode Solutions | 193 |
| 5.3 | Differential Analysis of the Rate Equations | 195 |
| 5.3.1 | Small-Signal Frequency Response | 199 |
| 5.3.2 | Small-Signal Transient Response | 204 |
| 5.3.3 | Small-Signal FM Response or Frequency Chirping | 207 |

| | | |
|----------|---|------------|
| 5.4 | Large-Signal Analysis | 213 |
| 5.4.1 | Large-Signal Modulation: Numerical Analysis of the Multimode Rate Equations | 214 |
| 5.4.2 | Turn-On Delay | 217 |
| 5.4.3 | Large-Signal Frequency Chirping | 220 |
| 5.5 | Relative Intensity Noise and Linewidth | 221 |
| 5.5.1 | General Definition of RIN and the Spectral Density Function | 221 |
| 5.5.2 | The Schawlow–Townes Linewidth | 225 |
| 5.5.3 | The Langevin Approach | 227 |
| 5.5.4 | Langevin Noise Spectral Densities and RIN | 229 |
| 5.5.5 | Frequency Noise | 235 |
| 5.5.6 | Linewidth | 236 |
| 5.6 | Carrier Transport Effects | 241 |
| 5.7 | Feedback Effects | 246 |
| 5.7.1 | Static Characteristics | 246 |
| 5.7.2 | Dynamic Characteristics and Linewidth | 252 |
| | References | 257 |
| | Reading List | 258 |
| | Problems | 259 |
| 6 | Perturbation and Coupled-Mode Theory | 262 |
| 6.1 | Introduction | 262 |
| 6.2 | Perturbation Theory | 263 |
| 6.2.1 | Uniform Dielectric Perturbations | 263 |
| 6.2.2 | Quantum-Well Laser Modal Gain and Index Perturbation: an Example | 265 |
| 6.3 | Coupled-Mode Theory: Two-Mode Coupling | 266 |
| 6.3.1 | Contradirectional Coupling: Gratings | 266 |
| 6.3.2 | DFB Lasers | 277 |
| 6.3.3 | Codirectional Coupling: Directional Couplers | 282 |
| 6.3.4 | The Four-Port Directional Coupler | 287 |
| 6.3.5 | Codirectional Coupler Filters and Electro-optic Switches | 290 |
| 6.4 | Modal Excitation | 296 |
| 6.5 | Conclusions | 298 |
| | References | 299 |
| | Reading List | 299 |
| | Problems | 300 |
| 7 | Dielectric Waveguides | 302 |
| 7.1 | Introduction | 302 |
| 7.2 | Plane Waves Incident on a Planar Dielectric Boundary | 303 |

| | |
|--|------------|
| 7.3 Dielectric Waveguide Analysis Techniques | 306 |
| 7.3.1 Standing Wave Technique | 306 |
| 7.3.2 Transverse Resonance | 309 |
| 7.3.3 Cutoff and “Leaky” or “Quasi Modes” | 310 |
| 7.3.4 Radiation Modes | 312 |
| 7.3.5 Multilayer Waveguides | 314 |
| 7.3.6 WKB Method for Arbitrary Waveguide Profiles | 315 |
| 7.3.7 Review of Effective Index Technique for Channel Waveguides | 322 |
| 7.3.8 Numerical Solutions to the Wave Equation | 325 |
| 7.4 Guided-Mode Power and Effective Width | 327 |
| 7.5 Radiation Losses for Nominally Guided Modes | 331 |
| References | 338 |
| Reading List | 338 |
| Problems | 338 |
| | |
| 8 Photonic Integrated Circuits | 342 |
| 8.1 Introduction | 342 |
| 8.2 Tunable Lasers and Laser-Modulators with In-Line Grating Reflectors | 343 |
| 8.2.1 Two- and Three-Section DBR Lasers | 343 |
| 8.2.2 Two-Section Example Problem | 347 |
| 8.2.3 Extended Tuning Range Four-Section DBR | 350 |
| 8.2.4 Laser-Modulator or Amplifier | 353 |
| 8.2.5 Laser-Modulator Example Problem | 362 |
| 8.3 PICs using Directional Couplers for Output Coupling and Signal Combining | 366 |
| 8.3.1 Ring Laser with a Directional Coupler Output Tap | 367 |
| 8.3.2 Integrated Heterodyne Receiver | 370 |
| 8.4 PICs using Codirectionally Coupled Filters | 374 |
| 8.4.1 The Grating-Assisted Codirectionally Coupled Filter and Related Devices | 376 |
| 8.5 Numerical Techniques for Analyzing PICs | 380 |
| 8.5.1 Introduction | 380 |
| 8.5.2 Implicit Finite-Difference Beam-Propagation Method | 382 |
| 8.5.3 Calculation of Propagation Constants in a z-invariant Waveguide from a Beam Propagation Solution | 385 |
| 8.5.4 Calculation of Eigenmode Profile from a Beam Propagation Solution | 387 |
| References | 387 |
| Reading List | 388 |
| Problems | 388 |

APPENDICES

| | | |
|----------|---|------------|
| 1 | Review of Elementary Solid-State Physics | 392 |
| A1.1 | A Quantum Mechanics Primer | 392 |
| A1.1.1 | Introduction | 392 |
| A1.1.2 | Potential Wells and Bound Electrons | 393 |
| A1.2 | Elements of Solid-State Physics | 399 |
| A1.2.1 | Electrons in Crystals and Energy Bands | 399 |
| A1.2.2 | Effective Mass | 403 |
| A1.2.3 | Density of States using a Free-Electron (Effective Mass) Theory | 405 |
| | References | 411 |
| | Reading List | 411 |
| 2 | Relationships between Fermi Energy and Carrier Density and Leakage | 412 |
| A2.1 | General Relationships | 412 |
| A2.2 | Approximations for Bulk Materials | 415 |
| A2.3 | Carrier Leakage over Heterobarriers | 421 |
| A2.4 | Internal Quantum Efficiency | 425 |
| | References | 427 |
| | Reading List | 427 |
| 3 | Introduction to Optical Waveguiding in Simple Double-Heterostructures | 428 |
| A3.1 | Introduction | 428 |
| A3.2 | Three-Layer Slab Dielectric Waveguide | 429 |
| A3.2.1 | Symmetric Slab Case | 430 |
| A3.2.2 | General Asymmetric Slab Case | 431 |
| A3.2.3 | Transverse Confinement Factor, Γ_x | 432 |
| A3.3 | Effective Index Technique for Two-Dimensional Waveguides | 433 |
| A3.4 | Far Fields | 438 |
| | Reference | 440 |
| | Reading List | 440 |
| 4 | Density of Optical Modes, Blackbody Radiation, and Spontaneous Emission Factor | 441 |
| A4.1 | Optical Cavity Modes | 441 |
| A4.2 | Blackbody Radiation | 443 |
| A4.3 | Spontaneous Emission Factor, β_{sp} | 444 |
| | Reading List | 445 |

| | | |
|----------|--|------------|
| 5 | Modal Gain, Modal Loss, and Confinement Factors | 446 |
| | A5.1 Introduction | 446 |
| | A5.2 Classical Definition of Modal Gain | 447 |
| | A5.3 Modal Gain and Confinement Factors | 449 |
| | A5.4 Internal Modal Loss | 451 |
| | A5.5 More Exact Analysis of the Active/Passive Section Cavity | 452 |
| | A5.5.1 Axial Confinement Factor | 453 |
| | A5.5.2 Threshold Condition and Differential Efficiency | 455 |
| | A5.6 Effects of Dispersion on Modal Gain | 457 |
| | | |
| 6 | Einstein's Approach to Gain and Spontaneous Emission | 459 |
| | A6.1 Introduction | 459 |
| | A6.2 Einstein <i>A</i> and <i>B</i> Coefficients | 462 |
| | A6.3 Thermal Equilibrium | 464 |
| | A6.4 Calculation of Gain | 465 |
| | A6.5 Calculation of Spontaneous Emission Rate | 469 |
| | Reading List | 472 |
| | | |
| 7 | Periodic Structures and the Transmission Matrix | 473 |
| | A7.1 Introduction | 473 |
| | A7.2 Eigenvalues and Eigenvectors | 473 |
| | A7.3 Application to Dielectric Stacks at the Bragg Condition | 475 |
| | A7.4 Application to Dielectric Stacks away from the Bragg Condition | 477 |
| | A7.5 Correspondence with Approximate Techniques | 481 |
| | A7.5.1 Fourier Limit | 481 |
| | A7.5.2 Coupled-Mode Limit | 482 |
| | A7.6 Generalized Reflectivity at the Bragg Condition | 484 |
| | Reading List | 485 |
| | Problems | 486 |
| | | |
| 8 | Electronic States in Semiconductors | 488 |
| | A8.1 Introduction | 488 |
| | A8.2 General Description of Electronic States | 488 |
| | A8.3 Bloch Functions and the Momentum Matrix Element | 490 |
| | A8.4 Band Structure in Quantum Wells | 494 |
| | A8.4.1 Conduction Band | 494 |
| | A8.4.2 Valance Band | 495 |
| | A8.4.3 Strained Quantum Wells | 502 |
| | References | 507 |
| | Reading List | 507 |

| | |
|---|------------|
| 9 Fermi's Golden Rule | 508 |
| A9.1 Introduction | 508 |
| A9.2 Semiclassical Derivation of the Transition Rate | 508 |
| A9.2.1 Case I: the Matrix Element-Density of Final States Product is a Constant | 511 |
| A9.2.2 Case II: the Matrix Element-Density of Final States Product is a Delta Function | 514 |
| A9.2.3 Case III: the Matrix Element-Density of Final States Product is a Lorentzian | 515 |
| Reading List | 516 |
| Problems | 516 |
| | |
| 10 Transition Matrix Element | 518 |
| A10.1 General Derivation | 518 |
| A10.2 Polarization-Dependent Effects | 521 |
| A10.3 Inclusion of Envelope Functions in Quantum Wells Reading List | 524 526 |
| | |
| 11 Strained Bandgaps | 527 |
| A11.1 General Definitions of Stress and Strain | 527 |
| A11.2 Relationship between Strain and Bandgap | 530 |
| A11.3 Relationship between Strain and Band Structure References | 535 536 |
| | |
| 12 Threshold Energy for Auger Processes | 537 |
| A12.1 CCCH Process | 537 |
| A12.2 CHHS and CHHL Processes | 538 |
| | |
| 13 Langevin Noise | 540 |
| A13.1 Properties of Langevin Noise Sources | 540 |
| A13.1.1 Correlation Functions and Spectral Densities | 540 |
| A13.1.2 Evaluation of Langevin Noise Correlation Strengths | 542 |
| A13.2 Specific Langevin Noise Correlations | 544 |
| A13.2.1 Photon Density and Carrier Density Langevin Noise Correlations | 544 |
| A13.2.2 Photon Density and Output Power Langevin Noise Correlations | 545 |
| A13.2.3 Photon Density and Phase Langevin Noise Correlations | 547 |

