Metropolitan Area Networks

With 161 Figures



Contents

Pref	face			i	
1	INTRODUCTION				
	1.1	Capac	ity	2	
	1.2	From	LANs to MANs	5	
	1.3	Fairne	SS	12	
	1.4	User-o	oriented Performance Figures	13	
	1.5	Model	ing of a MAN Environment	17	
	1.6	Outlin	e of Contents	19	
2	STO	CHAS	TIC PROCESSES FOR MODELING METROPOLI-		
	TAN	I AREA	NETWORKS: BASIC RESULTS	21	
	2.1	Queue	ing Models for MAN Modeling	22	
		2.1.1	Single-queue Models	22	
		2.1.2	Single-queue Models with Server Vacations	27	
		2.1.3	Polling Models	29	
	2.2	System	n Properties	32	
		2.2.1	Little Theorem	32	
		2.2.2	Relationships between Arrival and Departure Distributions	34	
		2.2.3	Relationships between Arrival and Steady-state Distributions	36	
	2.3	Some	Results on Renewal and Regenerative Processes	40	
	2.4	Work	Conservation Laws	50	
	2.5	Stocha	astic Decomposition Laws	55	
		2.5.1	Stochastic Decomposition Laws for Single-queue Models	55	
		2.5.2	From the Decomposition Law to the Average Response Time	:60	
		2.5.3	Stochastic Decomposition Laws for Polling Models	64	
	2.6	Pseudo	o-conservation Laws	67	
		2.6.1	Exhaustive Service Discipline	69	
		2.6.2	Gated Service Discipline	69	
		2.6.3	1-limited Service Discipline	70	
		2.6.4	<i>l</i> -limited Service Disciplines	71	

3	MET MOI	HODS FOR THE ANALYSIS OF NODE-IN-ISOLATION ELS			
	3.1	<i>M/G/</i> 1 Systems			
		3.1.1 Infinite Buffer Systems			
		3.1.2 Finite Buffer Systems			
	3.2	<i>M/G/</i> 1 Systems with Vacation			
		3.2.1 Queue with Vacation and E-limited Service Discipline			
		3.2.2 Queue with Vacation and E-limited Service Disciplines			
	3.3	M/G/1-type Models			
		3.3.1 Solution Method			
		3.3.2 Implementing the Solution Method			
		3.3.3 Special Cases			
		3.3.4 Case Study: Analysis of a Packet-switching Node 116			
	3.4	Application of Node-in-isolation Models: Worst-case Analysis			
		3.4.1 Accuracy of the Worst-case Model Approach			
		3.4.2 E-limited Service Discipline			
		3.4.3 G-limited Service Discipline			
4	METHODS FOR THE ANALYSIS OF NETWORK-WIDE				
	MOL	ELS: POLLING MODELS 135			
	4.1	From Pseudo-conservation Laws to Waiting Time Analysis			
		4.1.1 Cycle Length Analysis: 1-limited Polling System			
		4.1.2 Cycle Length Analysis: <i>l</i> -limited Polling System			
		4.1.3 Waiting Time Analysis for I-limited Polling Systems			
		4.1.4 Waiting Time Analysis for Polling Systems with Mixed			
		Polling Strategies			
		4.1.5 Waiting Time Analysis for <i>t</i> -limited Polling Systems			
	4.2	Numerical Methods			
		4.2.1 Analysis of Finite Capacity Systems			
		4.2.2 Power Series Algorithm			
	4.3	For Further Study 182			
		4.3.1 Cycle Length Analysis: Convergence of the Iterative			
		Procedure			
		4.3.2 1-limited Polling System: Details of the Computation			
		4.3.3 <i>l</i> -limited Polling System: Details of the Computation			
		4.3.4 Two-Moment Approximation of a Distribution			
5	FIBER-DISTRIBUTED DATA INTERFACE (FDDI) 201				
	5.1	Introduction			
	5.2	FDDI Layers and Services			
	5.3	MAC Protocol			
	2.0	5.3.1 Token Structure			
		5.3.2 Frame Structure			
		5.3.3 FDDI Token Passing Mechanism			
		5.3.4 FDDI Timed Token Protocol			
		5.3.5 Additional FDDI Features			

		5.3.6 Claim Token Process	225
		5.3.7 Beacon Process	226
		5.3.8 Examples of Parameter Calculations	227
	5.4	FDDI MAC Protocol Capacity	229
	5.5	FDDI Cycle Properties	240
		5.5.1 Maximum Cycle Length	241
		5.5.2 Average Cycle Length	242
	5.6	Remarks on the IEEE 802.4 Token Bus Protocol	243
	5.7	Current Use of FDDI	244
6	FDD	I MODELS	. 245
	6.1	Introduction	245
	6.2	Network-wide Models	248
		6.2.1 Single-buffer Model with Synchronous and Asynchronous	250
		6.2.2 An EDDI Model with Zero Switchover Time (Model 2)	250
		6.2.2 An FDDI Network with Synchronous Traffic (Model 3)	265
		6.2.5 An FDDI Network with Synchronous Traffic (Model 3)	
	63	Station-in-isolation Models	276
	0.5	6.3.1 M/G/1 with Vacation and Exhaustive Limited with Limit	
		Variation Service Discipline (Model 5)	278
		6.3.2 Worst Case Model for Synchronous Traffic (Model 6)	284
		6.3.3 M/G/1 with Vacation and Vacation-dependent Time-limited	
		Service Discipline (Model 7)	290
		6.3.4 M/G/1 with Vacations and Time-controlled Service Disciplin	ne
		with and without Accumulated Delay (Model 8)	298
	6.4	Model 4: Details of the Computation	303
_			
7	DIST	TRIBUTED QUEUE DUAL BUS (DQDB)	. 309
	7.1	Functional Architecture of a Node	310
	7.2	Connectionless Data Service	316
		7.2.1 MAC Convergence Function	316
		7.2.2 DQDB MAC Protocol	317
		7.2.3 DQDB MAC Protocol with Priorities	324
	7.3	DQDB Performance and Fairness	326
		7.3.1 Underload Analysis	328
		7.3.2 Asymptotic Analysis	333
	7.4	The Bandwidth Balancing Mechanism	337
		7.4.1 Performance of DQDB with one Level of Priority and the BWB Mechanism	338
		7.4.2 Performance of DODB with Several Levels of Priority	
		and the BWB Mechanism	343
	75	DODB MAC Protocol Canacity	345
	7.6	Current Use of DODB	347
	7.0	7.6.1 The Tuscany MAN Testbed	
		rior recently milling to be a million of the second s	

8	DQDB MODELS			
	8.1	Introduction	51	
	8.2	Network-wide Models	53	
		8.2.1 Node-spaced Models	53	
		8.2.2 Node-concentrated Models 3	56	
	8.3	Node-in-isolation Models	62	
		8.3.1 L_NET Modeling	65	
		8.3.2 Tagged Node Models 3	76	
9	EVOLUTION TOWARDS GIGABIT RATES 393			
	9.1	Shared Medium Gigabit Networks	93	
		9.1.1 Cyclic Reservation Multiple Access (CRMA) 3	93	
		9.1.2 MetaRing MAC Protocol 3	97	
	9.2	ATM-based Gigabit Networks	01	
		9.2.1 ATM LAN	04	
Biblio	graphy	y 4	.09	
Acron	yms		23	
Gloss	ary of I	Notation 4	25	
Subjec	ct Inde.	<i>x</i>	29	