

What Every Engineer Should Know About

Threaded Fasteners

Materials and Design

Alexander Blake

Lawrence Livermore National Laboratory
University of California
Livermore, California

MARCEL DEKKER, INC.

New York and Basel

Contents

| | |
|---|------------|
| <i>Preface</i> | <i>iii</i> |
| <i>About the Author</i> | <i>ix</i> |
| 1. Introduction | 1 |
| 2. Definitions of Screw Threads | 7 |
| 3. Thread Forms | 13 |
| 4. Comparison of Thread Series | 19 |
| 5. Classes and Grades of Thread Fit | 23 |
| 6. Effect of Thread Fit on Performance | 27 |
| 7. Criteria of Strength and Fracture | 31 |
| 8. Selection of Materials | 41 |
| 9. Practical Strength Limits | 43 |
| 10. Materials for Corrosive Environment | 47 |
| 11. Materials for High Temperatures | 49 |

| | |
|---|-----|
| 12. Low Temperature Materials | 51 |
| 13. Mechanical Properties of Fasteners | 53 |
| 14. Strength of Internal Threads | 59 |
| 15. Carbon Steel Fasteners | 61 |
| 16. Effects of Alloying Elements | 65 |
| 17. Fastener Grades | 67 |
| 18. Design Features of Nuts | 79 |
| 19. Grades of Nut Strength | 83 |
| 20. Overtapping and Identity of Grades | 93 |
| 21. Guidelines to Bolt and Nut Selection | 97 |
| 22. Stainless Steel Fasteners | 101 |
| 23. Advantages and Limitations of Austenitic Stainless Steels | 105 |
| 24. Use of Ferritic Stainless Steels | 113 |
| 25. Use of Martensitic and Precipitation Hardening Stainless Steels | 115 |
| 26. Applications of Copper Base Alloys | 117 |
| 27. Special Features of Aluminum Alloys | 123 |
| 28. Nickel Based Alloys | 129 |
| 29. Titanium Alloys | 133 |
| 30. Super Alloys | 135 |
| 31. Fasteners of Nonmetallic Materials | 139 |
| 32. Behavior of Fasteners | 141 |
| 33. Stresses in Fasteners | 147 |
| 34. Formulas for Torque and Preload | 153 |
| 35. Working Load Criteria | 159 |
| 36. Spring Constants | 163 |
| 37. Prying and Joint Separation | 169 |
| 38. Design Calculations | 173 |

| | |
|--|------------|
| Contents | vii |
| 39. Comments on Quality Control of Fasteners | 185 |
| 40. Basic Units | 191 |
| <i>Index</i> | <i>195</i> |