

Helium Three

E. R. DOBBS

Emeritus Professor of Physics, University of London
Visiting Professor of Physics, University of Sussex

OXFORD
UNIVERSITY PRESS

CONTENTS

| | |
|---|------|
| <i>List of symbols</i> | xvii |
| 1 Introduction | 1 |
| 1.1 Quantum solids and liquids | 1 |
| 1.2 Fermi gas and liquid | 5 |
| 1.3 Superfluid | 9 |
| 1.4 Magnetic solid | 11 |
| PART I: LIQUID HELIUM 3 | 15 |
| 2 Fermi gas | 17 |
| 2.1 The perfect Fermi gas | 17 |
| 2.2 The equation of state | 22 |
| 2.3 Thermal properties | 24 |
| 2.4 Transport properties | 28 |
| 2.5 Magnetic properties | 31 |
| 2.6 Acoustical properties | 35 |
| 3 Fermi liquid in equilibrium | 38 |
| 3.1 Landau's theory | 38 |
| 3.2 Landau parameters | 40 |
| 3.3 Equilibrium properties | 44 |
| 4 Transport properties | 55 |
| 4.1 Theoretical | 55 |
| 4.2 Thermal conductivity | 62 |
| 4.3 Viscosity | 65 |
| 4.4 Spin diffusion | 73 |
| 4.5 Spin-lattice relaxation time, T_1 | 78 |
| 5 Collective modes | 82 |
| 5.1 Landau theory | 82 |
| 5.2 Longitudinal sound and zero sound | 86 |
| 5.3 Transverse sound and zero sound | 96 |
| 5.4 Landau parameter, F_2^s | 103 |
| 5.5 Spin zero-sound modes | 105 |
| 6 Motion of particles | 106 |
| 6.1 Motion of ions | 106 |
| 6.2 Negative ion | 111 |
| 6.3 Positive ion | 113 |

| | | |
|---|---|------------|
| 6.4 | Neutron scattering | 116 |
| 6.5 | Scattering by photons | 128 |
| 7 | Further theories | 133 |
| 7.1 | Ground-state theories | 133 |
| 7.2 | Elementary excitation theories | 142 |
| 7.3 | Model theories | 146 |
| 8 | Surfaces and interfaces | 153 |
| 8.1 | Restricted geometry | 153 |
| 8.2 | Surface tension | 161 |
| 8.3 | Nucleation | 165 |
| 8.4 | Thermal boundary resistance | 169 |
| 8.5 | Wetting transitions | 171 |
| 8.6 | Thin films | 173 |
| 9 | Spin-polarized liquid | 176 |
| 9.1 | Introduction | 176 |
| 9.2 | Theories | 178 |
| 9.3 | Polarization methods | 183 |
| 9.4 | Measurements on polarized liquid | 188 |
| PART II: MIXTURES OF ^3He AND ^4He | | 205 |
| 10 | Basic properties | 207 |
| 10.1 | Introduction | 207 |
| 10.2 | Effective quasiparticle interaction | 214 |
| 10.3 | Molar volumes and the phase diagram | 217 |
| 10.4 | Chemical potential and osmotic pressure | 222 |
| 10.5 | Propagation of sound | 226 |
| 10.6 | Quasiparticle energy spectrum and interaction | 229 |
| 10.7 | Microscopic theory | 233 |
| 10.8 | Heat capacity and effective mass | 243 |
| 10.9 | Magnetic susceptibility | 249 |
| 10.10 | Phase separation and solubility | 251 |
| 11 | Acoustic and temperature waves | 253 |
| 11.1 | First sound | 253 |
| 11.2 | Velocity of second sound | 259 |
| 11.3 | Attenuation of second sound | 263 |
| 11.4 | Oscillating superleak transducers | 267 |
| 11.5 | Brillouin scattering | 270 |
| 12 | Transport properties | 275 |
| 12.1 | Theoretical | 275 |
| 12.2 | Viscosity measurements | 282 |
| 12.3 | Thermal measurements | 295 |

| | | |
|-----------|--|-----|
| 12.4 | Diffusion | 307 |
| 12.5 | Lambda line behaviour | 311 |
| 13 | Neutron and photon scattering | 312 |
| 13.1 | Excitation spectrum | 312 |
| 13.2 | Structure properties | 318 |
| 13.3 | Kinetic energy and condensate fraction | 324 |
| 14 | Theory of spin-polarized solutions | 328 |
| 14.1 | Polarized Fermi gas | 328 |
| 14.2 | Model theories | 330 |
| 14.3 | Equilibrium properties | 332 |
| 14.4 | Transport properties | 332 |
| 14.5 | Spin dynamics | 334 |
| 15 | Properties of spin-polarized solutions | 340 |
| 15.1 | Second sound | 340 |
| 15.2 | Viscosity | 341 |
| 15.3 | Spin dynamics of dilute solutions | 345 |
| 15.4 | Spin dynamics of denser solutions | 353 |
| 15.5 | Multiple spin echoes | 357 |
| 15.6 | Domain structure | 360 |
| 15.7 | Methods for high polarization | 362 |
| 16 | Low-dimensional structures | 372 |
| 16.1 | Two-dimensional Fermi fluid | 372 |
| 16.2 | Substrate structures | 375 |
| 16.3 | Heat capacity of mixture films | 377 |
| 16.4 | Third sound | 383 |
| 16.5 | Nuclear magnetic resonance | 392 |
| 16.6 | Surface superfluidity | 405 |
| 17 | Interfaces | 410 |
| 17.1 | Interfacial tension | 410 |
| 17.2 | Aerogel effects | 411 |
| 17.3 | Wetting and non-wetting | 417 |
| 17.4 | Nucleation | 425 |
| 18 | Solutions of ^4He in ^3He | 434 |
| 18.1 | Introduction | 434 |
| 18.2 | Basic properties | 435 |
| 18.3 | Recent developments | 437 |
| 19 | Search for superfluidity in mixtures | 448 |
| 19.1 | Theoretical | 448 |
| 19.2 | Experimental | 454 |
| 19.3 | Conclusion | 460 |

| | | |
|--------------------------------------|---|-----|
| PART III: SUPERFLUID HELIUM 3 | | 461 |
| 20 | Basic properties | 463 |
| | 20.1 Thermal properties | 463 |
| | 20.2 Magnetic properties | 468 |
| | 20.3 Superfluidity | 472 |
| | 20.4 Acoustical properties | 473 |
| | 20.5 Rotating superfluid | 476 |
| 21 | BCS superfluids | 481 |
| | 21.1 BCS theory of superfluidity | 481 |
| | 21.2 Ginzburg–Landau theory | 488 |
| | 21.3 Extended BCS theory | 490 |
| | 21.4 Triplet states | 497 |
| | 21.5 Multiple states | 502 |
| | 21.6 The A and B phases | 506 |
| 22 | Multiple phases | 509 |
| | 22.1 Magnetic phase diagram | 509 |
| | 22.2 A_1 and A_2 phases | 516 |
| | 22.3 Strong coupling effects | 521 |
| 23 | Superfluidity | 533 |
| | 23.1 Quantized circulation in the B phase | 533 |
| | 23.2 Landau's criterion in the B phase | 536 |
| | 23.3 Supercurrents in the B phase | 539 |
| | 23.4 Critical velocities in the B phase | 542 |
| | 23.5 Critical currents in the B phase | 544 |
| | 23.6 Textures in the A phase | 549 |
| | 23.7 Flow experiments in the A phase | 556 |
| | 23.8 Supercurrents in the A phase | 563 |
| | 23.9 Critical currents in the A phase | 563 |
| 24 | Magnetic resonance properties | 567 |
| | 24.1 Orientational effects | 567 |
| | 24.2 Non-linear effects | 571 |
| | 24.3 Textural effects in the A phase | 576 |
| | 24.4 Textural effects in the B phase | 580 |
| | 24.5 Spin waves | 586 |
| | 24.6 Spin relaxation | 592 |
| | 24.7 Spin supercurrents | 600 |
| 25 | Collective modes | 613 |
| | 25.1 Classification of resonances | 613 |
| | 25.2 B phase spectroscopy | 624 |
| | 25.3 A phase spectroscopy | 643 |

| | |
|---|------------|
| 26 Hydrodynamics | 650 |
| 26.1 Superfluid density | 650 |
| 26.2 Viscosity | 654 |
| 26.3 Thermal conductivity | 661 |
| 26.4 Spin diffusion | 661 |
| 26.5 Motion of ions | 664 |
| 27 Surfaces and interfaces | 670 |
| 27.1 Boundary scattering | 670 |
| 27.2 Quasiparticle dynamics | 677 |
| 27.3 Josephson effect | 686 |
| 27.4 Aerogel effects | 693 |
| 27.5 Thin films | 699 |
| 27.6 AB interface | 705 |
| 28 Rotating superfluid | 716 |
| 28.1 Vortices | 716 |
| 28.2 B phase in rotation | 720 |
| 28.3 A phase in rotation | 737 |
| 28.4 Cosmology | 750 |
| PART IV: SOLID HELIUM 3 | 755 |
| 29 Quantum crystal | 757 |
| 29.1 Phase diagram | 757 |
| 29.2 Thermal properties | 765 |
| 29.3 Solid ^3He - ^4He mixtures | 781 |
| 30 Lattice dynamics | 790 |
| 30.1 Interatomic potentials | 790 |
| 30.2 Theories of solid helium | 795 |
| 30.3 Ground-state properties | 802 |
| 30.4 Elastic and thermal properties | 809 |
| 30.5 Phonon spectra | 813 |
| 31 Paramagnetism | 822 |
| 32 Antiferromagnetism in the b.c.c. phase | 832 |
| 32.1 Discovery | 832 |
| 32.2 Low-field phase | 837 |
| 32.3 Multiple phases | 845 |
| 32.4 Multiple exchange model | 854 |
| 33 Ferromagnetism in the h.c.p. phase | 864 |
| 34 Crystal shapes and defects | 873 |
| 34.1 Crystal growth | 873 |
| 34.2 Vacancies | 894 |

| | | |
|-----------|-----------------------------------|------|
| 34.3 | Spin polarons and magnons | 902 |
| 34.4 | Dislocations | 911 |
| 35 | Low-dimensional structures | |
| 35.1 | Phase diagram | 917 |
| 35.2 | First layer | 929 |
| 35.3 | Second layer | 938 |
| 35.4 | Multilayers | 957 |
| 35.5 | Conclusion | 965 |
| | <i>References</i> | 970 |
| | <i>Author index</i> | 1017 |
| | <i>Subject index</i> | 1044 |
| | <i>List of tables</i> | 1058 |