



INTERNATIONAL TELECOMMUNICATION UNION

CCITT

THE INTERNATIONAL
TELEGRAPH AND TELEPHONE
CONSULTATIVE COMMITTEE

BLUE BOOK

VOLUME VI – FASCICLE VI.2

SPECIFICATIONS OF SIGNALLING SYSTEMS Nos. 4 AND 5


RECOMMENDATIONS Q.120-Q.180



IXTH PLENARY ASSEMBLY
MELBOURNE, 14-25 NOVEMBER 1988

Geneva 1989

ISBN 92-61-03461-6



CONTENTS OF FASCICLE VI.2 OF THE BLUE BOOK

Part I – Series Q Recommendations

Specifications of Signalling System No. 4

| Rec. No. | | Page |
|----------|---|------|
| Q.120 | Definition and function of signals | 3 |
| Q.121 | Signal code | 9 |
| Q.122 | Signal sender and signal receiver | 15 |
| Q.123 | Signal receiver | 15 |
| Q.124 | Splitting arrangements | 19 |
| Q.125 | Speed of switching in international exchanges | 20 |
| Q.126 | Analysis and transfer of digital information | 20 |
| Q.127 | Release of registers | 20 |
| Q.128 | Switching to speech position | 22 |
| Q.129 | Maximum duration of a blocking signal | 22 |
| Q.130 | Special arrangements in case of failures in the sequence of signals | 23 |
| Q.131 | Abnormal release conditions of the outgoing register causing release of the international circuit | 23 |
| Q.133 | Numbering for access to automatic measuring and testing devices | 25 |
| Q.134 | Routine testing of equipment (local maintenance) | 25 |
| Q.135 | Principles of rapid transmission testing equipment | 26 |
| Q.136 | Loop transmission measurements | 26 |
| Q.137 | Automatic testing equipment | 27 |
| Q.138 | Instruments for checking equipment and measuring signals | 28 |
| Q.139 | Manual testing | 29 |

Part II – Series Q Recommendations

Specifications of Signalling System No. 5

| | | |
|-------|---|----|
| Q.140 | Definition and function of signals | 51 |
| Q.141 | Signal code for line signalling | 55 |
| Q.142 | Double seizing with both-way operation | 59 |
| Q.143 | Line signal sender | 60 |
| Q.144 | Line signal receiver | 60 |
| Q.145 | Splitting arrangements | 62 |
| Q.146 | Speed of switching in international exchanges | 63 |

| | | |
|-------|---|----|
| Q.151 | Signal code for register signalling | 65 |
| Q.152 | End-of-Pulsing conditions — Register arrangements concerning ST (end-of-pulsing) signal | 66 |
| Q.153 | Multifrequency signal sender | 67 |
| Q.154 | Multifrequency signal receiver | 67 |
| Q.155 | Analysis of digital information for routing | 68 |
| Q.156 | Release of international registers | 68 |
| Q.157 | Switching to the speech position | 69 |
| Q.161 | General arrangements for manual testing | 71 |
| Q.162 | Routine testing of equipment (local maintenance). | 71 |
| Q.163 | Manual testing | 72 |
| Q.164 | Testing equipment for checking equipment and signals | 74 |

Part III — Series Q Recommendations

Interworking of Signalling Systems No. 4 and No. 5

| Rec. No. | | Page |
|----------|--|------|
| Q.180 | Interworking of signalling systems No. 4 and No. 5 | 95 |

REMARKS

1 The Questions entrusted to each Study Group for the Study Period 1989-1992 can be found in Contribution No. 1 to the Study Group.

2 The strict observance of the specifications for standardized international signalling and switching equipment is of the utmost importance in the manufacture and operation of the equipment. Hence these specifications are obligatory except where it is explicitly stipulated to the contrary.

The values given in Fascicles VI.1 to VI.14 are imperative and must be met under normal service conditions.

3 For reasons of economy, the Recommendations in this Fascicle have been reproduced without modification from the text of the *Green Book*, with the exception of Recommendations Q.126, Q.155 and Q.161 which have been deleted and Recommendations Q.141 and Q.180 which have been slightly modified. Therefore, when reference is made to Recommendations not contained in this Fascicle, the *Green Book* or later CCITT Books should be consulted.

CCITT NOTE

In this Fascicle, the expression "Administration" is used for shortness to indicate both a telecommunication Administration and a recognized private operating agency.