



INTERNATIONAL TELECOMMUNICATION UNION

CCITT

THE INTERNATIONAL
TELEGRAPH AND TELEPHONE
CONSULTATIVE COMMITTEE

ISO

INTERNATIONAL
ORGANIZATION FOR
STANDARDIZATION

IEC

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

BLUE BOOK

VOLUME X – FASCICLE X.6

UNIVERSITÄTSBIBLIOTHEK
HANNOVER
TECHNISCHE
INFORMATIONSBIBLIOTHEK

CCITT HIGH LEVEL LANGUAGE (CHILL)

RECOMMENDATION Z.200

**INTERNATIONAL STANDARD
ISO/IEC 9496**



IXTH PLENARY ASSEMBLY
MELBOURNE, 14-25 NOVEMBER 1988



Reference number
ISO/IEC 9496: 1989 (E)

Geneva 1989

ISBN 92-61-03801-8

UB/TIB Hannover 89
115 598 553



CCITT HIGH LEVEL LANGUAGE (CHILL)

(Geneva 1988)

CONTENTS

1	Introduction	1
1.1	General	1
1.2	Language survey	1
1.3	Modes and classes	2
1.4	Locations and their accesses	2
1.5	Values and their operations	3
1.6	Actions	3
1.7	Input and output	3
1.8	Exception handling	4
1.9	Time supervision	4
1.10	Program structure	4
1.11	Concurrent execution	5
1.12	General semantic properties	5
1.13	Implementation options	5
2	Preliminaries	7
2.1	The metalanguage	7
2.1.1	The context-free syntax description	7
2.1.2	The semantic description	7
2.1.3	The examples	8
2.1.4	The binding rules in the metalanguage	8
2.2	Vocabulary	8
2.3	The use of spaces	9
2.4	Comments	9
2.5	Format effectors	9
2.6	Compiler directives	10
2.7	Names and their defining occurrences	10
3	Modes and classes	12
3.1	General	12
3.1.1	Modes	12
3.1.2	Classes	12
3.1.3	Properties of, and relations between, modes and classes	12
3.2	Mode definitions	13
3.2.1	General	13
3.2.2	Synmode definitions	14
3.2.3	Newmode definitions	14
3.3	Mode classification	15
3.4	Discrete modes	16
3.4.1	General	16
3.4.2	Integer modes	16
3.4.3	Boolean modes	17
3.4.4	Character modes	17
3.4.5	Set modes	18
3.4.6	Range modes	19
3.5	Powerset modes	20
3.6	Reference modes	20
3.6.1	General	20
3.6.2	Bound reference modes	21
3.6.3	Free reference modes	21
3.6.4	Row modes	21
3.7	Procedure modes	22

3.8	Instance modes	23
3.9	Synchronisation modes	23
3.9.1	General	24
3.9.2	Event modes	24
3.9.3	Buffer modes	25
3.10	Input-Output Modes	25
3.10.1	General	25
3.10.2	Association modes	25
3.10.3	Access modes	26
3.10.4	Text modes	27
3.11	Timing modes	27
3.11.1	General	27
3.11.2	Duration modes	27
3.11.3	Absolute time modes	28
3.12	Composite modes	28
3.12.1	General	28
3.12.2	String modes	29
3.12.3	Array modes	31
3.12.4	Structure modes	34
3.12.5	Layout description for array modes and structure modes	37
3.13	Dynamic modes	37
3.13.1	General	37
3.13.2	Dynamic string modes	37
3.13.3	Dynamic array modes	37
3.13.4	Dynamic parameterised structure modes	39
4	Locations and their accesses	39
4.1	Declarations	39
4.1.1	General	39
4.1.2	Location declarations	40
4.1.3	Loc-identity declarations	41
4.2	Locations	41
4.2.1	General	42
4.2.2	Access names	42
4.2.3	Dereferenced bound references	43
4.2.4	Dereferenced free references	43
4.2.5	Dereferenced rows	44
4.2.6	String elements	45
4.2.7	String slices	46
4.2.8	Array elements	46
4.2.9	Array slices	47
4.2.10	Structure fields	48
4.2.11	Location procedure calls	48
4.2.12	Location built-in routine calls	49
4.2.13	Location conversions	50
5	Values and their operations	50
5.1	Synonym definitions	50
5.2	Primitive value	50
5.2.1	General	51
5.2.2	Location contents	51
5.2.3	Value names	52
5.2.4	Literals	52
5.2.4.1	General	53
5.2.4.2	Integer literals	53
5.2.4.3	Boolean literals	54
5.2.4.4	Character literals	54
5.2.4.5	Set literals	54
5.2.4.6	Emptiness literal	55
5.2.4.7	Character string literals	56
5.2.4.8	Bit string literals	56
5.2.5	Tuples	60
5.2.6	Value string elements	60

5.2.7	Value string slices	60
5.2.8	Value array elements	61
5.2.9	Value array slices	62
5.2.10	Value structure fields	63
5.2.11	Expression conversions	63
5.2.12	Value procedure calls	64
5.2.13	Value built-in routine calls	64
5.2.14	Start expressions	65
5.2.15	Zero-adic operator	65
5.2.16	Parenthesised expression	65
5.3	Values and expressions	66
5.3.1	General	66
5.3.2	Expressions	67
5.3.3	Operand-0	68
5.3.4	Operand-1	69
5.3.5	Operand-2	69
5.3.6	Operand-3	71
5.3.7	Operand-4	72
5.3.8	Operand-5	73
5.3.9	Operand-6	74
6	Actions	75
6.1	General	75
6.2	Assignment action	75
6.3	If action	77
6.4	Case action	78
6.5	Do action	79
6.5.1	General	79
6.5.2	For control	80
6.5.3	While control	82
6.5.4	With part	83
6.6	Exit action	83
6.7	Call action	84
6.8	Result and return action	86
6.9	Goto action	87
6.10	Assert action	87
6.11	Empty action	87
6.12	Cause action	88
6.13	Start action	88
6.14	Stop action	88
6.15	Continue action	88
6.16	Delay action	89
6.17	Delay case action	90
6.18	Send action	91
6.18.1	General	91
6.18.2	Send signal action	91
6.18.3	Send buffer action	92
6.19	Receive case action	92
6.19.1	General	92
6.19.2	Receive signal case action	93
6.19.3	Receive buffer case action	94
6.20	CHILL built-in routine calls	95
6.20.1	CHILL simple built-in routine calls	95
6.20.2	CHILL location built-in routine calls	95
6.20.3	CHILL value built-in routine calls	96
6.20.4	Dynamic storage handling built-in routines	98
7	Input and Output	100
7.1	I/O reference model	100
7.2	Association values	101
7.2.1	General	101
7.2.2	Attributes of association values	101
7.3	Access values	102

7.3.1	General	102
7.3.2	Attributes of access values	102
7.4	Built-in routines for input output	102
7.4.1	General	102
7.4.2	Associating an outside world object	103
7.4.3	Dissociating an outside world object	103
7.4.4	Accessing association attributes	104
7.4.5	Modifying association attributes	104
7.4.6	Connecting an access location	105
7.4.7	Disconnecting an access location	107
7.4.8	Accessing attributes of access locations	107
7.4.9	Data transfer operations	108
7.5	Text input output	110
7.5.1	General	110
7.5.2	Attributes of text values	110
7.5.3	Text transfer operations	111
7.5.4	Format control string	113
7.5.5	Conversion	114
7.5.6	Editing	116
7.5.7	I/O control	117
7.5.8	Accessing the attributes of a text location	118
8	Exception handling	120
8.1	General	120
8.2	Handlers	120
8.3	Handler identification	120
9	Time supervision	122
9.1	General	122
9.2	Timeoutable processes	122
9.3	Timing actions	122
9.3.1	Relative timing action	122
9.3.2	Absolute timing action	123
9.3.3	Cyclic timing action	123
9.4	Built-in routines for time	124
9.4.1	Duration built-in routines	124
9.4.2	Absolute time built-in routine	124
9.4.3	Timing built-in routine call	125
10	Program Structure	127
10.1	General	127
10.2	Reaches and nesting	128
10.3	Begin-end blocks	130
10.4	Procedure definitions	131
10.5	Process definitions	133
10.6	Modules	134
10.7	Regions	135
10.8	Program	135
10.9	Storage allocation and lifetime	136
10.10	Constructs for piecewise programming	136
10.10.1	Remote pieces	136
10.10.2	Spec modules, spec regions and contexts	138
10.10.3	Quasi statements	139
10.10.4	Matching between quasi defining occurrences and defining occurrences	140
11	Concurrent execution	142
11.1	Processes and their definitions	142
11.2	Mutual exclusion and regions	142
11.2.1	General	142
11.2.2	Regionality	143
11.3	Delaying of a process	144
11.4	Re-activation of a process	145
11.5	Signal definition statements	145
12	General semantic properties	146
12.1	Mode rules	146

12.1.1	Properties of modes and classes	146
12.1.1.1	Read-only property	146
12.1.1.2	Parameterisable modes	146
12.1.1.3	Referencing property	146
12.1.1.4	Tagged parameterised property	146
12.1.1.5	Non-value property	147
12.1.1.6	Root mode	147
12.1.1.7	Resulting class	147
12.1.2	Relations on modes and classes	148
12.1.2.1	General	148
12.1.2.2	Equivalence relations on modes	148
12.1.2.3	The relation similar	148
12.1.2.4	The relation v-equivalent	149
12.1.2.5	The relation equivalent	149
12.1.2.6	The relation l-equivalent	150
12.1.2.7	The relations equivalent and l-equivalent for fields	150
12.1.2.8	The relation equivalent for layout	150
12.1.2.9	The relation alike	151
12.1.2.10	The relation alike for fields	152
12.1.2.11	The relation novelty bound	152
12.1.2.12	The relation read-compatible	153
12.1.2.13	The relations dynamic equivalent and read-compatible	154
12.1.2.14	The relation restrictable	154
12.1.2.15	Compatibility between a mode and a class	155
12.1.2.16	Compatibility between classes	155
12.2	Visibility and name binding	155
12.2.1	Degrees of visibility	156
12.2.2	Visibility conditions and name binding	156
12.2.3	Visibility in reaches	157
12.2.3.1	General	157
12.2.3.2	Visibility statements	158
12.2.3.3	Prefix rename clause	158
12.2.3.4	Grant statement	159
12.2.3.5	Seize statement	161
12.2.4	Implied name strings	162
12.2.5	Visibility of field names	164
12.3	Case selection	164
12.4	Definition and summary of semantic categories	166
12.4.1	Names	166
12.4.2	Locations	167
12.4.3	Expressions and values	167
12.4.4	Miscellaneous semantic categories	168
13	Implementation options	169
13.1	Implementation defined built-in routines	169
13.2	Implementation defined integer modes	169
13.3	Implementation defined process names	169
13.4	Implementation defined handlers	169
13.5	Implementation defined exception names	169
13.6	Other implementation defined features	169
Appendix A:	Character set for CHILL	171
Appendix B:	Special symbols	172
Appendix C:	Special simple name strings	173
C.1	Reserved simple name strings	173
C.2	Predefined simple name strings	174
C.3	Exception names	175
Appendix D:	Program examples	176
Appendix E:	Decommitted features	202
Appendix F:	Collected syntax	205
Appendix G:	Index of production rules	228
Appendix H:	Index	237