

Biomagnetism

Proceedings
Third International
Workshop on Biomagnetism
Berlin (West), May 1980

Editors
S. N. Ern , H.-D. Hahlbohm, H. L bbig

UNIVERSIT TSBIBLIOTHEK
HANNOVER
TECHNISCHE
INFORMATIONSBIBLIOTHEK



Walter de Gruyter · Berlin · New York 1981

CONTENTS

INSTRUMENTATION

Instrumentation for biomedical applications. T. Katila	3
Construction and performance of the Otaniemi magnetically shielded room. V.O. Kelhä	33
The Berlin magnetically shielded room (BMSR). Section A: Design and construction. A. Mager	51
Section B: Performances. S.N. Ernë, H.-D. Hahlbohm, H. Scheer, Z. Trontelj	79
Section C: Periphery. S.N. Ernë, H.-D. Hahlbohm, J. Palow	89
Installation of a biomagnetic measurement facility in a hospital environment. C. Bercy, D. Duret, P. Karp, D. Teszner	95
Thick-walled conducting shield in biomagnetic experiments. J. Malmivuo, P. Heinonen, M. Tuomola, J. Lekkala	107
An aluminium shielded room for biomagnetic measurements. G. Stroink, B. Brown, B. Blackford, M. Horacek	113
A superconducting helmet for magnetoencephalography with a SQUID. H.E. Hoenig, C. Gassinger	117
An integrated system for magnetic assessment of cardiac function. M.C. Leifer, J.C. Griffin, E.J. Iufer, J.P. Wikswo, W.M. Fairbank, D.C. Harrison	123
Biomagnetic measurements in unshielded, normally noisy environments. S. Barbanera, P. Carelli, R. Leoni, G.L. Romani, F. Bordoni, I. Modena, R. Fenici, P. Zeppilli	139

FUNDAMENTALS

Medical significance of the magnetic activities of the human body. A.P. Freedman	153
--	-----

Generation of magnetic fields by the human body (theory). R. Plonsey	177
Biomagnetic fields and cellular current flow. J.H. Tripp	207
 BIOMAGNETIC FIELDS	
Cardiomagnetism	
Cardiomagnetism. P. Karp	219
Theory of the PR segment of the human magnetocardiogram. J.H. Tripp, D.E. Farrell	259
High resolution cardiomagnetism. D.E. Farrell, J.H. Tripp, C.L. VanDoren	273
Magnetocardiographic study of some human cardiac electrophysiological phenomena: Preliminary observations. S. Barbanera, P. Carelli, R. Leoni, G.L. Romani, F. Bordoni, I. Modena, R. Fenici, P. Zeppilli	283
R and T waves in the MCG and ECG. C.I.J.M. Stuart, S.B. Woods, A.C. Crawford, N.R. Thomas, K.B. Newbound	291
On the recording of phase and amplitude relationships between electrical and magnetical cardiac events. I.R. Eghrari, J.P. von der Weid, P. Costa Ribeiro, O. Symko	303
A method of magnetocardiography for clinical use. H. Ohmichi, N. Ibuka, S. Naito, M. Kotani, Y. Uchikawa, K. Atsumi	309
Simultaneous measurement of the magnetic heart vector components with the unipositional lead system. J. Lekkala, J. Malmivuo	319
Enhancement of magnetocardiograms by applied magnetic fields. M.J. Peters, Z. Dunajski, L.C. van der Marel	327
The influence of the torso on the magnetic field of a current dipole. M.J. Peters, A.P. van de Graaf, A. van Oosterom	337
Properties of an ideal MCG-Recording system. J. Malmivuo	343

BIOMAGNETIC FIELDS

Neuromagnetism

Magnetic fields of the cerebral cortex. S.J. Williamson, L. Kaufman	353
Transient evoked responses: Some comments on the use of magnetic recording. D.E. Farrell, J.H. Tripp, J. Patrick, D. Hess	403
Localization of neural generators underlying auditory evoked magnetic fields of the human brain. K. Aittoniemi, R. Hari, M.-L. Järvinen, T. Katila, T. Varpula	415
Estimation of the magnetoencephalogram power spectrum. D.W. Hess ...	423
Evoked magnetic fields reveal different visual areas in human cortex. D. Brenner, Y. Okada, E. Maclin, S.J. Williamson, L. Kaufman	431
Application of a SQUID to measurement of somatically evoked fields: Transient responses to electrical stimulation of the median nerve. Y.C. Okada, L. Kaufman, D. Brenner, S.J. Williamson	445
Sensitivity distribution in magnetoencephalography. J. Malmivuo ...	457
Magnetoretinogram and magneto-oculogram in man. K. Aittoniemi, M.-L. Järvinen, T. Katila, R. Maniewski, T. Varpula	463

SUSCEPTOMETRY

Magnetopneumography

Practical magnetopneumography using fluxgate magnetometers. K. Aittoniemi, K. Kalliomäki, T. Katila, T. Varpula	475
Magnetic field measurements on lungs: A comparison between two methods. G. Stroink, D. Dahn	485
Evaluation of magnetopneumography for assessing thoracic accumulation of welding fume particulate and lung dust clearance. A.P. Freedman, S.E. Robinson	489
Localized field magnetopneumographic measurements of coal workers and of freeze-dried lungs. A.P. Freedman, S.E. Robinson, F.H.Y. Green	497

SUSCEPTOMETRY

Thalassemia susceptometry

- Non-invasive SQUID diagnosis of liver iron overload. D.E. Farrell,
J.H. Tripp, P.E. Zanzucchi, J.H. Harris, G.M. Brittenham, W.A. Muir 507
- Susceptometer for in vivo measurements of iron stored in human
tissue. C.M. Bastuscheck, D. Brenner, S.J. Williamson, L. Kaufman.. 519

MISCELLANEOUS

- Proposal for an improvement of NMR-imaging by low-temperature-
SQUID-detection towards molecular kinetic measurements localized
to a small sub-region of the sample. W.H. Bergmann 535
- Subject Index 549
- Author Index 557