

# **Polymer surface modification using novel underwater plasma (UWP) technique**

vorgelegt von

**M. Sc. Ranjit Sharad Joshi**

aus Nanded, Indien

## **Inaugural-Dissertation**

Zur Erlangung des akademischen Grades des  
Doktors der Naturwissenschaften (Dr. rer. nat.)

eingereicht bei Fakultät III  
Institut für Werkstoffwissenschaften und -technologien  
Fachgebiet Polymertechnik und Polymerphysik  
der Technische Universität Berlin

1.      **Gutachter:** Prof. Dr. rer. nat. Jörg F. Friedrich
2.      **Gutachter:** Prof. Dr.-Ing. Manfred H. Wagner

**Disputation am:** 23<sup>rd</sup> April 2010

<b>1. Introduction</b>	<b>1</b>
<b>1.1 Background and Basics</b>	<b>1</b>
1.1.1 Known surface functionalization methods	2
1.1.2 Relevance of plasma for polymer surface modification	5
<b>1.2. Motivation</b>	<b>7</b>
1.2.1 History of atmospheric underwater discharges (plasma)	12
1.2.1.1 Glow discharge electrolysis	12
1.2.1.2 Underwater capillary discharge	14
1.2.1.3 Underwater corona discharge	17
1.2.1.4 Atmospheric-Pressure Glow discharge (APGD) electrolysis using Liquid-Electrode	17
1.2.2 Comparison of APGD electrolysis (liquid electrode) and capillary discharge approach	19
<b>1.3 Underwater plasma reaction pathways and kinetics</b>	<b>22</b>
1.3.1 Surface functionalization by oxygen functionalities	22
1.3.1.1 Hydroxyl (OH) functionalization	22
1.3.1.2 Role of H <sub>2</sub> O <sub>2</sub> and R-O-OH in UWP processes	26
1.3.1.3 Enrichment of the carboxylic (–COOH) functionality at PP surface	29
<b>1.4 Approach and perspective of the work</b>	<b>32</b>
1.4.1 Brief overview of proposed work	33
<b>2. Experimental</b>	<b>34</b>
<b>2.1 Underwater plasma assembly construction</b>	<b>34</b>
<b>2.2 Materials and characterization</b>	<b>37</b>

2.2.1	Surface analysis technique by XPS	38
<b>2.3</b>	Derivatization of functional groups for improved XPS analysis	39
2.3.1	Hydroxyl (-OH) group derivatization	39
2.3.2	Carboxylic (-COOH) group derivatization	40
2.3.3	Hydroperoxy (-O-OH) group derivatization	40
<b>2.4</b>	Analysis of UWP exposed olefinic monomer (Acrylic Acid)	41
<b>3.</b>	<b>Results</b>	<b>43</b>
<b>3.1</b>	Underwater Capillary Discharge – visual observations	43
<b>3.2</b>	Oxygen bonding efficiency, selectivity and related parameters definitions	48
3.2.1	Functionalization with hydroxyl groups (OH)	48
3.2.2	Functionalizatiom with carboxylic groups (COOH)	48
<b>3.3</b>	Dependence of polymer surface functionalization on plasma generation parameters	49
3.3.1	Electrolyte concentration (sodium chloride)	49
3.3.2	Distance of polymer film from plasma source	51
3.3.3	Influence of solution temperature on selectivity	57
3.3.4	Influence of solution pH on selectivity	58
<b>3.4</b>	Selectivity and yield in OH-group formation	60
<b>3.5</b>	Post-UW plasma treatment using reducing agents	62
<b>3.6</b>	Hydrogen peroxide incursion experiment	65
3.6.1	Qualitative effects of hydrogen peroxide addition on hydroxyl (-OH) group functionalization	65
3.6.2	Quantitative effects of hydrogen peroxide addition on hydroxyl (-OH) group functionalization	67

<b>3.7</b>	Hydroxyl (-OH) functionalization using the Fe-ZSM5 catalyst system	68
<b>3.8</b>	Qualitative interpretation and results comparison obtained by addition of hydrogen peroxide and Fe-ZSM5 catalysts to the UWP system	70
<b>3.9</b>	Study of hydroperoxide (-O-OH) functionality generated by the UWP process	71
<b>3.10</b>	Possibilities to produce other functional groups	75
3.10.1	Carboxylic (-COOH/-COO-) functionalization of PP-surface	75
<b>3.11</b>	Plasma polymerization of acrylic acid in the UWP	86
3.11.1	Carboxylic (-COOH/-COO-) group derivatization results	89
<b>3.12</b>	APGD electrolysis using liquid electrode	91
3.12.1	Polymer surface modification by deposition of OH and COOH groups containing polymers using the GDE <ul style="list-style-type: none"> <li>○ Acrylic acid,</li> <li>○ Ethylene glycol,</li> <li>○ Allyl alcohol</li> </ul>	91
<b>4.</b>	<b>Discussion</b>	<b>94</b>
<b>4.1</b>	Underwater plasma and selectivity in surface functionalization (-OH) process	94
<b>4.2</b>	Factors affecting the selectivity of functionalization	97
<b>4.3</b>	Interrelation of OH and O-OH functionalization	100
<b>4.4</b>	Comparison of bond selectivity obtained by atmospheric/reduced pressure discharges with UWP (XPS perspective)	103

<b>5. Application of capillary diaphragm discharge to the contact lens material</b>	<b>107</b>
<b>6. Conclusions</b>	<b>110</b>
<b>7. References</b>	<b>113</b>
<b>8. List of publications from this work</b>	<b>123</b>
<b>8.1 Peer reviewed journal articles</b>	<b>123</b>
<b>8.2 Oral presentations</b>	<b>123</b>
<b>8.2.1 Self delivered</b>	<b>123</b>
<b>8.2.2 Contribution into the confrere's orals</b>	<b>124</b>
<b>8.3 Poster presentations</b>	<b>125</b>
<b>9. Acknowledgements</b>	<b>126</b>