

WEAK LENSING MEASUREMENTS FOR
THE APEX-SZ CLUSTER SURVEY

Dissertation
zur
Erlangung des Doktorgrades (Dr. rer. nat)
der
Mathematisch-Naturwissenschaftlichen Fakultät
der
Rheinischen Friedrich-Wilhelms-Universität Bonn

vorgelegt von
Matthias Klein
aus
Lahnstein

Bonn, September 2013

CONTENTS

I	INTRODUCTION	1
1	HISTORY OF COSMOLOGY	3
II	THEORETICAL FRAMEWORK	5
2	COSMOLOGY	7
2.1	Basic assumptions of the standard model	8
2.2	Friedmann-Lemaître-Robertson-Walker Metric	9
2.3	Einstein and Friedmann Equations	9
2.4	Parameters	10
2.5	Age and expansion rate of the universe	12
2.6	Redshift and angular diameter distance	13
2.7	Structure Formation	14
2.7.1	The growth of perturbations	15
2.7.2	Spherical Collapse Model	17
2.7.3	The Halo Mass Function	19
2.7.4	Galaxy Formation	20
3	CLUSTERS OF GALAXIES	23
3.1	Cluster of Galaxies	23
3.1.1	Optical	24
3.1.2	X-rays	25
3.1.3	Millimeter-wavelengths (The Sunyaev-Zel'dovich Effect)	27
3.1.4	γ -ray	29
3.1.5	Radio	29
3.2	Using Cluster of galaxies as tools in cosmology and astrophysics	31
3.2.1	The cluster mass function	31
3.2.2	Scaling relations	33
3.2.3	Gas vs. dark matter distribution	37
4	GRAVITATIONAL LENSING	39
4.1	Deflection of point sources	39
4.2	Extended sources and gravitational shear	41
4.3	Mass measurement via Weak Gravitational Lensing	43
4.3.1	Shape estimator and reduced shear	43
4.3.2	Tangential Shear and Aperture Mass	45
4.3.3	Convergence Map and Finite-Field Inversion	46
4.3.4	NFW Model and Profile fitting	47
III	THE APEX-SZ WEAK LENSING PROJECT	51
5	THE APEX-SZ WEAK LENSING FOLLOW-UP PROJECT	53
5.1	APEX and APEX-SZ	53
5.1.1	The APEX-SZ cluster sample	54
5.2	Motivation of a weak lensing follow-up	57
5.3	The Weak Lensing Project	58
5.4	Observation strategy	58
5.4.1	Observations	60
5.4.2	Archive Data	61

6	DATA REDUCTION	65
6.1	THELI data processing	65
6.1.1	Observation run procession	65
6.1.2	Set Processing	67
6.1.3	Data reduction for Suprime-Cam	72
6.2	Shape measurement using the "TS" KSB pipeline	72
6.2.1	The algorithm	73
6.2.2	Limits of shape measurement with KSB	74
6.2.3	Preparing data for shape measurement	75
6.2.4	Running the "TS" KSB pipeline	77
7	BACKGROUND SELECTION AND MEAN LENSING DEPTH	81
7.1	Currently used background selections	81
7.2	Photometric calibration	85
7.3	The Color-Color-Diagram of the COSMOS Catalog	87
7.4	Estimating cluster redshifts as an analytical tool	92
7.5	Background selection based on COSMOS	95
7.6	Limits of the Background selection	98
7.6.1	Limitations caused by number and type of filters	98
7.6.2	Limitations caused by the reference catalog	98
7.6.3	Implementation based limitations	101
7.7	Contamination by cluster and foreground galaxies	103
7.8	Contamination by stars	106
IV	RESULTS AND CONCLUSIONS	109
8	RESULTS BASED ON THE FULL CLUSTER SAMPLE	111
8.1	Global parameters for NFW profile fit	111
8.1.1	Signal to noise dependent shear bias	112
8.1.2	Selection induced bias	112
8.2	Cluster masses of the full sample	114
8.2.1	Comparison to the literature	118
8.3	Mass-Concentration Relation	121
8.4	The $Y_{SZ} - M_{WL}$ scaling relation	124
8.4.1	APEX-SZ Data	124
8.4.2	Planck Data	127
8.4.3	Comparison APEX-SZ vs. Planck	128
8.4.4	Regression Analysis	129
8.4.5	Results using APEX-SZ	130
8.4.6	Results using Planck	133
8.4.7	Intrinsic scatter	133
8.4.8	Selection bias	134
9	RESULTS ON INDIVIDUAL CLUSTERS	139
9.1	A520	140
9.2	RXCJ0245	141
9.3	RXC1135	142
9.4	MCS1115	144
9.5	RXC0516	145
10	SUMMARY AND CONCLUSIONS	149
10.1	The full cluster sample	149
10.1.1	Future projects using the X-ray selected sample	150
10.2	Individual clusters	150

10.2.1 Future work on merging clusters	151
10.3 Future applications of the developed methods	151
V APPENDIX	153
A TABLES	155
B CLUSTER IMAGES	159
BIBLIOGRAPHY	195
List of Figures	213
List of Tables	216
Acronyms	217