

Pasi Fränti Gavin Brown Marco Loog
Francisco Escolano Marcello Pelillo (Eds.)

Structural, Syntactic, and Statistical Pattern Recognition

Joint IAPR International Workshop, S+SSPR 2014
Joensuu, Finland, August 20-22, 2014
Proceedings

 Springer

Table of Contents

Graph Kernels

| | |
|--|----|
| A Graph Kernel from the Depth-Based Representation | 1 |
| <i>Lu Bai, Peng Ren, Xiao Bai, and Edwin R. Hancock</i> | |
| Incorporating Molecule's Stereoisomerism within the Machine Learning Framework | 12 |
| <i>Pierre-Anthony Grenier, Luc Brun, and Didier Villemin</i> | |
| Transitive State Alignment for the Quantum Jensen-Shannon Kernel . . . | 22 |
| <i>Andrea Torsello, Andrea Gasparetto, Luca Rossi, Lu Bai, and Edwin R. Hancock</i> | |

Clustering

| | |
|--|----|
| Balanced K -Means for Clustering | 32 |
| <i>Mikko I. Malinen and Pasi Fränti</i> | |
| Poisoning Complete-Linkage Hierarchical Clustering | 42 |
| <i>Battista Biggio, Samuel Rota Bulò, Ignazio Pillai, Michele Mura, Eyasu Zemene Mequanint, Marcello Pelillo, and Fabio Roli</i> | |
| A Comparison of Categorical Attribute Data Clustering Methods | 53 |
| <i>Ville Hautamäki, Antti Pöllänen, Tomi Kinnunen, Kong Aik Lee, Haizhou Li, and Pasi Fränti</i> | |

Graph Edit Distance

| | |
|---|----|
| Improving Approximate Graph Edit Distance Using Genetic Algorithms | 63 |
| <i>Kaspar Riesen, Andreas Fischer, and Horst Bunke</i> | |
| Approximate Graph Edit Distance Guided by Bipartite Matching of Bags of Walks | 73 |
| <i>Benoit Gaüzère, Sébastien Bougleux, Kaspar Riesen, and Luc Brun</i> | |
| A Hausdorff Heuristic for Efficient Computation of Graph Edit Distance | 83 |
| <i>Andreas Fischer, Réjean Plamondon, Yvon Savaria, Kaspar Riesen, and Horst Bunke</i> | |

Graph Models and Embedding

| | |
|---|-----|
| Flip-Flop Sublinear Models for Graphs | 93 |
| <i>Brijnesh Jain</i> | |
| Node Centrality for Continuous-Time Quantum Walks | 103 |
| <i>Luca Rossi, Andrea Torsello, and Edwin R. Hancock</i> | |
| Max-Correlation Embedding Computation | 113 |
| <i>Antonio Robles-Kelly</i> | |

Discriminant Analysis

| | |
|--|-----|
| Fast Gradient Computation for Learning with Tensor Product Kernels and Sparse Training Labels | 123 |
| <i>Tapio Pahikkala</i> | |
| Nonlinear Discriminant Analysis Based on Probability Estimation by Gaussian Mixture Model | 133 |
| <i>Akinori Hidaka and Takio Kurita</i> | |

Combining and Selecting

| | |
|---|-----|
| Information Theoretic Feature Selection in Multi-label Data through Composite Likelihood | 143 |
| <i>Konstantinos Sechidis, Nikolaos Nikolaou, and Gavin Brown</i> | |
| Majority Vote of Diverse Classifiers for Late Fusion | 153 |
| <i>Emilie Morvant, Amaury Habrard, and Stéphane Ayache</i> | |

Joint Session

| | |
|--|-----|
| Entropic Graph Embedding via Multivariate Degree Distributions | 163 |
| <i>Cheng Ye, Richard C. Wilson, and Edwin R. Hancock</i> | |
| On Parallel Lines in Noisy Forms | 173 |
| <i>George Nagy</i> | |

Metrics and Dissimilarities

| | |
|--|-----|
| Metric Learning in Dissimilarity Space for Improved Nearest Neighbor Performance | 183 |
| <i>Robert P.W. Duin, Manuele Bicego, Mauricio Orozco-Alzate, Sang-Woon Kim, and Marco Loog</i> | |
| Matching Similarity for Keyword-Based Clustering | 193 |
| <i>Mohammad Rezaei and Pasi Fränti</i> | |

Applications

| | |
|--|-----|
| Quantum vs Classical Ranking in Segment Grouping | 203 |
| <i>Francisco Escolano, Boyan Bonev, and Edwin R. Hancock</i> | |
| Remove Noise in Video with 3D Topological Maps | 213 |
| <i>Donatello Conte and Guillaume Damiand</i> | |
| Video Analysis of a Snooker Footage Based on a Kinematic Model | 223 |
| <i>Aysylu Gabdulhakova and Walter G. Kropatsch</i> | |

Partial Supervision

| | |
|--|-----|
| Evaluating Classification Performance with only Positive and Unlabeled Samples | 233 |
| <i>Siamak Hajizadeh, Zili Li, Rolf P.B.J. Dollevoet, and David M.J. Tax</i> | |
| Who Is Missing? A New Pattern Recognition Puzzle | 243 |
| <i>Ludmila I. Kuncheva and Aaron S. Jackson</i> | |

Poster Session

| | |
|---|-----|
| Edit Distance Computed by Fast Bipartite Graph Matching | 253 |
| <i>Francesc Serratosa and Xavier Cortés</i> | |
| Statistical Method for Semantic Segmentation of Dominant Plane from Remote Exploration Image Sequence | 263 |
| <i>Shun Inagaki and Atsushi Imiya</i> | |
| Analyses on Generalization Error of Ensemble Kernel Regressors | 273 |
| <i>Akira Tanaka, Ichigaku Takigawa, Hideyuki Imai, and Mineichi Kudo</i> | |
| Structural Human Shape Analysis for Modeling and Recognition | 282 |
| <i>Chutisant Kerdvibulvech and Koichiro Yamauchi</i> | |
| On Cross-Validation for MLP Model Evaluation | 291 |
| <i>Tommi Kärkkäinen</i> | |
| Weighted Mean Assignment of a Pair of Correspondences Using Optimisation Functions | 301 |
| <i>Carlos Francisco Moreno-García and Francesc Serratosa</i> | |
| Chemical Symbol Feature Set for Handwritten Chemical Symbol Recognition | 312 |
| <i>Peng Tang, Siu Cheung Hui, and Chi-Wing Fu</i> | |

| | |
|--|-----|
| About Combining Metric Learning and Prototype Generation | 323 |
| <i>Adrian Perez-Suay, Francesc J. Ferri, Miguel Arevalillo-Herráez, and Jesús V. Albert</i> | |
| Tracking System with Re-identification Using a RGB String Kernel | 333 |
| <i>Amal Mahboubi, Luc Brun, Donatello Conte, Pasquale Foggia, and Mario Vento</i> | |
| Towards Scalable Prototype Selection by Genetic Algorithms with Fast Criteria | 343 |
| <i>Yenisel Plasencia-Calaña, Mauricio Orozco-Alzate, Heydi Méndez-Vázquez, Edel García-Reyes, and Robert P.W. Duin</i> | |
| IOWA Operators and Its Application to Image Retrieval | 353 |
| <i>Esther de Ves, Pedro Zuccarello, Teresa León, and Guillermo Ayala</i> | |
| On Optimum Thresholding of Multivariate Change Detectors | 364 |
| <i>William J. Faithfull and Ludmila I. Kuncheva</i> | |
| Commute Time for a Gaussian Wave Packet on a Graph | 374 |
| <i>Furqan Aziz, Richard C. Wilson, and Edwin R. Hancock</i> | |
| Properties of Object-Level Cross-Validation Schemes for Symmetric Pair-Input Data | 384 |
| <i>Juho Heimonen, Tapio Salakoski, and Tapio Pahikkala</i> | |
| A Binary Factor Graph Model for Biclustering | 394 |
| <i>Matteo Denitto, Alessandro Farinelli, Giuditta Franco, and Manuele Bicego</i> | |
| Improved BLSTM Neural Networks for Recognition of On-Line Bangla Complex Words | 404 |
| <i>Volkmar Frinken, Nilanjana Bhattacharya, Seiichi Uchida, and Umapada Pal</i> | |
| A Ranking Part Model for Object Detection | 414 |
| <i>Chaobo Sun and Xiaojie Wang</i> | |
| Regular Decomposition of Multivariate Time Series and Other Matrices | 424 |
| <i>Hannu Reittu, Fülöp Bazsó, and Robert Weiss</i> | |
| Texture Synthesis: From Convolutional RBMs to Efficient Deterministic Algorithms | 434 |
| <i>Qi Gao and Stefan Roth</i> | |
| Improved Object Matching Using Structural Relations | 444 |
| <i>Estephan Dazzi, Teofilo de Campos, and Roberto M. Cesar Jr.</i> | |

| | |
|---|-----|
| Designing LDPC Codes for ECOC Classification Systems | 454 |
| <i>Claudio Marrocco and Francesco Tortorella</i> | |
| Unifying Probabilistic Linear Discriminant Analysis Variants in Biometric Authentication | 464 |
| <i>Aleksandr Sizov, Kong Aik Lee, and Tomi Kinnunen</i> | |
| Author Index | 477 |