Hamlet K. Avetissian

Relativistic Nonlinear Electrodynamics

The QED Vacuum and Matter in Super-Strong Radiation Fields

Second Edition



Contents

1	Inter	raction of a Charged Particle with Strong Plane	
	Elect	tromagnetic Wave in Vacuum	1
	1.1	Classical Dynamics of a Particle in the Field of Strong Plane	
		Electromagnetic Wave	1
	1.2	Intensity Effect. Mass Renormalization	4
	1.3	Radiation of a Particle in the Field of Strong Monochromatic	
		Wave	10
	1.4	Nonlinear Radiation Effects in Superstrong Wave Fields	14
	1.5	Quantum Description. Volkov Solution	
		of the Dirac Equation	19
	1.6	Nonlinear Compton Effect	25
	Bibli	iography	32
2	Inter	raction of Charged Particles with Strong Electromagnetic	
		e in Dielectric Media. Induced Nonlinear	
	Cher	renkov Process	35
	2.1	Particle Classical Motion in the Field of Strong Plane EM	
		Wave in a Medium	36
	2.2	Nonlinear Cherenkov Resonance and Critical Field.	
		Threshold Phenomenon of Particle "Reflection"	37
	2.3	Particle Capture by a Plane Electromagnetic Wave	
		in a Medium	45
	2.4	Laser Acceleration in Gaseous Media.	
		Cherenkov Accelerator	48
	2.5	Nonlinear Compton Scattering in a Medium	54
	2.6	Radiation of a Particle in Capture Regime. Cherenkov	
		Amplifier	57
	Bibli	iography	67

xiv Contents

3	Quai	ntum Theory of Induced Multiphoton Cherenkov Process	69
	3.1	Quantum Description of Induced Cherenkov Process in Strong Wave Field	69
	3.2	Quantum Description of "Reflection" Phenomenon. Particle	03
	3.3	Beam Quantum Modulation at X-Ray Frequencies Exact Solution of the Dirac Equation for Induced Cherenkov	75
	5.5	Process	79
	3.4	Secular Perturbation at Nonlinear Cherenkov Resonance	83
	3.5	Inelastic Diffraction Scattering on a Traveling Wave	90
	3.6	Quantum Modulation of Charged Particles	93
	Bibli	ography	96
4	Cycl	otron Resonance at the Particle-Strong Wave Interaction	97
	4.1 4.2	Autoresonance in the Uniform Magnetic Field in Vacuum Exact Solution of the Dirac Equation for Cyclotron	98
		Resonance	102
	4.3	Multiphoton Excitation of Landau Levels	
		by Strong EM Wave.	110
	4.4	Cyclotron Resonance in a Medium. Nonlinear Threshold	115
	4.5	Phenomenon of "Electron Hysteresis"	115 123
		ography	123
_			121
5		inear Dynamics of Induced Compton and Undulator	100
	5.1	Interaction of Charged Particles with Superstrong	129
	3.1	Counterpropagating Waves of Different Frequencies	130
	5.2	Interaction of Charged Particles with Superstrong Wave	150
	٠	in a Wiggler	136
	5.3	Inelastic Diffraction Scattering on a Moving Phase Lattice	140
	5.4	Inelastic Diffraction Scattering on a Traveling Wave	
		in an Undulator	144
	5.5	Quantum Modulation of Particle Beam in Induced Compton	
		Process	147
	5.6	Quantum Modulation of Particle Beam in the Undulator	150
	5.7	Nonlinear Acceleration of Ions by Counterpropagating Laser	15
	Dibli	Pulses: Generation of Ion/Nuclei Bunches from Nanotargets ography	154 159
6		ced Nonstationary Transition Process	161
	6.1	Effect of Abrupt Temporal Variation of Dielectric Permittivity	1.00
	6.3	of a Medium	162
	6.2	Classical Description of Induced Nonstationary Transition	164
	6.3	Process	164 169
	0.5	Quantum Description of Muniphoton Integration	102

Contents xv

	6.4	Electron-Positron Pair Production by a γ -Quantum	
		in a Medium	175
	6.5	Annihilation of Electron–Positron Pairs in a Medium	181
	6.6	Electron-Positron Pair Production by Strong EM Wave	104
	D'1 1'	in Nonstationary Medium	186
	Biblic	graphy	191
7	Induc	ed Channeling Process in a Crystal	193
	7.1	Positron-Strong Wave Interaction at the Planar Channeling	
		in a Crystal	193
	7.2	Induced Interaction of Electrons with Strong EM Wave	
		at the Axial Channeling	200
	7.3	Quantum Description of the Induced Planar	
		Channeling Effect	203
	7.4	Quantum Description of the Induced Axial	• • •
	75	Channeling Effect	208
	7.5	Multiphoton Induced Channeling Effect	213
		graphy	220
8	Nonli	near Mechanisms of Free Electron Laser	221
	8.1	Self-consistent Maxwell and Relativistic Quantum Kinetic	
		Equations for Compton FEL with Strong Pump Laser Field	222
	8.2	Nonlinear Quantum Regime of X-Ray Compton	
		Backscattering Laser	229
	8.3	Quantum Description of FEL Nonlinear Dynamics	
	0.4	in a Wiggler	234
	8.4 8.5	High-Gain Regime of FEL	238
	8.6	Quantum SASE Regime of FEL High-Gain FEL on the Coherent Bremsstrahlung	242
	0.0	in a Crystal	246
	8.7	Nonlinear Scheme of X-Ray FEL on the Channeling Particle	240
	0.7	Beam in a Crystal	251
	8.8	Compton FEL on the Channeling Particle Beam	258
	8.9	Nonlinear Scheme of X-Ray Laser on the Ion	
		and Pump Laser Beams	261
	8.10	Crystal Potential as a Pump Field for Generation of Coherent	
		X-Ray	264
	Biblio	graphy	270
9	Electr	on-Positron Pair Production in Superstrong	
	Laser	Fields	273
	9.1	Vacuum in Superstrong Electromagnetic Fields.	2,3
		Klein Paradox	274
	9.2	Electron-Positron Pair Production by Superstrong Laser Field	
		and γ -Quantum	280

	9.3	Pair Production via Superstrong Laser Beam Scattering	
	0.4	on a Nucleus	286
	9.4	Nonlinear e^- , e^+ Pair Production in Plasma by Strong EM Wave	291
	9.5	Pair Production by Superstrong EM Waves in Vacuum	300
		ography	306
10			500
10		ivistic Quantum Theory of Scattering on Arbitrary	309
	10.1	rostatic Potential and Stimulated Bremsstrahlung Relativistic Wave Function of Spinor Particle Elastic	305
	10.1	Scattering on Arbitrary Electrostatic Potential in Generalized	
		Eikonal Approximation	310
	10.2	Spinor Particle Scattering in the Coulomb Field by Generalized	
		Eikonal Approximation	315
	10.3	Elastic Scattering Cross Section in Generalized Eikonal	
		Approximation	319
	10.4	Bremsstrahlung in Superstrong Radiation Fields: Born	
	10.5	Approximation	321
	10.5	Generalized Eikonal Approximation for Stimulated Bremsstrahlung	331
	10.6	Discussion of the GEA Wave Function in Various Limits	341
		ography	347
11		action of Strong Laser Radiation with Highly Charged	
	HILLET	action of Strong Laser Nathanon with Highly Chargen	
			349
	Atom	s-Ions	349
	Atom	S-Ions	349 350
	11.1 11.2	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field. Above-Threshold Ionization of Atoms-Ions By Superstrong Laser Fields.	
	Atom 11.1	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field. Above-Threshold Ionization of Atoms-Ions By Superstrong Laser Fields. The Relativistic Born Approximation by the Potential	350 359
	Atom 11.1 11.2 11.3	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field. Above-Threshold Ionization of Atoms-Ions By Superstrong Laser Fields. The Relativistic Born Approximation by the Potential of Atomic Remainder in ATI.	350
	11.1 11.2	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field	350 359 365
	Atom 11.1 11.2 11.3 11.4	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field. Above-Threshold Ionization of Atoms-Ions By Superstrong Laser Fields. The Relativistic Born Approximation by the Potential of Atomic Remainder in ATI. Probability of ATI Process for Circular and Linear Polarizations of an EM Wave	350 359
	Atom 11.1 11.2 11.3	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field. Above-Threshold Ionization of Atoms-Ions By Superstrong Laser Fields. The Relativistic Born Approximation by the Potential of Atomic Remainder in ATI. Probability of ATI Process for Circular and Linear Polarizations of an EM Wave Acceleration or Deceleration of the Atoms by	359 365 368
	Atom 11.1 11.2 11.3 11.4 11.5	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field. Above-Threshold Ionization of Atoms-Ions By Superstrong Laser Fields. The Relativistic Born Approximation by the Potential of Atomic Remainder in ATI. Probability of ATI Process for Circular and Linear Polarizations of an EM Wave	350 359 365
12	11.1 11.2 11.3 11.4 11.5 Biblio	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field. Above-Threshold Ionization of Atoms-Ions By Superstrong Laser Fields. The Relativistic Born Approximation by the Potential of Atomic Remainder in ATI. Probability of ATI Process for Circular and Linear Polarizations of an EM Wave Acceleration or Deceleration of the Atoms by Counterpropagating Laser Beams	350 359 365 368 376 386
112	11.1 11.2 11.3 11.4 11.5 Biblio	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field. Above-Threshold Ionization of Atoms-Ions By Superstrong Laser Fields. The Relativistic Born Approximation by the Potential of Atomic Remainder in ATI. Probability of ATI Process for Circular and Linear Polarizations of an EM Wave Acceleration or Deceleration of the Atoms by Counterpropagating Laser Beams ography. action of Superstrong Laser Radiation with Plasma	350 359 365 368 376
12	11.1 11.2 11.3 11.4 11.5 Biblio	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field. Above-Threshold Ionization of Atoms-Ions By Superstrong Laser Fields. The Relativistic Born Approximation by the Potential of Atomic Remainder in ATI. Probability of ATI Process for Circular and Linear Polarizations of an EM Wave Acceleration or Deceleration of the Atoms by Counterpropagating Laser Beams ography. action of Superstrong Laser Radiation with Plasma Electron Wavefunction in SB Process with Exact	350 359 365 368 376 386
112	11.1 11.2 11.3 11.4 11.5 Biblio	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field. Above-Threshold Ionization of Atoms-Ions By Superstrong Laser Fields. The Relativistic Born Approximation by the Potential of Atomic Remainder in ATI. Probability of ATI Process for Circular and Linear Polarizations of an EM Wave Acceleration or Deceleration of the Atoms by Counterpropagating Laser Beams ography. action of Superstrong Laser Radiation with Plasma Electron Wavefunction in SB Process with Exact Consideration of Scattering Coulomb Field Radiation Absorption in Plasma via Inverse SB at the Exact	350 359 365 368 376 386 389
12	11.1 11.2 11.3 11.4 11.5 Biblio Inters 12.1 12.2	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field. Above-Threshold Ionization of Atoms-Ions By Superstrong Laser Fields. The Relativistic Born Approximation by the Potential of Atomic Remainder in ATI. Probability of ATI Process for Circular and Linear Polarizations of an EM Wave Acceleration or Deceleration of the Atoms by Counterpropagating Laser Beams ography. action of Superstrong Laser Radiation with Plasma Electron Wavefunction in SB Process with Exact Consideration of Scattering Coulomb Field Radiation Absorption in Plasma via Inverse SB at the Exact Consideration of Scattering Field	350 359 365 368 376 386 389 390
112	11.1 11.2 11.3 11.4 11.5 Biblio Inters 12.1 12.2 12.3	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field. Above-Threshold Ionization of Atoms-Ions By Superstrong Laser Fields. The Relativistic Born Approximation by the Potential of Atomic Remainder in ATI. Probability of ATI Process for Circular and Linear Polarizations of an EM Wave Acceleration or Deceleration of the Atoms by Counterpropagating Laser Beams ography. action of Superstrong Laser Radiation with Plasma Electron Wavefunction in SB Process with Exact Consideration of Scattering Coulomb Field Radiation Absorption in Plasma via Inverse SB at the Exact Consideration of Scattering Field Absorption at Anisotropic Electron Distribution	350 359 365 368 376 386 389 390 394 397
112	11.1 11.2 11.3 11.4 11.5 Biblio Inters 12.1 12.2	Highly Charged Hydrogen-Like Atoms-Ions in the Strong High-Frequency Laser Field. Above-Threshold Ionization of Atoms-Ions By Superstrong Laser Fields. The Relativistic Born Approximation by the Potential of Atomic Remainder in ATI. Probability of ATI Process for Circular and Linear Polarizations of an EM Wave Acceleration or Deceleration of the Atoms by Counterpropagating Laser Beams ography. action of Superstrong Laser Radiation with Plasma Electron Wavefunction in SB Process with Exact Consideration of Scattering Coulomb Field Radiation Absorption in Plasma via Inverse SB at the Exact Consideration of Scattering Field	350 359 365 368 376 386 389 390

Contents xvii

	12.6	Asymptotic Formulas for Plasma Nonlinear Absorption	
		at Arbitrary Large Intensities	409
	12.7	Microscopic Quantum Theory of Absorption of Powerful	
		X-Ray in Plasma	414
	Biblic	graphy	421
13	High	Harmonic Generation and Coherent X-Ray-γ-Ray	
		tion in Relativistic Atomic-Ionic Systems	423
	13.1	Relativistic HHG in the Counterpropagating Waves Field	424
	13.2	Relativistic High-Order Harmonic Emission	431
	13.3	Relativistic HHG with Copropagating Ultrastrong Laser	
		and Ion Beams in Plasma	433
	13.4	HHG by Intense Coherent X-Ray on Highly-Charged	
		Hydrogen-like Ions	440
	13.5	Effective Hamiltonian for Collective Two-Photon Decay	
		of Positronium Atoms	446
	13.6	Spontaneous Two-Photon Decay of a Para-Positronium	449
	13.7	Gamma-Ray Laser Based on the Collective Decay	
		of Positronium Atoms in Bose-Einstein Condensate	452
	13.8	The Influence of the Confinement and Interaction	
		Between the Positronium Atoms on the γ-Ray	
		Generation Process	458
	Biblic	graphy	460
14	"Rela	tivistic" Nonlinear Electromagnetic Processes	
	in Gr	aphene	463
	14.1	Effective "Relativistic" Hamiltonian for Graphene	
		Quasiparticles	464
	14.2	Microscopic Theory of Strong Laser Fields Interaction	
	1.4.0	with Graphene	468
	14.3	Multiphoton Resonant Excitation and Rabi Oscillations	477
	14.4	in Graphene	473
	14.4	Generation in Graphene	478
	14.5	Graphene Interaction with Strong Laser Radiation	4/0
	14.5	Beyond the Dirac Cone Approximation	481
	14.6	Coherent Effects and Control of Macroscopic Quantum	701
	14.0	States in Graphene	483
	14.7	Resonant Excitations of Fermi-Dirac Sea in a Bilayer	405
	±,	Graphene	488
	14.8	Generation of Harmonics in a Bilayer Graphene	.55
		at the Particle-Hole Multiphoton Excitation	495
	Biblio	graphy	498
Ind	ev		501