

Psang Dain Lin

Advanced Geometrical Optics

 Springer

Contents

Part I A New Light on Old Geometrical Optics (Raytracing Equations of Geometrical Optics)

1	Mathematical Background	3
1.1	Foundational Mathematical Tools and Units	3
1.2	Vector Notation	5
1.3	Coordinate Transformation Matrix	7
1.4	Basic Translation and Rotation Matrices	9
1.5	Specification of a Pose Matrix by Using Translation and Rotation Matrices	15
1.6	Inverse Matrix of a Transformation Matrix	16
1.7	Flat Boundary Surface	17
1.8	RPY Transformation Solutions	19
1.9	Equivalent Angle and Axis of Rotation	20
1.10	The First- and Second-Order Partial Derivatives of a Vector	22
1.11	Introduction to Optimization Methods	26
	References	28
2	Skew-Ray Tracing of Geometrical Optics	29
2.1	Source Ray	29
2.2	Spherical Boundary Surfaces	32
2.2.1	Spherical Boundary Surface and Associated Unit Normal Vector	32
2.2.2	Incidence Point	34
2.2.3	Unit Directional Vectors of Reflected and Refracted Rays	37

2.3	Flat Boundary Surfaces	44
2.3.1	Flat Boundary Surface and Associated Unit Normal Vector	44
2.3.2	Incidence Point	46
2.3.3	Unit Directional Vectors of Reflected and Refracted Rays	47
2.4	General Aspherical Boundary Surfaces	55
2.4.1	Aspherical Boundary Surface and Associated Unit Normal Vector	55
2.4.2	Incidence Point	57
2.5	The Unit Normal Vector of a Boundary Surface for Given Incoming and Outgoing Rays	64
2.5.1	Unit Normal Vector of Refractive Boundary Surface	65
2.5.2	Unit Normal Vector of Reflective Boundary Surface	67
	References	68
3	Geometrical Optical Model	71
3.1	Axis-Symmetrical Systems	71
3.1.1	Elements with Spherical Boundary Surfaces	76
3.1.2	Elements with Spherical and Flat Boundary Surfaces	77
3.1.3	Elements with Flat and Spherical Boundary Surfaces	78
3.1.4	Elements with Flat Boundary Surfaces	79
3.2	Non-axially Symmetrical Systems	87
3.3	Spot Diagram of Monochromatic Light	97
3.4	Point Spread Function	99
3.5	Modulation Transfer Function	104
3.6	Motion Measurement Systems	109
	References	113
4	Raytracing Equations for Paraxial Optics	115
4.1	Raytracing Equations of Paraxial Optics for 3-D Optical Systems	115
4.1.1	Transfer Matrix	117
4.1.2	Reflection and Refraction Matrices for Flat Boundary Surface	118
4.1.3	Reflection and Refraction Matrices for Spherical Boundary Surface	119
4.2	Conventional 2×2 Raytracing Matrices for Paraxial Optics	123
4.2.1	Refracting Boundary Surfaces	124
4.2.2	Reflecting Boundary Surfaces	125

4.3	Conventional Raytracing Matrices for Paraxial Optics Derived from Geometry Relations	128
4.3.1	Transfer Matrix for Ray Propagating Along Straight-Line Path	129
4.3.2	Refraction Matrix at Refractive Flat Boundary Surface	131
4.3.3	Reflection Matrix at Flat Mirror	133
4.3.4	Refraction Matrix at Refractive Spherical Boundary Surface	135
4.3.5	Reflection Matrix at Spherical Mirror	138
	References.	142
5	Cardinal Points and Image Equations	143
5.1	Paraxial Optics	143
5.2	Cardinal Planes and Cardinal Points	145
5.2.1	Location of Focal Points	146
5.2.2	Location of Nodal Points	148
5.3	Thick and Thin Lenses	149
5.4	Curved Mirrors	151
5.5	Determination of Image Position Using Cardinal Points	153
5.6	Equation of Lateral Magnification	154
5.7	Equation of Longitudinal Magnification	155
5.8	Two-Element Systems	156
5.9	Optical Invariant	159
5.9.1	Optical Invariant and Lateral Magnification	160
5.9.2	Image Height for Object at Infinity	161
5.9.3	Data of Third Ray	162
5.9.4	Focal Length Determination	164
	References.	165
6	Ray Aberrations	167
6.1	Stops and Aperture	167
6.2	Ray Aberration Polynomial and Primary Aberrations	169
6.3	Spherical Aberration	171
6.4	Coma	173
6.5	Astigmatism	177
6.6	Field Curvature	179
6.7	Distortion	180
6.8	Chromatic Aberration	181
	References.	183

**Part II New Tools for Optical Analysis and Design
(First-Order Derivative Matrices of a Ray and its OPL)**

7	Jacobian Matrices of Ray $\bar{\mathbf{R}}_i$ with Respect to Incoming Ray $\bar{\mathbf{R}}_{i-1}$ and Boundary Variable Vector $\bar{\mathbf{X}}_i$	187
7.1	Jacobian Matrix of Ray	188
7.2	Jacobian Matrix $\partial\bar{\mathbf{R}}_i/\partial\bar{\mathbf{R}}_{i-1}$ for Flat Boundary Surface.	189
7.2.1	Jacobian Matrix of Incidence Point	190
7.2.2	Jacobian Matrix of Unit Directional Vector of Reflected Ray	191
7.2.3	Jacobian Matrix of Unit Directional Vector of Refracted Ray	191
7.2.4	Jacobian Matrix of $\bar{\mathbf{R}}_i$ with Respect to $\bar{\mathbf{R}}_{i-1}$ for Flat Boundary Surface	192
7.3	Jacobian Matrix $\partial\bar{\mathbf{R}}_i/\partial\bar{\mathbf{R}}_{i-1}$ for Spherical Boundary Surface	195
7.3.1	Jacobian Matrix of Incidence Point	196
7.3.2	Jacobian Matrix of Unit Directional Vector of Reflected Ray	197
7.3.3	Jacobian Matrix of Unit Directional Vector of Refracted Ray	198
7.3.4	Jacobian Matrix of $\bar{\mathbf{R}}_i$ with Respect to $\bar{\mathbf{R}}_{i-1}$ for Spherical Boundary Surface.	198
7.4	Jacobian Matrix $\partial\bar{\mathbf{R}}_i/\partial\bar{\mathbf{X}}_i$ for Flat Boundary Surface	201
7.4.1	Jacobian Matrix of Incidence Point	202
7.4.2	Jacobian Matrix of Unit Directional Vector of Reflected Ray	203
7.4.3	Jacobian Matrix of Unit Directional Vector of Refracted Ray	203
7.4.4	Jacobian Matrix of $\bar{\mathbf{R}}_i$ with Respect to $\bar{\mathbf{X}}_i$	204
7.5	Jacobian Matrix $\partial\bar{\mathbf{R}}_i/\partial\bar{\mathbf{X}}_i$ for Spherical Boundary Surface	206
7.5.1	Jacobian Matrix of Incidence Point	207
7.5.2	Jacobian Matrix of Unit Directional Vector of Reflected Ray	208
7.5.3	Jacobian Matrix of Unit Directional Vector of Refracted Ray	208
7.5.4	Jacobian Matrix of $\bar{\mathbf{R}}_i$ with Respect to $\bar{\mathbf{X}}_i$	209
7.6	Jacobian Matrix of an Arbitrary Ray with Respect to System Variable Vector	210
	Appendix 1	213
	Appendix 2	215
	References.	218

8	Jacobian Matrix of Boundary Variable Vector \bar{X}_i with Respect to System Variable Vector \bar{X}_{sys}	219
8.1	System Variable Vector	219
8.2	Jacobian Matrix $d\bar{X}_0/d\bar{X}_{sys}$ of Source Ray	220
8.3	Jacobian Matrix $d\bar{X}_i/d\bar{X}_{sys}$ of Flat Boundary Surface	221
8.4	Jacobian Matrix $d\bar{X}_i/d\bar{X}_{sys}$ of Spherical Boundary Surface	226
	Appendix 1	233
	Appendix 2	236
	Appendix 3	238
	Appendix 4	241
	References	243
9	Prism Analysis	245
9.1	Retro-reflectors	245
9.1.1	Corner-Cube Mirror	245
9.1.2	Solid Glass Corner-Cube	247
9.2	Dispersing Prisms	248
9.2.1	Triangular Prism	249
9.2.2	Pellin-Broca Prism and Dispersive Abbe Prism	250
9.2.3	Achromatic Prism and Direct Vision Prism	251
9.3	Right-Angle Prisms	253
9.4	Porro Prism	254
9.5	Dove Prism	255
9.6	Roofed Amici Prism	256
9.7	Erecting Prisms	257
9.7.1	Double Porro Prism	257
9.7.2	Porro-Abbe Prism	259
9.7.3	Abbe-Koenig Prism	260
9.7.4	Roofed Pechan Prism	261
9.8	Penta Prism	262
	Appendix 1	263
	References	264
10	Prism Design Based on Image Orientation	267
10.1	Reflector Matrix and Image Orientation Function	267
10.2	Minimum Number of Reflectors	274
10.2.1	Right-Handed Image Orientation Function	275
10.2.2	Left-Handed Image Orientation Function	277
10.3	Prism Design Based on Unit Vectors of Reflectors	277
10.4	Exact Analytical Solutions for Single Prism with Minimum Number of Reflectors	282
10.4.1	Right-Handed Image Orientation Function	284
10.4.2	Left-Handed Image Orientation Function	284

10.4.3	Solution for Right-Handed Image Orientation Function	285
10.4.4	Solution for Left-Handed Image Orientation Function	288
10.5	Prism Design for Given Image Orientation Using Screw Triangle Method	291
	References	294
11	Determination of Prism Reflectors to Produce Required Image Orientation	295
11.1	Determination of Reflector Equations	295
11.2	Determination of Prism with $n = 4$ Boundary Surfaces to Produce Specified Right-Handed Image Orientation	298
11.3	Determination of Prism with $n = 5$ Boundary Surfaces to Produce Specified Left-Handed Image Orientation	302
	Reference	307
12	Optically Stable Systems	309
12.1	Image Orientation Function of Optically Stable Systems	309
12.2	Design of Optically Stable Reflector Systems	312
12.2.1	Stable Systems Comprising Two Reflectors	312
12.2.2	Stable Systems Comprising Three Reflectors	313
12.2.3	Stable Systems Comprising More Than Three Reflectors	314
12.3	Design of Optically Stable Prism	316
	Reference	318
13	Point Spread Function, Caustic Surfaces and Modulation Transfer Function	319
13.1	Infinitesimal Area on Image Plane	320
13.2	Derivation of Point Spread Function Using Irradiance Method	322
13.3	Derivation of Spot Diagram Using Irradiance Method	326
13.4	Caustic Surfaces	327
13.4.1	Caustic Surfaces Formed by Point Source	328
13.4.2	Caustic Surfaces Formed by Collimated Rays	330
13.5	MTF Theory for Any Arbitrary Direction of OBDF	333
13.6	Determination of MTF for Any Arbitrary Direction of OBDF Using Ray-Counting and Irradiance Methods	336
13.6.1	Ray-Counting Method	336
13.6.2	Irradiance Method	337
	Appendix 1	344
	Appendix 2	345
	Appendix 3	346
	Appendix 4	346
	References	349

14 Optical Path Length and Its Jacobian Matrix. 353

14.1 Jacobian Matrix of OPL_i Between (i-1)th and ith Boundary Surfaces 353

14.1.1 Jacobian Matrix of OPL_i with Respect to Incoming Ray \bar{R}_{i-1} 354

14.1.2 Jacobian Matrix of OPL_i with Respect to Boundary Variable Vector \bar{X}_i 355

14.2 Jacobian Matrix of OPL Between Two Incidence Points 357

14.3 Computation of Wavefront Aberrations 362

14.4 Merit Function Based on Wavefront Aberration 368

References. 369

Part III A Bright Light for Geometrical Optics (Second-Order Derivative Matrices of a Ray and its OPL)

15 Wavefront Aberration and Wavefront Shape. 373

15.1 Hessian Matrix $\partial^2 \bar{R}_i / \partial \bar{R}_{i-1}^2$ for Flat Boundary Surface 374

15.1.1 Hessian Matrix of Incidence Point \bar{P}_i 375

15.1.2 Hessian Matrix of Unit Directional Vector \bar{l}_i of Reflected Ray 375

15.1.3 Hessian Matrix of Unit Directional Vector \bar{l}_i of Refracted Ray 375

15.2 Hessian Matrix $\partial^2 \bar{R}_i / \partial \bar{R}_{i-1}^2$ for Spherical Boundary Surface 376

15.2.1 Hessian Matrix of Incidence Point \bar{P}_i 376

15.2.2 Hessian Matrix of Unit Directional Vector \bar{l}_i of Reflected Ray 377

15.2.3 Hessian Matrix of Unit Directional Vector \bar{l}_i of Refracted Ray 377

15.3 Hessian Matrix of \bar{R}_i with Respect to Variable Vector \bar{X}_0 of Source Ray 378

15.4 Hessian Matrix of OPL_i with Respect to Variable Vector \bar{X}_0 of Source Ray 380

15.5 Change of Wavefront Aberration Due to Translation of Point Source \bar{P}_0 382

15.6 Wavefront Shape Along Ray Path 387

15.6.1 Tangent and Unit Normal Vectors of Wavefront Surface 389

15.6.2 First and Second Fundamental Forms of Wavefront Surface 390

15.6.3 Principal Curvatures of Wavefront 392

Appendix 1 399

Appendix 2 400

References. 403

16 Hessian Matrices of Ray $\bar{\mathbf{R}}_i$ with Respect to Incoming Ray $\bar{\mathbf{R}}_{i-1}$ and Boundary Variable Vector $\bar{\mathbf{X}}_i$	405
16.1 Hessian Matrix of a Ray with Respect to System Variable Vector.	405
16.2 Hessian Matrix $\partial^2 \bar{\mathbf{R}}_i / \partial \bar{\mathbf{X}}_i^2$ for Flat Boundary Surface.	407
16.2.1 Hessian Matrix of Incidence Point $\bar{\mathbf{P}}_i$	407
16.2.2 Hessian Matrix of Unit Directional Vector $\bar{\ell}_i$ of Reflected Ray	408
16.2.3 Hessian Matrix of Unit Directional Vector $\bar{\ell}_i$ of Refracted Ray	408
16.3 Hessian Matrix $\partial^2 \bar{\mathbf{R}}_i / \partial \bar{\mathbf{X}}_i \partial \bar{\mathbf{R}}_{i-1}$ for Flat Boundary Surface	409
16.3.1 Hessian Matrix of Incidence Point $\bar{\mathbf{P}}_i$	410
16.3.2 Hessian Matrix of Unit Directional Vector $\bar{\ell}_i$ of Reflected Ray	411
16.3.3 Hessian Matrix of Unit Directional Vector $\bar{\ell}_i$ of Refracted Ray	411
16.4 Hessian Matrix $\partial^2 \bar{\mathbf{R}}_i / \partial \bar{\mathbf{X}}_i^2$ for Spherical Boundary Surface.	412
16.4.1 Hessian Matrix of Incidence Point $\bar{\mathbf{P}}_i$	412
16.4.2 Hessian Matrix of Unit Directional Vector $\bar{\ell}_i$ of Reflected Ray	413
16.4.3 Hessian Matrix of Unit Directional Vector $\bar{\ell}_i$ of Refracted Ray	413
16.5 Hessian Matrix $\partial^2 \bar{\mathbf{R}}_i / \partial \bar{\mathbf{X}}_i \partial \bar{\mathbf{R}}_{i-1}$ for Spherical Boundary Surface	414
16.5.1 Hessian Matrix of Incidence Point $\bar{\mathbf{P}}_i$	415
16.5.2 Hessian Matrix of Unit Directional Vector $\bar{\ell}_i$ of Reflected Ray	415
16.5.3 Hessian Matrix of Unit Directional Vector $\bar{\ell}_i$ of Refracted Ray	416
Appendix 1	417
Appendix 2	420
Reference	423
17 Hessian Matrix of Boundary Variable Vector $\bar{\mathbf{X}}_i$ with Respect to System Variable Vector $\bar{\mathbf{X}}_{\text{sys}}$	425
17.1 Hessian Matrix $\partial^2 \bar{\mathbf{X}}_0 / \partial \bar{\mathbf{X}}_{\text{sys}}^2$ of Source Ray	425
17.2 Hessian Matrix $\partial^2 \bar{\mathbf{X}}_i / \partial \bar{\mathbf{X}}_{\text{sys}}^2$ for Flat Boundary Surface.	426
17.3 Design of Optical Systems Possessing Only Flat Boundary Surfaces	430
17.4 Hessian Matrix $\partial^2 \bar{\mathbf{X}}_i / \partial \bar{\mathbf{X}}_{\text{sys}}^2$ for Spherical Boundary Surface . . .	433
17.5 Design of Retro-reflectors.	437

Appendix 1	441
Appendix 2	443
Appendix 3	445
Appendix 4	446
References.	449
18 Hessian Matrix of Optical Path Length.	451
18.1 Determination of Hessian Matrix of OPL.	451
18.1.1 Hessian Matrix of OPL _i with Respect to Incoming Ray \bar{R}_{i-1}	453
18.1.2 Hessian Matrix of OPL _i with Respect to \bar{X}_i and \bar{R}_{i-1}	453
18.1.3 Hessian Matrix of OPL _i with Respect to Boundary Variable Vector \bar{X}_i	453
18.2 System Analysis Based on Jacobian and Hessian Matrices of Wavefront Aberrations	454
18.3 System Design Based on Jacobian and Hessian Matrices of Wavefront Aberrations	456
Reference	457
VITA	459