

Contents

Preface — V

- 1 Attractor and its dimension estimation — 1**
 - 1.1 Global attractor and estimation of Hausdorff and fractal dimensions — 1
 - 1.2 Kuramoto–Sivashinsky equation — 6
 - 1.3 A type of nonlinear viscoelastic wave equation — 25
 - 1.4 Coupled KdV equations — 38
 - 1.5 Davey–Stewartson equation — 51
 - 1.6 Derivative Ginzburg–Landau equation — 62
 - 1.7 Ginzburg–Landau model in superconductivity — 78
 - 1.8 Landau–Lifshitz–Maxwell equation — 86
 - 1.9 Nonlinear Schrödinger–Boussinesq equations — 108
 - 1.10 A new method to prove existence of a strong topology attractor — 123
 - 1.11 Nonlinear KdV–Schrödinger equation — 131
 - 1.12 The Landau–Lifshitz equation on a Riemannian manifold — 145
 - 1.13 The dissipation Klein–Gordon–Schrödinger equations on \mathbb{R}^3 — 165
 - 1.14 Two-dimensional unbounded region derivative Ginzburg–Landau equation — 181
 - 1.15 The relation between attractor and turbulence — 193
- 2 Inertial manifold — 201**
 - 2.1 The inertial manifold for a class of nonlinear evolution equations — 202
 - 2.2 Inertial manifold and normal hyperbolicity property — 221
 - 2.3 The finite-dimensional inertial form for the one-dimensional generalized Ginzburg–Landau equation — 258
 - 2.4 The existence of inertial manifolds for the generalized KS equation — 276
- 3 The approximate inertial manifold — 307**
 - 3.1 Two-dimensional Navier–Stokes equation — 307
 - 3.2 The Gevrey regularity of solutions — 316
 - 3.3 Time analyticity of solution for a class of dissipative nonlinear evolution equations — 323
 - 3.4 Two-dimensional Ginzburg–Landau equation — 337
 - 3.5 Bernard convection equation — 350
 - 3.6 Long wave–short wave (LS) equation — 362

VIII — Contents

- 3.7 One-dimensional ferromagnetic chain equation — **375**
- 3.8 Nonlinear Schrödinger equation — **383**
- 3.9 The convergence of approximate inertial manifolds — **394**

Bibliography — 419

Index — 429