

# Contents

<b>Abstract</b>	<b>i</b>
<b>Danksagung</b>	<b>iv</b>
<b>List of Figures</b>	<b>x</b>
<b>List of Tables</b>	<b>xiii</b>
<b>Notations</b>	<b>xiv</b>
<b>1 Introduction</b>	<b>1</b>
<b>2 Fundamentals of mechanism based alloy design for steels</b>	<b>6</b>
2.1 Introduction . . . . .	6
2.2 Slip deformation . . . . .	6
2.3 Stacking fault energy and $\epsilon$ -/ $\alpha'$ -martensite . . . . .	7
2.3.1 Distinction between $\epsilon$ - and $\alpha'$ -martensite . . . . .	8
2.3.2 Physical model of $\epsilon$ -martensite . . . . .	8
2.3.3 Thermodynamic model of $\epsilon$ -martensite formation . . . . .	11
2.4 Transformation induced plasticity (TRIP) . . . . .	15
2.5 Twinning induced plasticity (TWIP) . . . . .	16
2.6 Precipitation hardening in high manganese steels . . . . .	18
2.7 Alloy design parameters . . . . .	19
<b>3 The Calphad method</b>	<b>25</b>
3.1 Gibbs energy models . . . . .	25
3.2 Non-ideal behavior of higher order systems . . . . .	26
3.3 Compound energy formalism . . . . .	29
3.4 Ordering models of solution phases . . . . .	29
3.5 Partitioning model . . . . .	31

<b>4 Objectives</b>	<b>32</b>
<b>5 Review of experiments</b>	<b>34</b>
5.1 Phase models	35
5.2 Binary systems	36
5.2.1 Fe–C	36
5.2.2 Al–C	37
5.2.3 Mn–C	40
5.2.4 Al–Fe	41
5.2.5 Al–Mn	42
5.2.6 Fe–Mn	43
5.3 Review of the Al–Fe–Mn system	44
5.4 Review of the Fe–Mn–C system	46
5.5 Review of the Al–Mn–C system	47
5.5.1 Experimental work	47
5.5.2 <i>ab initio</i> calculations	54
5.5.3 Calphad modeling approaches	56
5.6 Review of the Al–Fe–C system	57
5.6.1 Experimental work	57
5.6.2 <i>ab initio</i> calculations	59
5.6.3 Calphad modeling approaches	61
5.7 Review of the Al–Fe–Mn–C system	63
5.7.1 Experimental work	63
5.7.2 <i>ab initio</i> calculations	66
5.7.3 Calphad modeling approaches	69
5.8 $\kappa$ phase non-stoichiometry	69
<b>6 Modeling and optimization</b>	<b>72</b>
6.1 Modeling and optimization of the Al–Mn–C system	72
6.1.1 Phase models	72
6.1.2 Optimization	74
6.2 Modeling and optimization of the Al–Fe–C system	76
6.2.1 Phase models and optimization	76

6.3	Modeling and optimization of the Al-Fe-Mn-C system . . . . .	77
6.3.1	Optimization . . . . .	79
<b>7</b>	<b>Results and discussion</b>	<b>81</b>
7.1	Al-Mn-C . . . . .	84
7.1.1	Liquidus surface . . . . .	84
7.1.2	Isothermal sections at 1100 °C and 1200 °C . . . . .	85
7.2	Al-Fe-C . . . . .	89
7.2.1	Isothermal sections at 800 °C and 1000 °C . . . . .	92
7.2.2	Iron-rich isothermal sections at 800–1200 °C . . . . .	92
7.2.3	Vertical sections with varying carbon content . . . . .	97
7.3	Al-Fe-Mn-C . . . . .	99
7.3.1	Isothermal sections at 10 wt.% Mn . . . . .	99
7.3.2	Isothermal sections at 20 wt.% Mn . . . . .	102
7.3.3	Isothermal sections at 30 wt.% Mn . . . . .	105
7.3.4	Isothermal sections at 40 wt.% Mn . . . . .	108
7.3.5	Quaternary alloys with phase analysis . . . . .	112
7.4	Application to manganese steels with aluminium . . . . .	116
7.4.1	Fe-3.0Mn-5.5Al-0.3C . . . . .	117
7.4.2	Fe-9.3Mn-5.6Al-0.16C . . . . .	117
7.4.3	Fe-30.0Mn-8Al-1.2C . . . . .	121
7.5	General considerations . . . . .	123
<b>8</b>	<b>Conclusions</b>	<b>125</b>