

RODD'S CHEMISTRY OF CARBON COMPOUNDS

A modern comprehensive treatise

SECOND EDITION

Edited by

S. COFFEY

M.Sc. (London), D.Sc. (Leyden), F.R.I.C.

formerly of

I.C.I. Dyestuffs Division, Blackley, Manchester

VOLUME III PART B

AROMATIC COMPOUNDS

Benzoquinones and related compounds: Derivatives of mononuclear benzenoid hydrocarbons with nuclear substituents attached through an element other than the non-metals in Groups VI and VII of the Periodic Table



ELSEVIER SCIENTIFIC PUBLISHING COMPANY

AMSTERDAM LONDON NEW YORK

1974

CONTENTS

VOLUME III B

Aromatic Compounds. Benzoquinones and related compounds: Derivatives of mono-nuclear benzenoid hydrocarbons with nuclear substituents attached through an element other than the non-metals in Groups VI and VII of the Periodic Table

PREFACE	VII
OFFICIAL PUBLICATIONS; SCIENTIFIC JOURNALS AND PERIODICALS	XVI
LIST OF COMMON ABBREVIATIONS AND SYMBOLS USED	XVII

Chapter 8. Benzoquinones and related compounds

by J. MALCOLM BRUCE

I. Benzoquinones	I
a. Introduction	I
(i) History, 4 – (ii) Occurrence, 5 – (iii) Biosynthesis, 7 – (iv) Physiological properties, 8 – (v) General bibliography, 9 –	
b. Preparation of benzoquinones	10
(i) Oxidation of hydroquinones, 11 – (ii) Oxidation of catechols, 13 – (iii) Oxidation of phenols, 15 – (iv) Oxidation of esters and ethers, 20 – (v) Preparations from arylamines, 24 – (vi) Preparation from quinone oximes, 25 – (vii) Preparation from quinone methides, 26 – (viii) Preparation from hydrocarbons and perfluorohydrocarbons, 26 – (ix) Preparation by pyrolysis and photolysis, 26 – (x) Preparation from ketones, 27 – (xi) Preparation from cyclic diols, enones, etc., 27 – (xii) Preparation from aliphatic compounds, 28 – (xiii) Preparation by isomerisation, 29 –	
c. Physical properties of benzoquinones	29
(i) Structure, 29 – (ii) Theoretical treatment, 30 – (iii) Physical data, 31 –	
d. Chemical properties of benzoquinones	36
(i) Reduction, 36 – (ii) Complex formation, 42 – (iii) Dehydrogenation reactions, 47 – (iv) Addition and related reactions, 55 – (1) Addition of hydrogen, 55 – (2) Addition of hydrogen halides, 56 – (3) Addition and exchange of halogens, 56 – (4) Addition of alkenes, 57 – (5) Addition of 1,3-dienes and related compounds, 59 – (6) Benzoquinones dimers and polymers, 73 – (7) Addition of alkynes, nitriles and nitrile oxides, 75 – (8) Addition of ketenes and ketenimines, 75 – (9) Addition of oximes, benzofurazan oxides and hydrazones, 76 – (10) Addition of sydnones, 76 – (11) Addition of azides and hydrazoic acid, 76 – (12) Addition of diazoalkanes, 77 – (13) Addition of enamines and ynamines, 78 – (14) Addition of aldehydes, ketones and carbonyl chlorides, 81 – (15) Addition of amines and related compounds, 82 – (16) Addition of water, alcohols, phenols, thiols, and related compounds, 88 – (17) Addition of oxygen, 93 – (18) Addition of carbanions, 94 – (19) Addition of organometallic, organometalloid and related compounds, 98 – (20) Addition of free radicals, 101 – (21) Addition of aryl residues, 104 – (v) Ring	

expansion, 106 – (vi) Ring contraction, 107 – (vii) Fragmentation and related reactions, 109 – (viii) Reactions involving side-chains, 110 – (ix) Polybenzoquinones, 113 –	
e. Individual benzoquinones	117
(i) Acyl- and aroyl-1,4-benzoquinones, 119 – (ii) Cyano-1,4-benzoquinones, 120 – (iii) Halogeno-1,4-benzoquinones, 120 – (iv) Hydroxy- and methoxy-1,4-benzoquinones, 121 – (v) Amino-1,4-benzoquinones, 123 – (vi) 1,4-Benzoquinone-carboxylic and -sulphonic acids, 124 – (vii) Quinhydrone and related compounds, 124 –	
2. Benzoquinone imines and related compounds	124
a. Derivatives of 1,4-benzoquinone	125
(i) Preparation, 125 – (ii) Properties and reactions, 129 –	
b. Derivatives of 1,2-benzoquinone	131
(i) Preparation, 131 – (ii) Properties and reactions, 132 –	
c. Individual 1,2-benzoquinone oximes and related substances	132
d. Individual 1,4-benzoquinone imines	133
3. Benzoquinone sulphones	135
4. Benzoquinone methides	135
a. 1,4-Benzoquinone methides	135
(i) Preparation, 136 – (ii) Properties, 142 –	
b. 1,2-Benzoquinone methides	146
(i) Preparation and reactions, 146 – (ii) 1,2-Benzoquinone imine methides (1-methylenebenzoquinone 2-imines, 1,2-iminobenzoquinonemethanes), 150 – (iii) 1-Carbonyl-1,2-benzoquinones, 151 –	
5. Benzoquinols (hydroxycyclohexadienones) and related compounds	152
a. Preparation	152
(i) Benzoquinols, 152 – (ii) Quinol ethers and esters, 156 – (iii) Quinol imines, 159 – (iv) Benzoquinamines, 159 –	
b. Properties and reactions	160
6. Benzynequinone	164
7. Homobenzoquinones	164

Appendix to
Chapter 8. Benzoquinones and related compounds, p. 167
 by J. MALCOLM BRUCE

Chapter 9. Derivatives of benzenoid hydrocarbons with substituents
containing a single nitrogen atom
 by A. K. SARKAR

I. Nitro derivatives of benzene and its homologues	177
a. Nuclear nitro compounds	178
(i) Preparation, 178 – (ii) Properties of aromatic nitro compounds, 181 – (iii) General reactions of aromatic nitro compounds, 181 – (iv) Mono- to tetra-nitrobenzenes, 184 – (v) Nitrotoluenes, 187 – (vi) Nitro derivatives of higher homologues, 190 –	

b. Halogenated derivatives of nuclear nitro compounds	191
(i) Halogenonitrobenzenes, 191 – (ii) Halogen in the side chain, 196 –	
c. Side-chain nitro compounds: arylnitroparaffins	197
(i) Preparation, 197 – (ii) General characteristics, 199 –	
2. Nitroso derivatives of benzene and its homologues	203
a. Methods of preparation of aromatic nitroso compounds	203
(i) Oxidation of amines, 203 – (ii) Oxidation of hydroxylamines, 204 – (iii) Reduction of nitro compounds, 204 – (iv) Direct introduction of nitroso group, 205 – (v) From organometallic compounds, 206 –	
b. Properties and reactions	206
(i) Action of heat and light, 207 – (ii) Complex formation, 208 – (iii) Action of acids and bases, 208 – (iv) Oxidation, 209 – (v) Reduction, 209 – (vi) Condensation reactions, 210 – (vii) Ehrlich–Sachs reaction, 211 – (viii) Nuclear reactions, 213 – (ix) Individual nitrosoarenes, 213 – References for general reading, 214 –	
3. <i>N</i> -Arylhydroxylamines	214
a. Methods of preparation	214
(i) Reduction of nitro compounds, 214 – (ii) Arylation of hydroxylamine, 215 – (iii) Oxidation of metal imides, 215 – (iv) Nitrosoarenes and Grignard reagents, 215 –	
b. Reactions and properties	215
c. Arylhydroxylamines	218
(i) <i>N</i> -Arylhydroxylamines, 218 – (ii) Diarylhydroxylamines, 218 –	
4. Aromatic amines derived from benzene, its homologues and derivatives	219
a. Nuclear primary mono-amines of benzene and its homologues	220
(i) Methods of preparation and formation, 220 – (ii) Properties of primary aromatic amines, 227 – (iii) Reactions of the benzenoid primary monoamines, 227 – (iv) Aniline, 230 – (v) Homologues of aniline, 232 – (vi) Homologues of aniline halogenated in the alkyl group, 235 –	
b. Secondary and tertiary amines and quaternary ammonium compounds of the benzene series	236
(i) Preparation, 236 – (ii) Separation of primary, secondary and tertiary arylamines, 238 – (iii) Monoalkylarylamines, 239 – (iv) Alkylarylamines with substituents in the alkyl group, 240 – (v) Condensation products of arylamines with aliphatic aldehydes, 242 – (vi) Dialkylarylamines, 244 – (vii) Di- and triarylamines, 246 – (viii) Quaternary arylammonium salts, 248 –	
c. Dialkylarylamine oxides	250
d. Arylamides of inorganic acids	251
(i) Arylsulphamide (arylsulphamic or arylamidodisulphuric) acids, 251 – (ii) <i>N</i> -Sulphinylarylamines, 252 – (iii) Derivatives of phosphorus, arsenious and silicic acids, 253 –	
e. Derivatives of monobasic carboxylic and thiocarboxylic acids	256
(i) Arylamides, 256 – (ii) <i>N</i> -Aryl derivatives of aliphatic amidines, 260 –	
f. Derivatives of carbonic and thiocarbonic acids	262
(i) Derivatives of carbamic acid, 262 – (ii) <i>N</i> -Arylureas, 263 – (iii) Derivatives of phenylisourea, 265 – (iv) Phenylcarbamoyl derivatives of hydroxylamine and	

hydrazine, 266 – (v) Derivatives of thio- and dithio-carbamic acids, 266 – (vi) Arylthioureas, 268 – (vii) Derivatives of arylisothioureas, 269 – (viii) Phenylthiocarbamoyl derivatives of hydroxylamine and hydrazine, 270 – (ix) Arylguanidines, 270 – (x) Arylbiguanides, 272 – (xi) Aryl isocyanates, 275 – (xii) Aryl isothiocyanates, 278 – (xiii) Aryl isocyanides, 281 – (xiv) Diarylcarbodiimides, 282 –	
g. Arylamides of dicarboxylic acids and their derivatives	284
h. Phenylamino derivatives of fatty aldehydes and ketones	286
i. Phenylamino derivatives of fatty acids	286
j. Phenylamino derivatives of aliphatic dicarboxylic acids	289
Nuclear-substituted anilines and homologues	290
5. Nuclear halogeno derivatives of aniline	290
a. Methods of formation	290
b. Properties and reactions	291
c. Monohalogeno-anilines	291
d. Di-, tri- and poly-halogeno-anilines	292
e. Halogen derivatives of <i>N</i> -alkylanilines and diphenylamine	293
6. Nuclear nitroso derivatives of aniline	295
7. Nuclear nitro derivatives of aniline and homologues	296
a. Methods of formation	296
b. Properties and reactions	296
c. Nitroanilines	297
d. Nitro derivatives of homologues of aniline	299
8. Sulphonic acids of aniline and its homologues	299
a. Methods of preparation	299
b. Individual amino-sulphonic acids	300
9. Amines with more than one nuclear amino group	301
a. Diamines	301
(i) General methods of preparation, 301 – (ii) Properties, 301 – (iii) Chemical reactions of <i>o</i> -, <i>m</i> - and <i>p</i> -diamines, 301 – (iv) Individual diamines, 304 –	
b. Tri- and poly-amines	306
(i) Triamines, 306 – (ii) Tetramines, 307 – (iii) Pentamine, 307 – (iv) Hexamine, 307 –	

Chapter 10. Aromatic compounds of the non-transition elements

by A. G. DAVIES

1. Introduction	309
Bibliography, 310 –	
2. Group I A: lithium, sodium, potassium, rubidium and caesium	310
a. Classes a, b and c	311
(i) The reaction $Ar_2Hg + M$, 311 – (ii) The reaction $RX + 2M$, 311 – (iii) The reaction $RH + M$, 312 – (iv) The reaction $RX + R'M$, 313 – (v) The reaction $R'H + RM$, 313 – (vi) Properties, 314 – (vii) Individual compounds, 314 –	
b. Class d	315

3. Group II A: beryllium, magnesium, calcium, strontium, barium; Group II B: zinc, cadmium, mercury	316
a. Beryllium	316
b. Magnesium	317
c. Calcium	320
d. Strontium and barium	320
e. Zinc	321
f. Cadmium	322
g. Mercury	322
(i) Preparation, 322 – (ii) Structure, 325 – (iii) Reactions, 325 –	
4. Group III B: boron, aluminium, gallium, indium and thallium	326
a. Boron	326
(i) Preparation, 327 – (ii) Properties and reactions, 328 –	
b. Aluminium	329
c. Gallium	330
d. Indium	331
e. Thallium	331
5. Group IV B: silicon, germanium, tin and lead	333
a. Silicon	333
(i) Preparation of arylsilanes, 333 – (ii) Reactions of arylsilanes, 334 –	
b. Germanium	335
c. Tin	337
(i) Preparation of aryltin compounds, 337 –	
d. Lead	340
6. Group V B: antimony and bismuth	342
a. Antimony	342
b. Bismuth	345
7. Group V B: Non-heterocyclic aromatic compounds of phosphorus and arsenic by A. J. LAYTON	346
a. Phosphorus	346
(i) Arylphosphines, 346 – (ii) Quaternary salts, 349 – (iii) Phosphobenzene, 349 – (iv) Arylhalogenophosphines, 350 – (v) Arylphosphorus acids, 350 –	
b. Arsenic	351
(i) Primary and secondary arylarsines, 352 – (ii) Tertiary arsines, 352 – (iii) Quaternary arylarsonium salts, 353 – (iv) Compounds containing As–As links, 353 – (v) Arylhalogenoarsines, 353 – (vi) Arylarsenic acids, 354 –	

Chapter 11. Aromatic compounds of the transition elements

by M. A. BENNETT

1. Introduction	357
2. Metal π -arene complexes	358
a. Group VI A (Cr, Mo, W)	359
(i) Bis(arene)metal complexes, 359 – (ii) (Arene)metal carbonyls, 365 – (iii) Mixed π -arene- π -cyclopentadienyl complexes, 375 – (iv) Quinone and related complexes, 376 –	

b. Group IV A (Ti, Zr, Hf)	377
c. Group V A (V, Nb, Ta)	377
d. Group VII A (Mn, Tc, Re)	379
e. Group VIII (Fe, Ru, Os)	382
(i) Bis-arene and mixed π -cyclopentadienyl- π -arene complexes, 382 - (ii) Arene-metal carbonyls, 385 - (iii) Quinone complexes, 387 -	
f. Group VIII (Co, Rh, Ir)	388
(i) (Arene)metal complexes, 388 - (ii) Quinone complexes, 391 -	
g. Group VIII (Ni, Pd, Pt)	391
h. Group I B (Cu, Ag, Au) and Hg	393
3. Complexes of the tropylium (cycloheptatrienylium) ion, $C_7H_7^{\oplus}$	394
a. Cycloheptatrienylmetal carbonyls	395
b. Other cycloheptatrienylmetal complexes	398
4. Complexes of 10π -electron systems	400
a. Cyclo-octatetraenide dianion	400
b. Bicyclic and polycyclic systems containing 10π -electrons	402
5. σ -Bonded aryl metal compounds	403
a. Group IV A (Ti, Zr, Hf)	405
b. Group V A (V, Nb, Ta)	410
c. Group VI A (Cr, Mo, W)	411
(i) Chromium aryls, 411 - (ii) Simple aryls of molybdenum and tungsten, 417 - (iii) π -Cyclopentadienyl aryls, 418 - (iv) Benzyls, 420 -	
d. Group VII A (Mn, Tc, Re)	422
e. Group VIII (Fe, Ru, Os)	425
(i) Aryls and benzyls containing <i>N</i> -donor ligands, 425 - (ii) Aryls containing <i>P</i> -donor ligands, 428 - (iii) π -Cyclopentadienyl aryls, 431 - (iv) Fluoroaryls, 432 - (v) Osmium carbonyl cluster derivatives, 433 -	
f. Group VIII (Co, Rh, Ir)	434
(i) Cobalt, 434 - (ii) Rhodium and iridium, 439 -	
g. Group VIII (Ni, Pd, Pt)	443
(i) Nickel, 443 - (ii) Palladium and platinum, 447 -	
h. Group I B (Cu, Ag, Au)	454
i. Scandium, ytterbium and the lanthanide elements	457
INDEX	459