

RODD'S CHEMISTRY OF CARBON COMPOUNDS

A modern comprehensive treatise

SECOND EDITION

Edited by

S. COFFEY

M.Sc. (London), D.Sc. (Leyden), F.R.I.C.

formerly of

I.C.I. Dyestuffs Division, Blackley, Manchester

VOLUME III PART D

AROMATIC COMPOUNDS

Monobenzenoid hydrocarbon derivatives with functional groups in an acyclic side chain; aralkylamines and their derivatives, aralkanols and their oxidation products, monobenzenoid carbaldehydes and monoketones; phenolic aralkanols, their oxidation products and derivatives including carboxylic acids; depsides, hydrolysable tannins, lignans, lignin and humic acid.



ELSEVIER SCIENTIFIC PUBLISHING COMPANY

AMSTERDAM OXFORD NEW YORK

1976

CONTENTS

VOLUME III D

Aromatic Compounds: Monobenzenoid hydrocarbon derivatives with functional groups in an acyclic side chain; aralkylamines and their derivatives, aralkanols and their oxidation products, monobenzenoid carbaldehydes and monoketones; phenolic aralkanols, their oxidation products and derivatives including carboxylic acids; depsides, hydrolysable tannins, lignans, lignin and humic acid

PREFACE	VII
OFFICIAL PUBLICATIONS; SCIENTIFIC JOURNALS AND PERIODICALS	XV
LIST OF ABBREVIATED NAMES OF CHEMICAL FIRMS MENTIONED IN PATENT REFERENCES	XVI
LIST OF COMMON ABBREVIATIONS AND SYMBOLS USED	XVII

*Chapter 13. Aralkylamines and Aralkanols and their Oxidation Products:
Aralkylamines and Aralkanols and their Derivatives*
by G. W. H. CHEESEMAN AND P. F. G. PRAILL

1. Aralkylamines and their derivatives	1
a. Aralkylamines; methods of formation and preparation	1
(i) Amines by aralkylation, 1 – (ii) Amines by reduction, 3 – (iii) Degradative methods, 8 – (iv) Miscellaneous methods, 8	
b. Physical properties of aralkylamines	11
c. Reactions of aralkylamines	11
(i) Acylation, 11 – (ii) Nitrosation, 12 – (iii) Reductive cleavage, 12 – (iv) Reactions with oxidising agents, 13 – (v) Nitration, 14 – (vi) Sommelet–Hauser rearrangement, 14 – (vii) Stevens rearrangement, 14	
d. Individual amines	16
(i) Aralkylamines, 16 – (ii) Carbonic acid derivatives of benzylamine and its homologues, 20 – (iii) Nuclear-substituted aralkylamines, 21 – (iv) Benzyl derivatives of hydroxylamine, 25 – (v) Benzyl derivatives of hydrazine, 28 – (vi) Diazo compounds, triazenes and azides related to benzylamine, 29	
2. Monohydric alcohols of the benzene series and their derivatives	30
a. Methods of formation and preparation	30
(i) From aralkyl halides, 30 – (ii) From aldehydes and ketones, 31 – (iii) From carboxylic acids and their derivatives, 32 – (iv) From olefins, 33 – (v) From cyclic ethers, 34 – (vi) Miscellaneous methods, 35	
b. Physical properties and reactions	35
(i) Reaction with oxidising agents, 35 – (ii) Cleavage of the benzyl–oxygen bond, 37 – (iii) Wittig rearrangement, 37 – (iv) Rearrangement of benzyl methyl sulphide and benzyldimethylsulphonium bromide, 38 – (v) Oxidation of benzyl sulphides, 38 – (vi) Reaction of benzyl alcohols and benzyl ethers with thallium(III) trifluoroacetate, 38	
c. Phenyl-substituted alcohols	39
d. Functional derivatives of the alcohols	44
(i) Ethers, 44 – (ii) Benzyl esters, 45 – (iii) Inorganic esters of benzyl alcohol, 46 – (iv) Thio analogues of benzyl alcohols and their derivatives, 48	
e. Nuclear-substituted benzyl alcohols	49

*Chapter 14. Aralkylamines and Aralkanols and their Oxidation Products:
Monocarbaldehydes and Monoketones of the Benzene Series*

by G. W. H. CHEESEMAN AND P. F. G. PRAILL

3. Monocarbaldehydes of the benzene series	55
a. Methods of formation and preparation	55
(i) From methylbenzenes, 55 – (ii) From primary alcohols, 56 – (iii) From benzyl halides, 57 – (iv) From benzylidene dihalides, 58 – (v) From benzylamines and benzylidene-amines, 58 – (vi) From arylamines, 59 – (vii) From carboxylic acids and their derivatives, 59 – (viii) From formylation reactions of the type $\text{ArH} \rightarrow \text{ArCHO}$, 65 – (ix) From organo-metallic reagents, 66 – (x) From dihydro-1,3-oxazines, 67 – (xi) From olefins, 69 – (xii) From α,β -unsaturated amides and nitriles, 70 – (xiii) From 1,2-glycols, 70 – (xiv) From aldehydes and ketones, 71 – (xv) Miscellaneous methods, 72	
b. General properties	73
c. Reactions of aromatic aldehydes	74
(i) Oxidation and reduction, 75 – (ii) The Cannizzaro reaction, 76 – (iii) Benzoin reaction, 76 – (iv) Condensation reactions, 76 – (v) Conversion of aromatic aldehydes to nitriles, 81 – (vi) Conversion of aromatic aldehydes to carboxamides, 81 – (vii) Decarbonylation, 82 – (viii) Aldehydes as acylating reagents, 82 – (ix) Halogenation, 82 – (x) The reactions of aromatic aldehydes and diazoalkanes, 82 – (xi) Conversion of aldehydes into epoxides, 83 – (xii) Paterno-Büchi reaction, 83 – (xiii) Reaction with bis(1,3-diphenylimidazolinylidene)-2, 83	
d. Individual arenecarbaldehydes and their derivatives	86
(i) Benzaldehyde and its homologues, 86 – (ii) Functional derivatives of benzaldehyde, 88 – (iii) Sulphur and selenium analogues, 90 – (iv) Reaction of benzaldehyde with ammonia and amines, 91 – (v) Halogenobenzaldehydes, 95 – (vi) Nitrobenzaldehydes, 95 – (vii) Hydroxyimino-, nitroso-, azoxy- and azobenzaldehydes, 99 – (viii) Aminobenzaldehydes, 101 – (ix) Benzaldehyde-sulphonic acids, 103	
e. Aryl-substituted aliphatic aldehydes	103
4. Monoketones in the benzene series	107
a. Methods of formation and preparation	107
(i) From alkylbenzenes and secondary alcohols, 107 – (ii) From alkyl halides, 108 – (iii) From arylamines, 108 – (iv) From carboxylic acids and their derivatives, 109 – (v) From β -oxo-esters, 113 – (vi) From β -diketones, 113 – (vii) From dihydro-1,3-oxazines, 113 – (viii) From 1,2-glycols and epoxides, 114 – (ix) From olefins, 115 – (x) From acetylenes, 116 – (xi) From aldehydes and ketones, 116 – (xii) Miscellaneous reactions, 119	
b. Alkyl aryl ketones	121
(i) General properties, 121 – (ii) Reactions of alkyl aryl ketones, 122 – (iii) Individual alkyl aryl ketones and their analogues, 130 – (iv) Nuclear substituted acetophenones, 134	

*Chapter 15. Phenolic Aralkylamines, Monohydric Alcohols, Monocarbaldehydes,
Monoketones and Monocarboxylic Acids*

by J. GRIMSHAW

1. Phenolic aralkylamines	141
a. Methods of preparation	141

b. Monohydroxyphenylalkylamines	142
c. Di- and tri-hydroxyphenylalkylamines	144
d. Hydroxybenzyl isothiocyanates and their parent glucosides	145
2. Hydroxyaryl alcohols	145
a. Methods of preparation	145
b. Properties and reactions	146
(i) Acidity, 146 – (ii) Removal of side-chain, 146 – (iii) Carbonium ion stabilisation, 146	
c. Monohydroxyaryl alcohols	147
d. Di- and tri-hydroxyphenyl alcohols	149
3. Hydroxyaryl carbaldehydes	150
a. Methods of preparation	150
(i) The Reimer–Tiemann reaction, 150 – (ii) Gattermann reaction, 151 – (iii) Vilsmeier reaction, 151 – (iv) Alternative formylating agents, 152 – (v) Duff reaction, 153 – (vi) Use of organometallic reagents, 153 – (vii) By the diazonium reaction, 154 – (viii) Side-chain oxidations, 154 – (ix) Side-chain reduction, 155	
b. Properties and reactions	155
(i) Chelation and intramolecular hydrogen bonding, 155 – (ii) Oxidation, 156 – (iii) Hydrogenation, 156 – (iv) Cyclisation reactions, 156	
c. Monohydroxybenzaldehydes and their homologues	156
(i) Methods of preparation, 158 – (ii) Reactions, 158	
d. Dihydroxybenzaldehydes and their homologues	161
(i) Derivatives of catechol, 161 – (ii) Derivatives of resorcinol, 163 – (iii) Derivatives of hydroquinone, 163	
e. Tri- and tetra-hydroxybenzaldehydes	164
(i) Derivatives of pyrogallol, 164 – (ii) Derivatives of 1,3,4-trihydroxybenzene, 164 – (iii) Derivatives of phloroglucinol, 165 – (iv) Derivatives of tetrahydroxybenzene, 165	
4. Hydroxyphenyl ketones	165
a. Methods of preparation	165
(i) Fries reaction, 166 – (ii) Friedel–Crafts reaction, 166 – (iii) Hoesch reaction, 166 – (iv) Diazo reaction, 167 – (v) Replacement of halogen, 167	
b. Properties and reactions	167
c. Monohydroxyaryl ketones	168
5. Phenolic monocarboxylic acids: the hydroxybenzoic acids	171
a. Methods of preparation	171
(i) Kolbe–Schmitt reaction, 171 – (ii) Friedel–Crafts reaction, 173 – (iii) Reimer–Tiemann reaction, 173 – (iv) Direct introduction of hydroxyl, 173 – (v) From organometallic compounds, 173 – (vi) By side-chain oxidation, 174	
b. Properties and reactions	174
(i) Acidity, 174 – (ii) Substitution, 174 – (iii) Macrocyclic ester formation, 175	
c. 2-Hydroxybenzoic acids: salicylic acid and its derivatives	175
(i) Salicylic acid, 175 – (ii) Ethers and esters of salicylic acid, 177 – (iii) Salicyloyl chloride and amides, 178 – (iv) Derivatives of salicylic acid containing phosphorus, 179 – (v) Sulphur derivatives of salicylic acid, 180 – (vi) Nuclear-	

substituted salicylic acids, 181 – (vii) Homologues of salicylic acid, 183 – (viii) Cyclic anhydrides of salicylic acid and its homologues, 183	
d. Other monohydroxybenzoic acids	187
e. Dihydroxybenzoic acids	188
(i) Derivatives of catechol, 188 – (ii) Derivatives of resorcinol, 190 – (iii) Derivatives of hydroquinone, 192	
f. Trihydroxybenzoic acids	193
(i) Derivatives of pyrogallol, 193 – (ii) Gallic acid and its derivatives, 193 – (iii) Derivatives of 1,2,4-trihydroxybenzene, 198 – (iv) Derivatives of phloroglucinol, 199	
6. Phenolic monocarboxylic acids: mono-, di- and tri-hydroxyphenylacetic and homologous acids	199
a. Hydroxyphenylacetic acids	199
(i) Preparation, 199 – (ii) Individual compounds, 200	
b. Hydroxyphenylpropionic acids	201
(i) Preparation, 201 – (ii) Individual acids, 201	
c. Hydroxyphenylbutyric and higher acids	202
(i) Preparation, 202 – (ii) Individual acids, 202	

*Chapter 16. Depsides, Hydrolysable Tannins,
Lignans, Lignin and Humic Acid*
by J. GRIMSHAW

1. Depsides, depsidones and depsones	203
a. Occurrence and general structure	203
b. Isolation	205
c. Biosynthesis	205
d. Depsides	208
(i) Degradation, 208 – (ii) Spectral properties, 209 – (iii) Synthesis, 210 – (iv) Individual depsides, 212	
e. Depsidones	216
(i) Degradation, 216 – (ii) Spectral properties, 216 – (iii) Synthesis, 217 – (iv) Individual depsidones, 218 – (v) Depsones, 224	
2. Hydrolysable tannins	227
a. Introduction	227
b. Isolation and characterisation	227
(i) Isolation and identification, 227 – (ii) General properties of tannins, determination of molecular weight, 228	
c. Galloylglucoses and gallotannin	228
(i) Depsides of gallic acid, 228 – (ii) Simple gallate esters of glucose, 230 – (iii) The gallotannins, 231 – (iv) Biosynthesis of gallic acid, 236	
d. Ellagitannins	237
(i) Acid components of hydrolysed tannin extracts, 237 – (ii) The ellagitannins, 242 – (iii) Interrelationship of the ellagitannin acids, 251	
3. Lignans	253
a. Introduction, biosynthesis	253

b. Occurrence and isolation	254
c. Individual lignans	255
(i) 1,4-Diarylbutanes, 255 – (ii) Tetrahydrofuroguaiacins, 259 – (iii) Pinoresinol and lariciresinol types, 260 – (iv) Phenyltetralins, 265 – (v) Lignans of podo- phyllum resin, 269	
4. Lignin	271
a. Occurrence	271
b. Isolation	272
c. Structure	273
(i) Evidence from degradation products, 273 – (ii) Model for lignin biosynthesis, 275 – (iii) Constitutional model for lignin, 276	
5. Humic acid	277
INDEX	281