

Toshiyuki Kobayashi • Birgit Speh

Symmetry Breaking for Representations of Rank One Orthogonal Groups II

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 1 |
| 2 | Review of Principal Series Representations | 13 |
| 2.1 | Notation | 13 |
| 2.1.1 | Subgroups of $G = O(n+1, 1)$ and $G' = O(n, 1)$ | 13 |
| 2.1.2 | Isotropic Cone Ξ | 16 |
| 2.1.3 | Characters $\chi_{\pm\pm}$ of the Component Group G/G_0 | 17 |
| 2.1.4 | The Center $\mathfrak{Z}_G(\mathfrak{g})$ and the Harish-Chandra Isomorphism | 17 |
| 2.2 | Representations of the Orthogonal Group $O(N)$ | 20 |
| 2.2.1 | Notation for Irreducible Representations of $O(N)$ | 20 |
| 2.2.2 | Branching Laws for $O(N) \downarrow SO(N)$ | 22 |
| 2.2.3 | Branching Laws $O(N) \downarrow O(N-1)$ | 23 |
| 2.3 | Principal Series Representations $I_\delta(V, \lambda)$ of the Orthogonal Group $G = O(n+1, 1)$ | 23 |
| 2.3.1 | C^∞ -induced Representations $I_\delta(V, \lambda)$ | 24 |
| 2.3.2 | Tensoring with Characters $\chi_{\pm\pm}$ of G | 25 |
| 2.3.3 | K -structure of the Principal Series Representation $I_\delta(V, \lambda)$ | 26 |
| 2.4 | Principal Series Representations $I_\delta(i, \lambda)$ | 27 |
| 2.4.1 | $\mathfrak{Z}_G(\mathfrak{g})$ -infinitesimal Character of $I_\delta(i, \lambda)$ | 27 |
| 2.4.2 | K -type Formula of the Principal Series Representations $I_\delta(i, \lambda)$ | 28 |
| 2.4.3 | Basic K -types of $I_\delta(i, \lambda)$ | 28 |
| 2.4.4 | Reducibility of $I_\delta(i, \lambda)$ | 29 |
| 2.4.5 | Irreducible Subquotients of $I_\delta(i, i)$ | 30 |
| 3 | Symmetry Breaking Operators for Principal Series Representations—General Theory | 33 |
| 3.1 | Generalities | 33 |
| 3.2 | Summary of Results | 34 |
| 3.2.1 | Symmetry Breaking Operators When $[V : W] \neq 0$ | 34 |

| | | |
|----------|--|----|
| 3.2.2 | Differential Symmetry Breaking Operators When $[V : W] \neq 0$ | 35 |
| 3.2.3 | Sporadic Symmetry Breaking Operators When $[V : W] = 0$ | 36 |
| 3.2.4 | Existence Condition for Regular Symmetry Breaking Operators..... | 37 |
| 3.2.5 | Integral Operators, Analytic Continuation, and Normalization Factors | 38 |
| 3.3 | Classification Scheme of Symmetry Breaking Operators: General Case | 39 |
| 3.4 | Summary: Vanishing of Regular Symmetry Breaking Operators $\tilde{\mathbb{A}}_{\lambda, v, \pm}^{V, W}$ | 42 |
| 3.5 | The Classification of Symmetry Breaking Operators for Differential Forms | 43 |
| 3.5.1 | Vanishing Condition for the Regular Symmetry Breaking Operators $\tilde{\mathbb{A}}_{\lambda, v, \gamma}^{i, j}$ | 44 |
| 3.5.2 | Differential Symmetry Breaking Operators | 45 |
| 3.5.3 | Formula of the Dimension of $\text{Hom}_{G'}(I_\delta(i, \lambda) _{G'}, J_\varepsilon(j, v))$ | 48 |
| 3.5.4 | Classification of Symmetry Breaking Operators $I_\delta(i, \lambda) \rightarrow J_\varepsilon(j, v)$ | 49 |
| 3.6 | Consequences of Main Theorems in Sections 3.3 and 3.5 | 50 |
| 3.6.1 | Tempered Representations | 51 |
| 3.6.2 | Complementary Series Representations..... | 51 |
| 3.6.3 | Singular Complementary Series Representations..... | 52 |
| 3.7 | Actions of $(G/G_0)^\wedge \times (G'/G'_0)^\wedge$ on Symmetry Breaking Operators | 54 |
| 3.7.1 | Generalities: The Action of Character Group of $G \times G'$ on $\{\text{Hom}_{G'}(\Pi _{G'}, \pi)\}$ in the General Case..... | 54 |
| 3.7.2 | Actions of the Character Group of the Component Group on $\{\text{Hom}_{G'}(I_\delta(i, \lambda) _{G'}, J_\varepsilon(j, v))\}$ | 55 |
| 3.7.3 | Actions of Characters of the Component Group on $\text{Hom}_{G'}(\Pi_{i, \delta} _{G'}, \pi_{j, \varepsilon})$ | 57 |
| 4 | Symmetry Breaking for Irreducible Representations with Infinitesimal Character ρ | 59 |
| 4.1 | Main Theorems | 59 |
| 4.2 | Graphic Description of the Multiplicity for Irreducible Representations with Infinitesimal Character ρ | 60 |
| 5 | Regular Symmetry Breaking Operators | 63 |
| 5.1 | Generalities..... | 63 |
| 5.1.1 | Distribution Kernels of Symmetry Breaking Operators | 63 |

| | | |
|----------|---|-----------|
| 5.1.2 | Invariant Bilinear Forms on Admissible Smooth Representations and Symmetry Breaking Operators | 65 |
| 5.2 | Distribution Kernels of Symmetry Breaking Operators for $G = O(n+1, 1)$ | 68 |
| 5.2.1 | Bruhat and Iwasawa Decompositions for $G = O(n+1, 1)$ | 68 |
| 5.2.2 | Distribution Kernels for Symmetry Breaking Operators | 70 |
| 5.2.3 | Distribution Sections for Dualizing Bundle $\mathcal{V}_{\lambda, \delta}^*$ over G/P | 71 |
| 5.2.4 | Pair of Distribution Kernels for Symmetry Breaking Operators..... | 74 |
| 5.3 | Distribution Kernels near Infinity | 76 |
| 5.4 | Vanishing Condition of Differential Symmetry Breaking Operators: Proof of Theorem 3.12 (1) | 78 |
| 5.5 | Upper Estimate of the Multiplicities | 79 |
| 5.6 | Proof of Theorem 3.10: Analytic Continuation of Symmetry Breaking Operators $\tilde{\mathbb{A}}_{\lambda, v, \pm}^{V, W}$ | 81 |
| 5.6.1 | Normalized Distributions $(\tilde{\mathcal{A}}_{\lambda, v, \gamma}^{V, W})_\infty$ at Infinity | 82 |
| 5.6.2 | Preliminary Results in the Scalar-Valued Case | 82 |
| 5.6.3 | Step 1: Very Regular Case | 85 |
| 5.6.4 | Step 2: Reduction to the Scalar-Valued Case | 85 |
| 5.6.5 | Step 3: Proof of Holomorphic Continuation | 88 |
| 5.6.6 | Proof of Theorem 3.10 | 89 |
| 5.7 | Existence Condition for Regular Symmetry Breaking Operators: Proof of Theorem 3.9 | 89 |
| 5.8 | Zeros of $\tilde{\mathbb{A}}_{\lambda, v, \pm}^{V, W}$: Proof of Theorem 3.15 | 91 |
| 5.9 | Generic Multiplicity-one Theorem: Proof of Theorem 3.3 | 91 |
| 5.10 | Lower Estimate of the Multiplicities | 92 |
| 5.11 | Renormalization of Symmetry Breaking Operators $\tilde{\mathbb{A}}_{\lambda, v, \gamma}^{V, W}$ | 93 |
| 5.11.1 | Expansion of $\tilde{\mathbb{A}}_{\lambda, v, \gamma}^{V, W}$ Along $v = \text{Constant}$ | 93 |
| 5.11.2 | Renormalized Regular Symmetry Breaking Operator $\tilde{\tilde{\mathbb{A}}}_{\lambda, v, \gamma}^{V, W}$ | 94 |
| 6 | Differential Symmetry Breaking Operators | 97 |
| 6.1 | Differential Operators Between Two Manifolds..... | 98 |
| 6.2 | Duality for Differential Symmetry Breaking Operators..... | 99 |
| 6.3 | Parabolic Subgroup Compatible with a Reductive Subgroup..... | 100 |
| 6.4 | Character Identity for Branching in the Parabolic BGG Category | 102 |
| 6.5 | Branching Laws for Generalized Verma Modules | 103 |
| 6.6 | Multiplicity-one Theorem for Differential Symmetry Breaking Operators: Proof of Theorem 6.1 (2) | 105 |

| | | |
|----------|--|------------|
| 6.7 | Existence of Differential Symmetry Breaking Operators: Extension to Special Parameters | 105 |
| 6.8 | Proof of Theorem 3.13 (2-b) | 107 |
| 7 | Minor Summation Formulae Related to Exterior Tensor $\bigwedge^i(\mathbb{C}^n)$ | 111 |
| 7.1 | Some Notation on Index Sets..... | 111 |
| 7.1.1 | Exterior Tensors $\bigwedge^i(\mathbb{C}^n)$ | 112 |
| 7.1.2 | Signatures for Index Sets | 112 |
| 7.2 | Minor Determinant for $\psi : \mathbb{R}^N - \{0\} \rightarrow O(N)$ | 113 |
| 7.3 | Minor Summation Formulae | 115 |
| 8 | The Knapp–Stein Intertwining Operators Revisited: Renormalization and K-spectrum | 119 |
| 8.1 | Basic K -types in the Compact Picture | 119 |
| 8.2 | K -picture and N -picture of Principal Series Representations | 121 |
| 8.2.1 | Explicit K -finite Vectors in the N -picture | 121 |
| 8.2.2 | Basic K -types in the N -picture..... | 123 |
| 8.3 | Knapp–Stein Intertwining Operator..... | 125 |
| 8.3.1 | Knapp–Stein Intertwining Operator | 125 |
| 8.3.2 | K -spectrum of the Knapp–Stein Intertwining Operator | 126 |
| 8.3.3 | Vanishing of the Knapp–Stein Operator | 127 |
| 8.3.4 | Integration Formula for the (K, K) -spectrum | 128 |
| 8.4 | Renormalization of the Knapp–Stein Intertwining Operator | 131 |
| 8.5 | Kernel of the Knapp–Stein Operator | 132 |
| 9 | Regular Symmetry Breaking Operators $\tilde{\mathbb{A}}_{\lambda, v, \delta e}^{i,j}$ from $I_\delta(i, \lambda)$ to $J_e(j, v)$..... | 135 |
| 9.1 | Regular Symmetry Breaking Operators $\tilde{\mathbb{A}}_{\lambda, v, \pm}^{i,j}$ | 136 |
| 9.1.1 | Existence Condition for Regular Symmetry Breaking Operators..... | 136 |
| 9.1.2 | Construction of $\tilde{\mathbb{A}}_{\lambda, v, \pm}^{i,j}$ for $j \in \{i-1, i\}$ | 137 |
| 9.2 | Zeros of $\tilde{\mathbb{A}}_{\lambda, v, \pm}^{i,j}$: Proof of Theorem 3.19 | 138 |
| 9.2.1 | Residue Formula of the Regular Symmetry Breaking Operator $\tilde{\mathbb{A}}_{\lambda, v, \pm}^{i,j}$ | 138 |
| 9.2.2 | Zeros of $\tilde{\mathbb{A}}_{\lambda, v, \pm}^{i,j}$ | 139 |
| 9.3 | (K, K') -spectrum for Symmetry Breaking Operators..... | 140 |
| 9.3.1 | Generalities: (K, K') -spectrum of Symmetry Breaking Operators..... | 141 |
| 9.4 | Explicit Formula of (K, K') -spectrum on Basic K -types for Regular Symmetry Breaking Operators $\tilde{\mathbb{A}}_{\lambda, v, \pm}^{i,j}$ | 142 |
| 9.5 | Proof of Vanishing Results on (K, K') -spectrum | 143 |
| 9.6 | Proof of Theorem 9.8 on (K, K') -spectrum for the Normalized Symmetry Breaking Operator $\tilde{\mathbb{A}}_{\lambda, v, +}^{i,j} : I_\delta(i, \lambda) \rightarrow J_\delta(j, v)$ | 144 |
| 9.6.1 | Integral Expression of (K, K') -spectrum | 145 |

| | | |
|-----------|--|------------|
| 9.6.2 | Integral Formula of the (K, K') -spectrum | 149 |
| 9.7 | Proof of Theorem 9.8 on the (K, K') -spectrum | |
| | for $\tilde{\mathbb{A}}_{\lambda, \nu, -}^{i, j} : I_\delta(i, \lambda) \rightarrow J_{-\delta}(j, \nu)$ | 152 |
| 9.8 | Matrix-Valued Functional Equations..... | 155 |
| 9.8.1 | Main Results: Functional Equations of $\tilde{\mathbb{A}}_{\lambda, \nu, \varepsilon}^{i, j}$ | 156 |
| 9.8.2 | Proof of Functional Equations | 156 |
| 9.9 | Renormalized Symmetry Breaking Operator $\tilde{\mathbb{A}}_{\lambda, \nu, +}^{i, j}$ | 159 |
| 9.9.1 | Functional Equations for the Renormalized Operator $\tilde{\mathbb{A}}_{\lambda, i, +}^{i, i}$ | 159 |
| 9.9.2 | Functional Equations at Middle Degree for n Even | 160 |
| 9.9.3 | Functional Equations for the Renormalized Operator $\tilde{\mathbb{A}}_{\lambda, n-i, +}^{i, i-1}$ | 162 |
| 9.9.4 | Functional Equations at Middle Degree for n Odd | 162 |
| 9.10 | Restriction Map $I_\delta(i, \lambda) \rightarrow J_\delta(i, \lambda)$ | 163 |
| 9.11 | Image of the Differential Symmetry Breaking Operator $\tilde{\mathbb{C}}_{\lambda, \nu}^{i, j}$ | 164 |
| 9.11.1 | Surjectivity Condition of $\tilde{\mathbb{C}}_{\lambda, \nu}^{i, j}$ | 165 |
| 9.11.2 | Functional Equation for $\tilde{\mathbb{C}}_{\lambda, \nu}^{i, j}$ | 166 |
| 9.11.3 | The Case When $\tilde{\mathbb{T}}_{\nu, n-1-\nu}^j = 0$ | 168 |
| 9.11.4 | Proof of Theorems 9.33 and 9.34..... | 169 |
| 10 | Symmetry Breaking Operators for Irreducible Representations with Infinitesimal Character ρ: Proof of Theorems 4.1 and 4.2 | 171 |
| 10.1 | Proof of the Vanishing Result (Theorem 4.1)..... | 171 |
| 10.2 | Construction of Symmetry Breaking Operators from $\Pi_{i, \delta}$ to $\pi_{i, \delta}$: Proof of Theorem 4.2..... | 173 |
| 10.2.1 | Generators of Symmetry Breaking Operators Between Principal Series Representations Having the Trivial Infinitesimal Character ρ | 173 |
| 10.2.2 | Multiplicity-free Property of Symmetry Breaking..... | 175 |
| 10.2.3 | Multiplicity-one Property: Proof of Theorem 4.2 | 175 |
| 10.2.4 | First Construction $\Pi_{i, \delta} \rightarrow \pi_{i, \delta}$ ($1 \leq i \leq n$) | 177 |
| 10.2.5 | Second Construction $\Pi_{i, \delta} \rightarrow \pi_{i, \delta}$ ($0 \leq i \leq n-1$)..... | 178 |
| 10.2.6 | Third Construction $\Pi_{i, \delta} \rightarrow \pi_{i, \delta}$ | 179 |
| 10.3 | Splitting of $I_\delta(m, m)$ and Its Symmetry Breaking for $(G, G') = (O(2m+1, 1), O(2m, 1))$ | 180 |
| 10.3.1 | $\text{Hom}_{G'}(I_\delta(m, m) _{G'}, J_\varepsilon(m, m))$ with $\delta\varepsilon = +$ | 181 |
| 10.3.2 | $\text{Hom}_{G'}(I_\delta(m, m) _{G'}, J_\varepsilon(m, m))$ with $\delta\varepsilon = -$ | 183 |
| 10.4 | Splitting of $J_\varepsilon(m, m)$ and Symmetry Breaking Operators for $(G, G') = (O(2m+2, 1), O(2m+1, 1))$ | 184 |
| 10.4.1 | $\text{Hom}_{G'}(I_\delta(m+1, m) _{G'}, J_\delta(m, m))$ for $n = 2m+1$ | 185 |
| 10.4.2 | $\text{Hom}_{G'}(I_{-\varepsilon}(m, m) _{G'}, J_\varepsilon(m, m))$ for $n = 2m+1$ | 188 |
| 10.5 | Symmetry Breaking Operators from $\Pi_{i, \delta}$ to $\pi_{i-1, \delta}$ | 188 |

| | |
|---|-----|
| 11 Application I: Some Conjectures by B. Gross and D. Prasad: Restrictions of Tempered Representations of $SO(n+1, 1)$ to $SO(n, 1)$ | 193 |
| 11.1 Vogan Packets of Tempered Induced Representations | 193 |
| 11.2 Vogan Packets of Discrete Series Representations with Integral Infinitesimal Character of $SO(2m, 1)$ | 195 |
| 11.3 Embedding the Group $\overline{G}' = SO(n-2p, 2p+1)$ into the Group $\overline{G} = SO(n-2p+1, 2p+1)$ | 195 |
| 11.4 The Gross–Prasad Conjecture I: Tempered Principal Series Representations | 196 |
| 11.5 The Gross–Prasad Conjecture II: Tempered Representations with Trivial Infinitesimal Character ρ | 200 |
| 11.5.1 The Gross–Prasad Conjecture II: Symmetry Breaking from $\overline{\Pi}_{m, (-1)^{m+1}}$ to the Discrete Series Representation $\overline{\pi}_m$ | 201 |
| 11.5.2 The Gross–Prasad Conjecture II: Symmetry Breaking from the Discrete Series Representation π_m to $\varpi_{m-1, (-1)^m}$ | 202 |
| 12 Application II: Periods, Distinguished Representations and (\mathfrak{g}, K)-cohomologies | 207 |
| 12.1 Periods and $O(n, 1)$ -distinguished Representations | 207 |
| 12.1.1 Periods | 207 |
| 12.1.2 Distinguished Representations | 209 |
| 12.1.3 Symmetry Breaking Operators from $\Pi_{i, \delta}$ to $\pi_{j, \delta}$ ($j \in \{i-1, i\}$) | 210 |
| 12.2 Proofs of Theorems 12.4 and 12.5 | 210 |
| 12.3 Bilinear Forms on (\mathfrak{g}, K) -cohomologies via Symmetry Breaking: General Theory for Nonvanishing | 212 |
| 12.3.1 Pull-back of (\mathfrak{g}, K) -cohomologies via Symmetry Breaking | 213 |
| 12.3.2 Nonvanishing of Pull-back of (\mathfrak{g}, K) -cohomologies of A_q via Symmetry Breaking ... | 214 |
| 12.4 Nonvanishing Bilinear Forms on (\mathfrak{g}, K) -cohomologies via Symmetry Breaking for $(G, G') = (O(n+1, 1), O(n, 1))$ | 216 |
| 12.4.1 Nonvanishing Theorem for $O(n+1, 1) \downarrow O(n, 1)$ | 216 |
| 12.4.2 Special Cycles | 219 |

| | |
|--|------------|
| 13 A Conjecture: Symmetry Breaking for Irreducible Representations with Regular Integral Infinitesimal Character | 223 |
| 13.1 Hasse Sequences and Standard Sequences of Irreducible Representations with Regular Integral Infinitesimal Character and Their Langlands Parameters | 223 |
| 13.1.1 Definition of Hasse Sequence and Standard Sequence | 223 |
| 13.1.2 Existence of Hasse Sequence | 225 |
| 13.1.3 Langlands Parameter of the Representations in the Hasse Sequence | 226 |
| 13.2 The Conjecture | 232 |
| 13.2.1 Conjecture: Version 1 | 232 |
| 13.2.2 Conjecture: Version 2 | 233 |
| 13.3 Supporting Evidence | 235 |
| 13.3.1 Evidence E.1 | 236 |
| 13.3.2 Evidence E.2 | 236 |
| 13.3.3 Evidence E.3 | 237 |
| 13.3.4 Evidence E.4 | 239 |
| 14 Appendix I: Irreducible Representations of $G = O(n+1, 1)$, θ-stable Parameters, and Cohomological Induction | 251 |
| 14.1 Finite-dimensional Representations of $O(N - 1, 1)$ | 251 |
| 14.2 Singular Parameters for $V \in \widehat{O(n)}$: $S(V)$ and $S_Y(V)$ | 256 |
| 14.2.1 Infinitesimal Character $r(V, \lambda)$ of $I_\delta(V, \lambda)$ | 257 |
| 14.2.2 Singular Integral Parameter: $S(V)$ and $S_Y(V)$ | 259 |
| 14.3 Irreducibility Condition of $I_\delta(V, \lambda)$ | 260 |
| 14.4 Subquotients of $I_\delta(V, \lambda)$ | 262 |
| 14.4.1 Subquotients of $I_\delta(V, \lambda)$ for V of Type X | 262 |
| 14.4.2 Subrepresentations of $I_\delta(V, \frac{n}{2})$ for V of Type Y | 262 |
| 14.4.3 Socle Filtration of $I_\delta(V, \lambda)$ | 263 |
| 14.5 Definition of the Height $i(V, \lambda)$ | 263 |
| 14.6 K -type Formulae of Irreducible G -modules | 267 |
| 14.6.1 K -type Formula of $I_\delta(V, \lambda)$ | 267 |
| 14.6.2 K -types of Subquotients $I_\delta(V, \lambda)^\flat$ and $I_\delta(V, \lambda)^\sharp$ | 268 |
| 14.7 $(\delta, V, \lambda) \rightsquigarrow (\delta^\uparrow, V^\uparrow, \lambda^\uparrow)$ and $(\delta^\downarrow, V^\downarrow, \lambda^\downarrow)$ | 270 |
| 14.8 Classification of Irreducible Admissible Representations of $G = O(n + 1, 1)$ | 273 |
| 14.8.1 Characterizations of the Irreducible Subquotients $\Pi_\delta(V, \lambda)$ | 273 |
| 14.8.2 Classification of $\text{Irr}(G)$ | 275 |
| 14.9 θ -stable Parameters and Cohomological Parabolic Induction | 275 |
| 14.9.1 Cohomological Parabolic Induction $A_{\mathfrak{q}}(\lambda) = \mathcal{R}_{\mathfrak{q}}^S(\mathbb{C}_{\lambda+\rho(\mathfrak{u})})$ | 275 |
| 14.9.2 θ -stable Parabolic Subalgebra \mathfrak{q}_i for $G = O(n + 1, 1)$ | 277 |

| | | |
|-----------|--|-----|
| 14.9.3 | Irreducible Representations $\Pi_{\ell,\delta}$ and $(A_{q_i})_{\pm,\pm}$ | 281 |
| 14.9.4 | Irreducible Representations with Nonzero (\mathfrak{g}, K) -cohomologies | 282 |
| 14.9.5 | Description of Subquotients in $I_\delta(V, \lambda)$ | 283 |
| 14.9.6 | Proof of Theorem 14.46..... | 284 |
| 14.10 | Hasse Sequence in Terms of θ -stable Parameters | 285 |
| 14.11 | Singular Integral Case | 286 |
| 15 | Appendix II: Restriction to $\overline{G} = SO(n+1, 1)$ | 289 |
| 15.1 | Restriction of Representations of $G = O(n+1, 1)$ to $\overline{G} = SO(n+1, 1)$ | 289 |
| 15.2 | Restriction of Principal Series Representation of $G = O(n+1, 1)$ to $\overline{G} = SO(n+1, 1)$ | 291 |
| 15.2.1 | Restriction $I_\delta(V, \lambda) _{\overline{G}}$ When $I_\delta(V, \lambda)$ Is Irreducible | 292 |
| 15.2.2 | Restriction $I_\delta(V, \lambda) _{\overline{G}}$ When V Is of Type Y | 293 |
| 15.3 | Proof of Theorem 14.15: Irreducibility Criterion of $I_\delta(V, \lambda)$ | 295 |
| 15.4 | Socle Filtration of $I_\delta(V, \lambda)$: Proof of Proposition 14.19 | 296 |
| 15.5 | Restriction of $\Pi_{\ell,\delta}$ to $SO(n+1, 1)$ | 298 |
| 15.6 | Symmetry Breaking for Tempered Principal Series Representations | 300 |
| 15.7 | Symmetry Breaking from $\overline{I}_\delta(i, \lambda)$ to $\overline{J}_\varepsilon(j, \nu)$ | 302 |
| 15.8 | Symmetry Breaking Between Irreducible Representations of \overline{G} and \overline{G}' with Trivial Infinitesimal Character ρ | 306 |
| 16 | Appendix III: A Translation Functor for $G = O(n+1, 1)$ | 307 |
| 16.1 | Some Features of Translation Functors for Reductive Groups that Are Not of Harish-Chandra Class | 307 |
| 16.2 | Translation Functor for $G = O(n+1, 1)$ | 308 |
| 16.2.1 | Primary Decomposition of Admissible Smooth Representations | 308 |
| 16.2.2 | Translation Functor $\psi_\mu^{\mu+\tau}$ for $G = O(n+1, 1)$ | 309 |
| 16.2.3 | The Translation Functor and the Restriction $G \downarrow \overline{G}$ | 310 |
| 16.2.4 | Some Elementary Properties of the Translation Functor $\psi_\mu^{\mu+\tau}$ | 311 |
| 16.3 | Translation of Principal Series Representation $I_\delta(V, \lambda)$ | 311 |
| 16.3.1 | Main Results: Translation of Principal Series Representations | 311 |
| 16.3.2 | Strategy of the Proof for Theorems 16.6 and 16.8 | 313 |
| 16.3.3 | Basic Lemmas for the Translation Functor | 313 |
| 16.4 | Definition of an Irreducible Finite-dimensional Representation $F(V, \lambda)$ of $G = O(n+1, 1)$ | 315 |
| 16.4.1 | Definition of $\sigma^{(i)}(\lambda)$ and $\widehat{\sigma^{(i)}}$ | 316 |
| 16.4.2 | Definition of a Finite-dimensional Representation $F(V, \lambda)$ of G | 317 |
| 16.4.3 | Reformulation of Theorems 16.6 and 16.8 | 319 |

| | | |
|------------------------|--|-----|
| 16.4.4 | Translation of Irreducible Representations $\Pi_{\ell,\delta}$ | 320 |
| 16.4.5 | Proof of Theorems 16.22 and 16.23 | 320 |
| 16.5 | Proof of Proposition 16.9 | 322 |
| 16.5.1 | Irreducible Summands for $O(n+2) \downarrow O(n) \times O(2)$ and for Tensor Product Representations | 322 |
| 16.5.2 | Irreducible Summand for the Restriction $G \downarrow MA$ and for Tensor Product Representations | 325 |
| 16.5.3 | Proof of Proposition 16.9 | 327 |
| 16.6 | Proof of Theorem 16.6..... | 327 |
| 16.6.1 | Case: $(V, \lambda) \in \mathcal{R}ed_I$ | 328 |
| 16.6.2 | Case: $(V, \lambda) \in \mathcal{R}ed_{II}$ | 328 |
| 16.7 | Proof of Theorem 16.8..... | 330 |
| References | | 333 |
| List of Symbols | | 337 |
| Index | | 341 |