

Table of contents

1	Piston function, requirements, and types	1
1.1.	Function of the piston	1
1.1.1	The piston as an element of power transmission	1
1.1.2	Sealing and heat dissipation	2
1.1.3	Variety of tasks	3
1.2.	Requirements on the piston	3
1.2.1	Gas force	5
1.2.2	Temperatures	5
1.2.3	Piston mass	7
1.2.4	Friction power loss and wear	8
1.2.5	Blow-by	10
1.3.	Piston types	10
1.3.1	Pistons for four-stroke gasoline engines	11
1.3.1.1	Controlled-expansion pistons	11
1.3.1.2	Box-type pistons	12
1.3.1.3	EVOTEC® pistons	13
1.3.1.4	EVOTEC® 2 pistons	14
1.3.1.5	Forged aluminum pistons	15
1.3.2	Pistons for two-stroke engines	15
1.3.3	Pistons for diesel engines	16
1.3.3.1	Ring carrier pistons	16
1.3.3.2	Cooling gallery pistons	16
1.3.3.3	Pistons with cooled ring carrier	17
1.3.3.4	Pistons with bushings in the pin bore	18
1.3.3.5	FERROTHERM® pistons	18
1.3.3.6	MONOTHERM® pistons	19
1.3.3.7	Optimized MONOTHERM® pistons	19
1.3.3.8	MonoWeld® pistons	20
1.3.3.9	Electron beam-welded pistons	20
1.3.4	Composite pistons for large-bore engines	21
1.3.4.1	Areas of application and design types	21
1.3.4.2	Piston upper part	22
1.3.4.3	Piston skirt made of forged aluminum-base alloy	22
1.3.4.4	Piston skirt made of nodular cast iron	23
1.3.4.5	Piston skirt made of forged steel	23
2	Piston design guidelines	25
2.1	Terminology and major dimensions	25
2.1.1	Crown shapes and crown thickness	26
2.1.2	Compression height	27
2.1.3	Top land	27
2.1.4	Ring grooves and ring lands	28
2.1.5	Total height	29

2.1.6	Pin bore	29
2.1.6.1	Surface roughness	29
2.1.6.2	Installation clearance	29
2.1.6.3	Tolerances	30
2.1.6.4	Piston pin offset	30
2.1.7	Piston skirt	30
2.2	Piston profile	32
2.2.1	Piston clearance	32
2.2.2	Ovality	32
2.2.3	Skirt and ring belt tapering	33
2.2.4	Dimensional and form tolerances	34
2.2.5	Installation clearance	35
2.2.6	Defining group	35
2.2.7	Skirt surface	36
3	Simulation of piston operational strength using FEA	37
3.1	Modeling	37
3.2	Boundary conditions from engine loading	39
3.2.1	Thermal load	39
3.2.2	Mechanical load	41
3.2.2.1	Gas force	41
3.2.2.2	Inertia force	41
3.2.2.3	Lateral force	42
3.3	Boundary conditions due to manufacturing and assembly	43
3.3.1	Casting process/solidification	43
3.3.2	Inserts	43
3.3.3	Pressed-in components	43
3.3.4	Screw joints	44
3.4	Temperature field and heat flow due to temperature loading	44
3.5	Stress behavior	48
3.5.1	Stresses due to temperature loading	48
3.5.2	Stresses due to mechanical loading	50
3.5.3	Stresses due to manufacturing and assembly	53
3.6	Numerical verification of operational strength	53
4	Piston materials	59
4.1	Requirements for piston materials	59
4.2	Aluminum materials	60
4.2.1	Heat treatment	61
4.2.2	Piston alloys	63
4.2.3	Fiber reinforcement	68
4.3	Ferrous materials	69
4.3.1	Cast iron materials	70
4.3.2	Steels	73
4.4	Copper materials for pin bore bushings	76

4.5	Coatings	78
4.5.1	Piston coatings	78
4.5.1.1	GRAFAL® 255 and EvoGlide	78
4.5.1.2	Tin	79
4.5.1.3	Ferrostan/FerroTec®	79
4.5.1.4	FERROPRINT®	79
4.5.1.5	Hard oxide in the top ring groove	79
4.5.1.6	Hard oxide on the crown	80
4.5.1.7	Phosphate	80
4.5.1.8	GRAFAL® 210	80
4.5.1.9	Chromium contact surfaces	80
4.5.1.10	Chromium ring grooves	81
4.5.2	Application table	81
5	Piston cooling	83
5.1	Thermal loads	83
5.2	Combustion and flame jets	83
5.3	Temperature profile at the bowl rim	84
5.4	Piston temperature profile	85
5.5	Effects on the function of the piston	86
5.5.1	Thermally induced deformation	86
5.5.2	Temperature-dependent material fatigue data	86
5.5.3	Influence of temperature on the piston rings	87
5.6	Potential influences on the piston temperature	88
5.7	Types of cooling	88
5.7.1	Pistons without piston cooling	88
5.7.2	Pistons with spray jet cooling	88
5.7.3	Pistons with cooling galleries	89
5.7.3.1	Salt core cooling gallery pistons	89
5.7.3.2	Pistons with cooled ring carrier	90
5.7.3.3	Machined cooling galleries	92
5.7.4	Composite pistons with cooling cavities	92
5.7.4.1	Shaker cooling	93
5.7.4.2	Bore cooling	94
5.8	Feeding the cooling oil	94
5.8.1	Jet feeding of cooling oil	95
5.8.1.1	Nozzle designs for spray jet cooling	95
5.8.1.2	Nozzle design for supplying cooling galleries and cooling cavities	96
5.8.2	Feeding via crankshaft and connecting rod	96
5.8.2.1	Feeding via piston pin and piston pin boss	97
5.8.2.2	Feeding via slide shoe	97
5.9	Heat flows in the piston	97
5.10	Determining thermal load	99
5.11	Numerical analysis using FE analysis	99
5.12	Laboratory shaker tests	100

5.13	Characteristic quantities	101
5.14	Test facilities	104
5.15	Simulation of oil motion	105
6	Component testing	107
6.1	Static component testing	108
6.2	Cyclic component testing	110
6.3	Wear testing	112
7	Engine testing	115
7.1	Test run programs with examples of test results	115
7.1.1	Standard test run programs	116
7.1.1.1	Full-load curve	116
7.1.1.2	Blow-by behavior	116
7.1.1.3	Seizure test	116
7.1.1.4	Development test	118
7.1.2	Long-term test run programs	119
7.1.2.1	Standard endurance test	119
7.1.2.2	Cold-warm endurance test	120
7.1.3	Specialized test run programs	121
7.1.3.1	Cold-start test	121
7.1.3.2	Microwelding test	121
7.1.3.3	Fretting test	122
7.1.3.4	Burning mark test	123
7.2	Applied measurement methods for determining the piston temperature	126
7.2.1	Methods for measuring the piston temperature	127
7.2.1.1	Thermomechanical methods for measuring the piston temperature	127
7.2.1.1.1	Use of fusible plugs	127
7.2.1.1.2	Use of tempugs	128
7.2.1.2	Thermoelectrical methods for measuring piston temperature	129
7.2.1.2.1	Use of NTC resistors	129
7.2.1.2.2	Use of NiCr-Ni thermocouples	130
7.2.1.3	Transferring the readings from thermocouples	131
7.2.1.3.1	Transferring the readings from thermocouples with measurement leads supported by linkage systems	131
7.2.1.3.2	Transferring the readings from thermocouples using telemetry	132
7.2.1.4	Evaluation of the methods used at MAHLE for measuring piston temperatures	133
7.2.2	Piston temperatures in gasoline and diesel engines	134
7.2.2.1	Typical temperature maxima on the piston	135
7.2.2.2	Influence of various operating parameters on piston temperature	135

7.2.2.3	Influence of cooling oil quantity on the piston temperature ..	138
7.2.2.4	Piston temperature measurement in transient running programs	139
7.3	Measurement of friction power losses on a fired engine	141
7.3.1	Measurement methods for determining friction losses	142
7.3.1.1	Willans line method	142
7.3.1.2	Motoring and tear down methods	143
7.3.1.3	Cylinder deactivation	143
7.3.1.4	Coast down test	144
7.3.1.5	Floating liner method	144
7.3.1.6	Indication method	145
7.3.2	Friction mapping using the indication method	145
7.3.2.1	Profile of requirements	145
7.3.2.2	Friction power test bench for passenger car engines	146
7.3.2.3	Measurement and analysis method	149
7.3.3	Selected results from tests on a passenger car diesel engine	151
7.3.3.1	Piston installation clearance	152
7.3.3.2	Surface roughness of the piston skirt	153
7.3.3.3	Piston pin offset	154
7.3.3.4	Width of the piston ring in groove 1	156
7.3.3.5	Tangential force of the oil control ring	157
7.3.3.6	Coating of the piston pin	159
7.3.3.7	Engine oil viscosity	159
7.3.3.8	Profile of the piston skirt	160
7.3.3.9	Coating of the piston skirt	162
7.3.3.10	Stiffness of the piston skirt	163
7.3.3.11	Area of the piston skirt	165
7.3.4	Simulation of fuel consumption and CO ₂ emissions values in the cycle	167
7.3.5	Comparison of results	168
7.4	Wear testing of the piston group	171
7.4.1	Piston skirt	172
7.4.1.1	Skirt collapse and coating wear	172
7.4.1.2	Ovality	174
7.4.2	Piston ring and cylinder surface	175
7.4.2.1	Piston ring running surface	175
7.4.2.2	Coil springs	176
7.4.2.3	Abnormal wear patterns	176
7.4.2.4	Cylinder surface and cylinder polishing	178
7.4.3	Piston ring side face and piston ring groove	180
7.4.3.1	Side faces of the 1st piston ring	180
7.4.3.2	Side faces of the top ring groove	180
7.4.4	Piston pin and piston pin boss	182
7.4.4.1	Piston pin	182
7.4.4.2	Piston pin boss	184
7.4.5	Circlip and circlip groove	186
7.5	Piston loading due to knocking combustion	187
7.5.1	Knock damage and damage evaluation	188
7.5.2	Knock measurement and the MAHLE KI meter	190

7.5.3	Examples of measurement results	194
7.5.4	Detection quality of knock control systems	196
7.5.5	Mega-knocks and premature ignition	199
7.6	Piston noise and transverse motion	201
7.6.1	Procedure for systematically minimizing piston noise	201
7.6.2	Piston noise in gasoline engines	204
7.6.2.1	Subjective noise assessment	204
7.6.2.2	Objective noise assessment and quantification	205
7.6.2.3	Piston transverse motion and influence parameters in gasoline engines	210
7.6.3	Piston noise in passenger car diesel engines	214
7.6.3.1	Subjective noise assessment	214
7.6.3.2	Objective noise assessment and quantification	219
7.6.3.3	Piston transverse motion and influence parameters in passenger car diesel engines	224
7.7	Piston pin noise	226
7.7.1	Causes of noise	226
7.7.2	Structure-borne noise transfer paths and measurement program	227
7.7.3	Method of analysis in the time domain	229
7.7.4	Results of parameter studies	231
7.7.4.1	Influence of piston pin clearance	231
7.7.4.2	Influence of pin boss geometry	232
7.7.4.2.1	Oil pockets and circumferential oil groove	232
7.7.4.2.2	Transverse oval pin bore and pin bore relief	233
7.7.4.2.3	Single-sided vertical oval pin bore	234
7.7.4.2.4	Shaped pin bore	235
7.8	Cavitation in wet cylinder liners of commercial vehicle diesel engines	237
7.8.1	Basic principles of cavitation	238
7.8.2	The physical phenomenon of cavitation	239
7.8.3	Types of cavitation	240
7.8.3.1	Gas cavitation	240
7.8.3.2	Pseudocavitation	241
7.8.3.3	Vapor cavitation	241
7.8.3.4	Cavitation in real flows	241
7.8.4	Cavitation bubble dynamics and cavitation bubble collapse	241
7.8.4.1	Spherical cavitation bubble implosion	242
7.8.4.2	Aspherical cavitation bubble implosion	242
7.8.5	Cavitation damage in wet cylinder liners	244
7.8.6	Cavitation measurement equipment	246
7.8.7	Cavitation intensity factor and signal analysis	248
7.8.8	Test bench setup for cavitation measurements	249
7.8.9	Test run programs for cavitation measurements	250
7.8.10	Relationship of cavitation intensity to the arrangement of the cylinder and the position on the cylinder	251
7.8.11	Influencing parameters	252
7.8.11.1	Influence of engine operating parameters on cavitation	253
7.8.11.1.1	Influence of engine speed	253
7.8.11.1.2	Influence of engine load	254
7.8.11.1.3	Influence of cooling system pressure	254

7.8.11.1.4	Influence of coolant volume flow rate	255
7.8.11.1.5	Influence of coolant temperature	255
7.8.11.1.6	Influence of coolant composition	256
7.8.11.1.7	Influence of combustion chamber pressure	256
7.8.11.2	Influence of design parameters on cavitation	256
7.8.11.2.1	Influence of piston and cylinder liner installation clearance	257
7.8.11.2.2	Influence of piston type and piston profile	258
7.8.11.2.3	Influence of other piston design characteristics	260
7.8.11.2.4	Influence of design characteristics of the cylinder liner and cooling gallery shape	261
7.9	Lube oil consumption and blow-by in the combustion engine	261
7.9.1	Lube oil consumption mechanisms in the combustion engine	261
7.9.1.1	Lube oil consumption in the frictional system of the piston, piston rings, and cylinder wall	264
7.9.1.2	Lube oil consumption through valve stem seals	265
7.9.1.3	Lube oil consumption through crankcase ventilation (blow-by)	265
7.9.1.4	Lube oil consumption and blow-by in the turbocharger	265
7.9.2	Lube oil consumption measurement methods	267
7.9.3	Lube oil consumption maps and dynamic lube oil consumption	270
7.9.4	Influence of intake manifold vacuum on lube oil consumption in the gasoline engine	274
7.9.5	Trade-off between friction power loss and lube oil consumption using the example of tangential force reduction on the oil control ring of a passenger car diesel engine	275
7.9.5.1	Influence of tangential force on the oil control ring on lube oil emissions	276
7.9.5.2	Comparison of the influence of tangential force on the oil control ring on lube oil emissions and frictional behavior	277
7.9.5.3	Influence of tangential force of the oil control ring on fuel consumption, lube oil emissions, and the CO ₂ balance in the NEDC	279
References	281
Dictionary/Glossary	284
Keyword index	293