

Contents

1	Introduction	1
1.1	Overview of Topological Insulators	1
1.2	Historical Perspective of Topological Insulators	2
1.3	General Theory of Topological Insulators	4
1.3.1	Topological Band Theory	4
1.3.2	Topological Field Theory	7
1.4	Prototypical 3D Topological Materials	8
1.4.1	Theoretical Models	9
1.4.2	Experimental Results	12
1.5	Organization	18
	References	19
2	Experimental Setup and Methods	23
2.1	Helium-4 Refrigerator and Superconducting Magnet	23
2.2	Dilution Refrigerator	26
2.3	Probe Design and Temperature Control	29
2.4	Experimental Details of Transport Measurements	31
2.4.1	Electrical Transport Measurements	31
2.4.2	Thermoelectric Transport Measurements	33
2.5	Sample Growth by Molecular Beam Epitaxy	34
2.6	Angle-Resolved Photoemission Spectroscopy	36
	References	37
3	Band Structure Engineering in TIs	39
3.1	Band Structure Engineering in Traditional Semiconductors	39
3.2	Motivation and Experimental Design	41
3.3	Experimental Results	42
3.3.1	Sample Characterization	43
3.3.2	Electronic Structure	43
3.3.3	Analysis of the ARPES Data	45

3.3.4	Transport Properties	46
3.3.5	Effect of the Te Capping Layer	50
3.4	Discussion and Conclusion	51
	References	52
4	Topology-Driven Magnetic Quantum Phase Transition	55
4.1	Introduction to Magnetic Topological Insulator	55
4.2	Motivation and Experimental Design	57
4.3	Sample Characterization	58
4.4	Transport Measurements	58
4.4.1	Magnetic Quantum Phase Transition in $\text{Bi}_{1.78}\text{Cr}_{0.22}(\text{Se}_x\text{Te}_{1-x})_3$	60
4.4.2	Methods for the Detection of ρ_{yx}^0 and x_c	64
4.4.3	The High-Field Hall Effect in $\text{Bi}_{1.78}\text{Cr}_{0.22}\text{Te}_3$	64
4.4.4	Magnetic Anisotropy Measurements in $\text{Bi}_{1.78}\text{Cr}_{0.22}\text{Te}_3$	65
4.4.5	Further Proof of Paramagnetism in $\text{Bi}_{1.78}\text{Cr}_{0.22}\text{Se}_3$	66
4.5	SQUID Magnetization Measurements	67
4.6	ARPES Band Mapping	69
4.6.1	Topological Quantum Phase Transition in $\text{Bi}_{1.78}\text{Cr}_{0.22}(\text{Se}_x\text{Te}_{1-x})_3$	69
4.6.2	Similar Topological QPT in $\text{Bi}_{2-y}\text{Cr}_y\text{Se}_3$ and $\text{Bi}_{2-y}\text{Cr}_y\text{Te}_3$	69
4.7	Density Functional Theory Calculations	72
4.7.1	Calculation Method	72
4.7.2	Band Structures of $\text{Bi}_{2-y}\text{Cr}_y\text{Se}_3$ and $\text{Bi}_{2-y}\text{Cr}_y\text{Te}_3$	72
4.7.3	The Corroboration of Topological QPT in $\text{Bi}_{1.75}\text{Cr}_{0.25}(\text{Se}_x\text{Te}_{1-x})_3$	75
4.8	Relationship Between Topological QPT and Magnetic QPT	77
4.9	Effective Four-Band Model Calculations	77
4.9.1	The Spin Susceptibility in z Direction	78
4.9.2	Sign Change of the AHE at QCP	79
4.9.3	Physical Meaning and Estimation of G_{z1} and G_{z2}	82
4.10	The van Vleck Mechanism in TIs	82
4.11	Conclusion	84
	References	85
5	Quantum Anomalous Hall Effect	87
5.1	Introduction to QAHE	87
5.2	Sample Preparation and Characterization	90
5.3	Quantized Hall Resistance at Zero Magnetic Field	92
5.4	Vanishing Residual Resistance at High Magnetic Field	94
5.5	Evolution of QAHE with Varied Temperatures	95
5.6	Conclusion	96
	References	97

6	Dichotomy Between Electrical and Thermoelectric Properties	99
6.1	Introduction to Thermoelectric Effect in TIs	99
6.2	Experimental Design	101
6.3	Electrical and Thermoelectric Measurements	102
6.4	DFT Calculated Band Structures	104
6.5	Calculated Seebeck Coefficient	105
6.6	Discussion on the Sign Anomaly Between R_H and S_{xx}	106
6.7	Conclusion	107
	References	107
7	Concluding Remarks	109
	Appendix A: Complete Transport Results of QAHE	111
	Appendix B: Simple Picture for the Sign of AHE	113