

Table of Contents

Volume 1. Master Equations and Fokker–Planck Equations

1. Dissipation in Quantum Mechanics:	
The Master Equation Approach	1
1.1 Introduction	1
1.2 Inadequacy of an Ad Hoc Approach	2
1.3 System Plus Reservoir Approach	3
1.3.1 The Schrödinger Equation in Integro-Differential Form	5
1.3.2 Born and Markov Approximations	6
1.3.3 The Markov Approximation and Reservoir Correlations	7
1.4 The Damped Harmonic Oscillator	9
1.4.1 Master Equation for the Damped Harmonic Oscillator	9
1.4.2 Some Limitations	17
1.4.3 Expectation Values and Commutation Relations	18
1.5 Two-Time Averages and the Quantum Regression Formula .	19
1.5.1 Formal Results	22
1.5.2 Quantum Regression for a Complete Set of Operators	25
1.5.3 Correlation Functions for the Damped Harmonic Oscillator	27
2. Two-Level Atoms and Spontaneous Emission	29
2.1 Two-Level Atom as a Pseudo-Spin System	29
2.2 Spontaneous Emission in the Master Equation Approach ..	32
2.2.1 Master Equation for a Radiatively Damped Two-Level Atom	32
2.2.2 The Einstein A Coefficient	35
2.2.3 Matrix Element Equations, Correlation Functions, and Spontaneous Emission Spectrum	36
2.2.4 Phase Destroying Processes	39

2.3	Resonance Fluorescence	43
2.3.1	The Scattered Field	45
2.3.2	Master Equation for a Two-Level Atom Driven by a Classical Field	48
2.3.3	Optical Bloch Equations and Dressed States	51
2.3.4	The Fluorescence Spectrum	56
2.3.5	Second-Order Coherence	60
2.3.6	Photon Antibunching and Squeezing	65
3.	Quantum-Classical Correspondence for the Electromagnetic Field I: The Glauber-Sudarshan P Representation	75
3.1	The Glauber-Sudarshan P Representation	76
3.1.1	Coherent States	77
3.1.2	Diagonal Representation for the Density Operator Using Coherent States	81
3.1.3	Examples: Coherent States, Thermal States, and Fock States	83
3.1.4	Fokker-Planck Equation for the Damped Harmonic Oscillator	89
3.1.5	Solution of the Fokker-Planck Equation	91
3.2	The Characteristic Function for Normal-Ordered Averages .	94
3.2.1	Operator Averages and the Characteristic Function .	95
3.2.2	Derivation of the Fokker-Planck Equation Using the Characteristic Function	96
4.	Quantum-Classical Correspondence for the Electromagnetic Field II: P, Q, and Wigner Representations	101
4.1	The Q and Wigner Representations	102
4.1.1	Antinormal-Ordered Averages and the Q Representation	102
4.1.2	The Damped Harmonic Oscillator in the Q Representation	105
4.1.3	Antinormal-Ordered Averages Using the P Representation	108
4.1.4	The Wigner Representation	110
4.2	Fun with Fock States	114
4.2.1	Wigner Distribution for a Fock State	114
4.2.2	Damped Fock State in the P Representation	117
4.2.3	Damped Fock State in the Q and Wigner Representations	120
4.3	Two-Time Averages	123

4.3.1	Quantum-Classical Correspondence for General Operators	124
4.3.2	Associated Functions and the Master Equation	129
4.3.3	Normal-Ordered Time-Ordered Averages in the P Representation	131
4.3.4	More General Two-Time Averages Using the P Representation	133
4.3.5	Two-Time Averages Using the Q and Wigner Representations	137
5.	Fokker-Planck Equations and Stochastic Differential Equations	147
5.1	One-Dimensional Fokker-Planck Equations	148
5.1.1	Drift and Diffusion	149
5.1.2	Steady-State Solution	153
5.1.3	Linearization and the System Size Expansion	155
5.1.4	Limitations of the Linearized Treatment of Fluctuations	160
5.1.5	The Truncated Kramers-Moyal Expansion	164
5.2	Linear Fokker-Planck Equations	165
5.2.1	The Green Function	166
5.2.2	Moments of Multi-Dimensional Gaussians	169
5.2.3	Formal Solution for Time-Dependent Averages	171
5.2.4	Equation of Motion for the Covariance Matrix	174
5.2.5	Steady-State Spectrum of Fluctuations	176
5.3	Stochastic Differential Equations	178
5.3.1	A Comment on Notation	179
5.3.2	The Wiener Process	180
5.3.3	Stochastic Differential Equations	183
5.3.4	Ito and Stratonovich Integrals	186
5.3.5	Fokker-Planck Equations and Equivalent Stochastic Differential Equations	190
5.3.6	Multi-Dimensional Ornstein-Uhlenbeck Process	192
6.	Quantum-Classical Correspondence for Two-Level Atoms	195
6.1	Haken's Representation and the Damped Two-Level Atom	195
6.1.1	The Characteristic Function and Associated Distribution	196
6.1.2	Some Operator Algebra	197
6.1.3	Phase-Space Equation of Motion for the Damped Two-Level Atom	199

6.1.4	A Singular Solution to the Phase-Space Equation of Motion	205
6.2	Normal-Ordered Representation for a Collection of Two-Level Atoms	211
6.2.1	Collective Atomic Operators	212
6.2.2	Direct Product States, Dicke States, and Atomic Coherent States	216
6.2.3	The Characteristic Function and Associated Distribution	222
6.2.4	Nonsingular Approximation for the P Distribution	223
6.2.5	Two-Time Averages	226
6.2.6	Other Representations	232
6.3	Fokker-Planck Equation for a Radiatively Damped Two-Level Medium	233
6.3.1	Master Equation for Independently Damped Two-Level Atoms	233
6.3.2	Closed Dynamics for Normally-Ordered Averages of Collective Operators	236
6.3.3	Operator Averages Without Quantum Fluctuations	241
6.3.4	Phase-Space Equation of Motion for Independently Damped Two-Level Atoms	245
6.3.5	Fokker-Planck Equation: First-Order Treatment of Quantum Fluctuations	248
6.3.6	Steady-State Distribution of Inversion	252
7.	The Single-Mode Homogeneously Broadened Laser I:	
	Preliminaries	257
7.1	Laser Theory from Einstein Rate Equations	258
7.1.1	Rate Equations and Laser Threshold	258
7.1.2	Spontaneous Emission and Thermal Photons	263
7.1.3	Quantum Fluctuations: A Stochastic Model	268
7.1.4	Two-Level Model and Laser Parameters	276
7.2	Phase-Space Formulation in the Normal-Ordered Representation	280
7.2.1	Model and Hamiltonian	280
7.2.2	Master Equation for the Single-Mode Homogeneously Broadened Laser	284
7.2.3	The Characteristic Function and Associated Distribution	286
7.2.4	Phase-Space Equation of Motion for the Single-Mode Homogeneously Broadened Laser	287
7.3	The Laser Output Field	289

7.3.1	Free Field and Source Field for a Lossy Cavity Mode	289
7.3.2	Coherently Driven Cavities	293
7.3.3	Correlations Between the Free Field and Source Field for Thermal Reservoirs	295
7.3.4	Spectrum of the Free Field plus Source Field for the Laser Below Threshold	302
8.	The Single-Mode Homogeneously Broadened Laser II: Phase-Space Analysis	305
8.1	Linearization: Laser Fokker-Planck Equation Below Threshold	305
8.1.1	System Size Expansion Below Threshold	305
8.1.2	Laser Equations Without Fluctuations	312
8.1.3	Linearized Treatment of Quantum Fluctuations Below Threshold	316
8.1.4	Adiabatic Elimination of the Polarization and Laser Linewidth	320
8.2	Laser Fokker-Planck Equation at Threshold	325
8.2.1	System Size Expansion and Adiabatic Elimination of Atomic Variables	326
8.2.2	Steady-State Solution and Threshold Photon Number	329
8.3	Quasi-Linearization: Laser Fokker-Planck Equation Above Threshold	331
8.3.1	System Size Expansion Above Threshold	333
8.3.2	Adiabatic Elimination	340
8.3.3	Quantum Fluctuations Above Threshold	345
	References	349
	Index	357

Volume 2. Modern Topics

- 9. The Degenerate Parametric Oscillator I: Preliminaries**
 - 9.1 Introduction
 - 9.2 Degenerate Parametric Amplification and Squeezed States
 - 9.2.1 Degenerate Parametric Amplification Without Pump Depletion
 - 9.2.2 Quantum Fluctuations and Squeezed States
 - 9.2.3 The Degenerate Parametric Oscillator
 - 9.2.4 Master Equation for the Degenerate Parametric Oscillator
 - 9.2.5 Cavity Output Fields
 - 9.3 The Spectrum of Squeezing
 - 9.3.1 Intracavity Field Fluctuations
 - 9.3.2 The Spectrum of Squeezing Defined
 - 9.3.3 Homodyne Detection: The Source-Field Spectrum of Squeezing
 - 9.3.4 The Source-Field Spectrum of Squeezing with Unit Efficiency
 - 9.3.5 Free-Field Contributions
 - 9.3.6 Vacuum Fluctuations
 - 9.3.7 Squeezing in the Wigner Representation: A Comment on Interpretation

- 10. The Degenerate Parametric Oscillator II: Phase-Space Analysis in the Small-Noise Limit**
 - 10.1 Phase-Space Formalism for the Degenerate Parametric Oscillator
 - 10.1.1 Phase-Space Equation of Motion in the P Representation
 - 10.1.2 Phase-Space Equations of Motion in the Q and Wigner Representations
 - 10.2 Squeezing: Quantum Fluctuations in the Small-Noise Limit
 - 10.2.1 System Size Expansion Far from Threshold
 - 10.2.2 Quantum Fluctuations Below Threshold
 - 10.2.3 Quantum Fluctuations Above Threshold
 - 10.2.4 Quantum Fluctuations at Threshold

- 11. The Positive P Representation**
 - 11.1 The Positive P Representation
 - 11.1.1 The Characteristic Function and Associated Distribution

- 11.1.2 Fokker-Planck Equation
for the Degenerate Parametric Oscillator
- 11.1.3 Linear Theory of Quantum Fluctuations
- 11.2 Miscellaneous Topics
 - 11.2.1 Alternative Approaches
to the Linear Theory of Quantum Fluctuations
 - 11.2.2 Dynamical Stability of the Classical Phase Space
 - 11.2.3 Preservation of Conjugacy for Stochastic Averages

12. The Degenerate Parametric Oscillator III: Phase-Space Analysis Outside the Small-Noise Limit

- 12.1 The Degenerate Parametric Oscillator
with Adiabatic Elimination of the Pump
 - 12.1.1 Adiabatic Elimination
in the Stochastic Differential Equations
 - 12.1.2 A Note About Superoperators
 - 12.1.3 Adiabatic Elimination in the Master Equation
 - 12.1.4 Numerical Simulation
of the Stochastic Differential Equations
 - 12.1.5 Deterministic Dynamics
in the Extended Phase Space
 - 12.1.6 Steady-State Distribution
for the Positive P Distribution
 - 12.1.7 Quantum Fluctuations and System Size
 - 12.1.8 Quantum Dynamics Beyond Classical Trajectories
plus “Fuzz”
 - 12.1.9 Higher-Order Corrections
to the Spectrum of Squeezing at Threshold
- 12.2 Difficulties with the Positive P Representation
 - 12.2.1 Technical Difficulties: Two-Photon Damping
 - 12.2.2 Physical Interpretation:
The Anharmonic Oscillator

13. Cavity QED I: Simple Calculations

- 13.1 System Size and Coupling Strength
- 13.2 Cavity QED in the Perturbative Limit
 - 13.2.1 Cavity-Enhanced Spontaneous Emission
 - 13.2.2 Cavity-Enhanced Resonance Fluorescence
 - 13.2.3 Forwards Photon Scattering
in the Weak-Excitation Limit
 - 13.2.4 A One-Atom “Laser”
- 13.3 Nonperturbative Cavity QED
 - 13.3.1 Spontaneous Emission
from a Coupled Atom and Cavity

- 13.3.2 “Vacuum” Rabi Splitting
- 13.3.3 “Vacuum” Rabi Resonances
in the Two-State Approximation

14. Many Atoms in a Cavity I: Macroscopic Theory

- 14.1 Optical Bistability: Steady-State Transmission
of a Nonlinear Fabry-Perot
- 14.2 The Mean-Field Limit for a Homogeneously Broadened
Two-Level Medium
 - 14.2.1 Steady State
 - 14.2.2 Maxwell-Bloch Equations
 - 14.2.3 Stability of the Steady State
- 14.3 Relationship Between Macroscopic
and Microscopic Variables
- 14.4 Cavity QED with Many Atoms
 - 14.4.1 Weak-Probe Transmission Spectra
 - 14.4.2 A Comment on Spatial Effects

**15. Many Atoms in a Cavity II:
Quantum Fluctuations in the Small-Noise Limit**

- 15.1 Microscopic Model
 - 15.1.1 Master Equation for Optical Bistability
 - 15.1.2 Fokker-Planck Equation in the P Representation
 - 15.1.3 Fokker-Planck Equation in the Q Representation
 - 15.1.4 Fokker-Planck Equation in the Wigner Representation
- 15.2 Linear Theory of Quantum Fluctuations
 - 15.2.1 System Size Expansion for Optical Bistability
 - 15.2.2 Linearization About the Steady State
 - 15.2.3 Covariance Matrix for Absorptive Bistability
 - 15.2.4 Atom-Atom Correlations
 - 15.2.5 Spectrum of the Transmitted Light
in the Weak-Excitation Limit
 - 15.2.6 Forwards Photon Scattering
in the Weak-Excitation Limit

16. Cavity QED II: Quantum Fluctuations

- 16.1 Density Matrix Expansion for the Weak-Excitation Limit
 - 16.1.1 Pure-State Factorization of the Density Operator
for One Atom
 - 16.1.2 Pure-State Factorization of the Density Operator
for Many Atoms
 - 16.1.3 Forwards Photon Scattering for N Atoms in a Cavity
 - 16.1.4 Corrections to the Small-Noise Approximation
 - 16.1.5 Antibunching of Fluorescence for One Atom in a Cavity

- 16.1.6 Spectra of Squeezing
- 16.2 Spatial Effects
- 16.3 Beyond Classical Trajectories plus “Fuzz”:
Spontaneous Dressed-State Polarization
 - 16.3.1 Maxwell-Bloch Equations for “Zero System Size”
 - 16.3.2 Dressed Jaynes-Cummings Eigenstates
 - 16.3.3 Secular Approximation
in the Basis of Dressed Jaynes-Cummings Eigenstates
 - 16.3.4 Spectrum of the Transmitted Light
in the Weak-Excitation Limit
 - 16.3.5 The \sqrt{n} Anharmonic Oscillator
 - 16.3.6 Quantum Fluctuations for Strong Excitation
- 17. Quantum Trajectories I:
Introduction and Physical Interpretation**
 - 17.1 Density Operators and Scattering Records
 - 17.2 Generalizing the Bohr-Einstein Quantum Jump
 - 17.2.1 The Einstein Stochastic Process
 - 17.2.2 Trajectories for Known Initial States
 - 17.2.3 Trajectories for “Blind” Realizations
 - 17.2.4 Superposition States
 - 17.2.5 Record Probabilities and Norms
 - 17.2.6 Summing Over Records: The Master Equation
 - 17.3 Quantum Trajectories
for the Degenerate Parametric Oscillator
 - 17.3.1 Record Probabilities
 - 17.3.2 Unraveling the Density Operator:
Photon Counting Records
 - 17.3.3 Unraveling the Density Operator:
Homodyne- and Heterodyne-Current Records
 - 17.3.4 Systems, Environments, and Complementarity
 - 17.4 Modeling Projective Measurements
- 18. Quantum Trajectories II: More Examples**
 - 18.1 Photon Scattering in Cavity QED
 - 18.2 Unraveling the Density Operator: Cascaded Systems
 - 18.2.1 Coherent States
 - 18.3 Optical Spectra
 - 18.3.1 Incoherent Spectrum Using a Filter Cavity
 - 18.3.2 Spontaneous Emission from a Three-Level Atom
 - 18.3.3 Incoherent Spectrum Using Heterodyne Detection

References

Index