

Contents

1	Introduction	1
1.1	Basic definitions	4
1.1.1	Elections and voting systems	4
1.1.2	Graphs and digraphs	5
1.2	Computational Complexity	5
1.2.1	P versus NP	5
1.2.2	Parameterized complexity	6
1.2.3	Multivariate algorithmics	7
1.3	Algorithm design tools	7
1.3.1	Kernelization	8
1.3.2	Size-bounded search trees	8
1.3.3	Integer linear programming	8
2	Problems and results in context	11
2.1	A brief introduction to voting	11
2.1.1	Voting rules and winner determination	12
2.1.2	Strategic voting and possible winners	14
2.1.3	Influences by external agents	14
2.2	Computational aspects of voting	15
2.2.1	Winner determination	16
2.2.2	Manipulation and possible winners	16
2.2.3	Control	17
2.3	Multivariate algorithmic results	17
I	Winner Determination	21
3	Parameterizations for Kemeny	23
3.1	Introduction	23
3.2	Parameterizations and our results	25
3.2.1	Range versus distance parameterizations	27
3.3	Parameterization by the number of candidates	29
3.4	Parameterization by the Kemeny score	29

3.5	Parameterization by the average KT-distance	31
3.5.1	A crucial observation	32
3.5.2	Dynamic programming algorithm	34
3.6	Parameterizations by the candidate range	38
3.6.1	Maximum range	38
3.6.2	Average range	39
3.7	Ties and incomplete votes	40
3.7.1	Kemeny Score with Ties	40
3.7.2	Kemeny Score with Incomplete Votes	41
3.8	Further fixed-parameter algorithms	41
3.9	Conclusion	43
4	Partial kernelization for Kemeny	45
4.1	Framework and basic definitions	46
4.2	Dirtiness and a polynomial-time special case	47
4.3	Data reduction rules and partial kernelization	49
4.3.1	Exploiting $\geq_{3/4}$ -majorities	50
4.3.2	Tightness of the 3/4-Majority Rule	51
4.3.3	Exploiting $>_{2/3}$ -majorities	54
4.4	Conclusion	56
5	Experimental results for Kemeny	59
5.1	Implemented algorithms	60
5.1.1	Data reduction rules	60
5.1.2	Exact solution algorithms	61
5.2	Experimental results	62
5.2.1	Sport competitions	62
5.2.2	Search result rankings	63
5.2.3	Impact rankings	66
5.3	Conclusion	67
6	Dodgson and Young voting	69
6.1	Dodgson Score	72
6.1.1	Dynamic programming algorithm	72
6.1.2	Allowing ties	77
6.2	Young Score	78
6.3	Conclusion	82
II	Possible Winner Determination	85
7	A dichotomy for pure scoring rules	87
7.1	Motivation and known results	87
7.2	Definitions	89
7.3	General strategy	91
7.3.1	A general scheme to construct linear votes	92
7.4	Plurality and veto	94
7.5	An unbounded number of positions with different score values	95

7.6	An unbounded number of positions with equal score values	99
7.6.1	An unbounded number of equal score values and $\alpha_2 \neq \alpha_{m-1}$	99
7.6.2	Scoring vectors with $\alpha_1 > \alpha_2 = \dots = \alpha_{m-1} > 0$	112
7.7	Putting all together	121
7.8	Conclusion	123
8	A parameterized complexity study for scoring rules	125
8.1	Number of candidates	127
8.2	Number of votes	128
8.2.1	k -approval	129
8.2.2	Borda	132
8.3	Measures of incompleteness	137
8.3.1	Maximum number of undetermined pairs per vote	137
8.3.2	Total number of undetermined pairs	139
8.3.3	Further parameters measuring incompleteness	143
9	Combined parameters for k-approval voting	145
9.1	Fixed number of zero-positions	147
9.1.1	Problem kernel	147
9.1.2	Parameterized algorithms	149
9.2	Fixed number of one-positions	152
9.2.1	Problem kernels	152
9.2.2	Kernel lower bound	158
9.3	Conclusion	163
10	Conclusion Part II	165
III	Candidate Control	171
11	Candidate control for Copeland and plurality	173
11.1	Candidate control and related digraph problems	175
11.1.1	Control problems	175
11.1.2	Digraph problems	175
11.1.3	Contributions and organization	177
11.2	Parameterized complexity of the digraph problems	178
11.2.1	Vertex deletion	179
11.2.2	Vertex addition	184
11.2.3	$W[2]$ -membership	187
11.3	Parameterized complexity of candidate control	188
11.3.1	Llull and Copeland voting	189
11.3.2	Number of votes as parameter	189
11.3.3	Number of deleted/added candidates as parameter	193
11.4	Conclusion	197

12 Summary and future research directions	199
12.1 Summary of results	199
12.2 Future challenges	200
12.2.1 Problem-oriented approaches	200
12.2.2 Technique-oriented approaches	201
12.2.3 Parameter-oriented approaches	202