

LIST OF CONTENTS

Preface	v
List of contents	vii
List of authors	xiii
List of participants	xv
Genetics and breeding	
Development and use of genetic tools in <i>Rubus</i> and <i>Ribes</i> breeding at James Hutton Institute/Limited <i>D. Jarret, N. Jennings, D. Williams and J. Graham</i>	1
Next steps in breeding for yield in raspberries <i>A. Dale</i>	11
Introgression of spine-free and primocane fruiting from red raspberry (<i>Rubus idaeus</i> L.) to black raspberry (<i>R. occidentalis</i> L.) <i>C.A. Weber</i>	17
Identifying variation in red raspberry <i>MLO</i> genes thought to provide resistance to powdery mildew <i>J.D. Zurn, R. Meiers, J. Ward, C.E. Finn, M. Dossett and N.V. Bassil</i>	25
Recent acquisitions of <i>Rubus</i> L. at the USDA National Clonal Germplasm Repository, Corvallis, Oregon: profiles of four species <i>K.E. Hummer and J.M. Bushakra</i>	33
Development of new genomic resources and tools for molecular breeding in blackberry <i>M.L. Worthington, R. Aryal, N.V. Bassil, D. Mead, G.E. Fernandez, J.R. Clark, F. Fernández-Fernández, C.E. Finn, K.E. Hummer and H. Ashrafi</i>	39
Merging blackberry germplasm pools and moving previously unutilized species into commercially viable selections <i>C.E. Finn, M.E. Peterson, J.R. Clark, G.E. Fernandez, H.K. Hall and M.L. Worthington</i>	47
Recent progress in Polish black raspberry breeding at the Niwa Berry Breeding Ltd. <i>A. Orzeł, K. Król-Dyrek, J. Jagła, W. Lech, M. Bieniasz and M. Krośniak</i>	55
Genetic analysis of drupelet count in black raspberry (<i>Rubus occidentalis</i>) <i>M. Willman, J.M. Bushakra, N.V. Bassil, C.E. Finn, M. Dossett, P. Perkins-Veazie, C.M. Bradish, G.E. Fernandez, C.A. Weber, J. Scheerens, L. Dunlap and J. Fresnedo-Ramírez</i>	65
'Ningzhi 3', an early and sweet blackberry <i>W.L. Wu, H.X. Liu, L.F. Lyu and W.L. Li</i>	73
Phenotypical variability and diversity within <i>Ribes</i> genetic resources collection of Latvia <i>S. Strautiņa, G. Lācis and K. Kampuss</i>	81
Conservation of <i>Ribes</i> and <i>Rubus</i> cultivars in the Swedish National Gene Bank <i>I. Hjalmarsson</i>	89

Raspberries in north of Iran: from local wild types cultivation to newly established orchards with recently introduced cultivars <i>R. Gharesheikhbayat and M.N. Padasht</i>	95
Comparison of fruit quality parameters of different raspberry (<i>Rubus idaeus</i> L.) genotypes cultivated in Estonia <i>R. Rätsep, M. Vinogradov, L. Arus, H. Kaldmäe, A. Aluvee and A. Kikas</i>	101
New primocane-fruited raspberry cultivars released from Shenyang Agricultural University <i>H.P. Dai, W. Shi, C.H. Tan and S.M. Li</i>	109
Development of a robust RNA extraction protocol for black raspberry <i>C. Mulch, N.V. Bassil, C.E. Finn, M. Dossett and K.J. Vining</i>	113
Status of <i>Rubus</i> germplasm at the US National Clonal Germplasm Repository in Corvallis, Oregon <i>J.M. Bushakra, L.A. Alice, K.A. Carter, M. Dossett, J.C. Lee, A. Liston, R. Meiers, C. Mulch, A.M. Nyberg, M.E. Peterson, M. Clark, K.J. Vining, M.L. Worthington, M.H. Yin, B.L. Sutherland, J.D. Zurn, J.R. Clark, C.E. Finn, N.V. Bassil and K.E. Hummer</i>	121
Evaluation of six raspberry cultivars in a temperate climate zone of central Chile <i>E. Contreras, J. Grez, S. Sánchez and M. Gambardella</i>	129
New release: early season red raspberry cultivar of Polish 'Deleniwa' brings high quality fruit to the market <i>A. Orzeł, A. Kostecka-Gugała and B. Danek</i>	135
Evaluation of blackcurrant (<i>Ribes nigrum</i> L.) cultivars in Estonia <i>A. Kikas and A.-V. Libek</i>	143
Comparison of selection for root rot tolerance and machine harvestability <i>P.P. Moore and W.K. Hoashi-Erhardt</i>	149
The productivity of new Russian blackcurrant cultivars <i>F.F. Sazonov, S.N. Evdokimenko, V.N. Sorokopudov, N.V. Andronova and D.N. Skovorodnikov</i>	155
Development of blackberry cultivars with novel plant architecture <i>M.L. Worthington and J.R. Clark</i>	159
Cultivation	
Substrate cultivation of raspberry in Germany <i>L. Linnemannstöns</i>	165
Year round production of primocane 'Kwanza' raspberry as an ultimate goal <i>P. Putzeys, M. Boonen and D. Bylemans</i>	173
Growth habit of primocane raspberry cultivars grown as long canes for summer cropping <i>P. Palonen and T. Laine</i>	183

Optimization of long-cane red raspberry production by the control of fruiting lateral number <i>A. Ançay, C. Carlen and B. Christ</i>	191
Influence of cold storage on growth, productivity and root reserves of 'Kwanza' raspberry <i>P.B. Oliveira, B.R. Moreira and C.M. Oliveira</i>	195
Year round blackberry harvesting in the Netherlands <i>G. Heijerman, L. Helmus-Schuddebeurs and C.W. van Eldik</i>	201
Achieving top production with the best long canes of blackberry and raspberry <i>C.W. van Eldik</i>	207
Effects of rotating cross arm trellis on first year blackberry yield, fruit quality and pest pressure <i>A. McWhirt, J. Lee, R.T. Threlfall and T. Ernst</i>	215
Improving the performance of red and white currants in high latitude conditions by training methods <i>S. Karhu, C. Bles, K. Laine and P. Palonen</i>	225
A well-balanced nutrient solution for raspberries <i>M. Boonen, P. Putzeys and D. Bylemans</i>	233
Higher profits with planting hole treatment in red currant <i>G. Heijerman and G. van Gessel</i>	239
Raspberry cultivation under rain shelters in northeast China <i>H.P. Dai, H.B. Chen, C. Zhang and J. Lu</i>	245
Raspberry production in greenhouse in northeast China <i>C.H. Tan, H.P. Dai, J. Lu and W. Shi</i>	251
Transformation of bush training system into vertical cordons, a pathway to boost the mature currant orchards <i>A. Asănică, F. Stănică, A. Iacob and M. Ungurenuş</i>	257
First results of vertical cordon training system for red and black currants in Romania <i>A. Asănică, F. Stănică, A. Iacob, L. Perojuc and M. Ungurenuş</i>	265
Evaluation of organic fertilizers for primocane raspberries in high tunnel <i>I. Kalnina, S. Strautiņa and V. Laugale</i>	271
Vegetative parameters of new plants of golden currant (<i>Ribes aureum</i>) in mulched and non-mulched plots <i>K. Kampuss</i>	277
Optimization of the root environment for raspberry production on substrate <i>C. Carlen, A. Ançay and B. Christ</i>	283
<i>Trichoderma</i> application increases yield and individual fruit weight of blackberries grown by small farmers in Ecuador <i>W. Viera, M. Noboa, A. Martínez, R. Jácome, L. Medina and T. Jackson</i>	287

Primocane blackberry cultivar response to pseudo double-cropping <i>H. Hatterman-Valenti, A. Espe, J. Stenger and C. Auwarter</i>	293
Primocane raspberry cultivars for industrial cultivation in Russia <i>S.N. Evdokimenko, F.F. Sazonov, M.A. Podgaetsky and D.N. Skovorodnikov</i>	301
Plant physiology	
Flowering and dormancy relations of raspberry and black currant and effects of management and climate warming on production <i>A. Sønsteby and O.M. Heide</i>	307
Effect of genotype and environment on the chemical composition of raspberry fruits <i>F. Will, E. Krüger, K. Kumar, C. Patz and A. Sønsteby</i>	321
Managing vigor of blackberry with prohexadione calcium: effects on primocane and floricane development <i>T.M. Kon, G.E. Fernandez, P. Perkins-Veazie and K. Blaedow</i>	329
Effects of different substrate composition on the growth and physiology of blackberries in soilless system <i>H.Y. Yang, W.L. Wu, S.S. Dong, Z.J. Huang, L.F. Lyu and W.L. Li</i>	337
Comparative analysis of flowering and fruiting characteristics between five blackberry (<i>Rubus</i> L.) hybrid strains and their parents <i>Z.J. Huang, Y.L. Wei, W.L. Wu and W.L. Li</i>	345
Effectiveness of red mason bees on pollination of floricane raspberry cultivars 'Lagorai Plus' and 'Vajolet' <i>P. Zucchi, L. Osti and G. Comploj</i>	353
Endodormancy in six blackcurrant (<i>Ribes nigrum</i>) cultivars <i>P. Palonen, J. Kemppinen and S. Karhu</i>	359
Crumbliness in red raspberry – a review of the research in Weinsberg <i>G. Muster</i>	367
Biology of flowering as an element in the red raspberry breeding, focused on avoiding interference in embryo sac development and reduction in drupelet numbers <i>A. Orzeł, W. Lech, J. Jagła, K.B. Danek and M. Bieniasz</i>	375
Effect of water stress on some physiological indices in raspberry canes <i>K. Lepaja, E. Kullaj, L. Lepaja and N. Krasniqi</i>	381
Plant protection	
Current status of the <i>Drosophila suzukii</i> control in Europe <i>C. Ioriatti, G. Anfora, A. Grassi, S. Puppato and M.V. Rossi Stacconi</i>	387
Past efforts and future perspectives of managing major diseases of red raspberries in British Columbia <i>R.R. Burlakoti and M. Dossett</i>	397

Ribes-infecting viruses – how many and how harmful are they? <i>J. Špak, J. Přibylová, K. Petrzik, I. Koloniuk and D. Kubelková</i>	403
Effectiveness of fungicides in control of yellow rust (<i>Phragmidium rubi-idaei</i>) <i>T. Gasparski, P. Krawiec, M. Korzeniowski and M. Krawiec</i>	409
The use of <i>Phytiuum oligandrum</i> to control grey mold in raspberry <i>P. Krawiec and M. Krawiec</i>	413
Cultivar susceptibility and stress hormone response in raspberry (<i>Rubus ideaus</i>) to two-spotted spider mite (<i>Tetranychus urticae</i>) <i>L. Leus, C. Minguely, C. Van Poucke, J. Audenaert and J. Witters</i>	417
Quality and postharvest treatments	
Flavour and nutrition of fruits and vegetables create added value to consumers <i>C.W. Labrie, S.J. Sijtsema, H.M. Snoek, I. Raaijmakers and L.H. Aramyan</i>	425
Development of advanced mechanical techniques to phenotype raspberry and blackberry texture <i>L. Giongo, M. Ajelli, P. Poncetta, M. Ramos-García, P. Sambo and B. Farneti</i>	433
Food safety regulations in the US and their impact on international produce growers and importers <i>E.A. Bihn, G.L. Wall and M.C. Humiston</i>	441
Postharvest ozone treatment on raspberries <i>S. Gabioud Rebeaud, V. Varone, L. Vuong, P.Y. Cotter, A. Ançay and D. Christen</i>	449
Postharvest shelf life and composition of black raspberry selections and cultivars <i>P. Perkins-Veazie, G.E. Fernandez and G. Ma</i>	455
Monitoring the quality parameters for organic raspberries in order to determine the optimal storage method by packaging <i>A. Stan, O.C. Bujor, A. Dobrin, G. Haida, L. Bădulescu and A. Asănică</i>	461
Using an online survey to determine consumer perceptions of fresh-market blackberries <i>R.T. Threlfall, A.N. Duntzman, J.R. Clark and M.L. Worthington</i>	469
Effects of harvest time (7:00 am and 12:00 pm) on postharvest quality of Arkansas fresh-market blackberries <i>M. Felts, R.T. Threlfall, J.R. Clark and M.L. Worthington</i>	477
Innovative storage technology of modern commercial black currant cultivars <i>V.A. Gudkovskii, L.V. Kozhina, M.Y. Akimov and T.V. Zhidkikhina</i>	487
Phenolic bioactive-linked antioxidant, and anti-hyperglycemic functionalities of blackberry (<i>Rubus sp.</i>) from two different maturation stages <i>A. Espe, D. Sarkar, H. Hatterman-Valenti and K. Shetty</i>	495
Screening of blackberry cultivars for phenolic bioactive-linked antioxidant and anti-hyperglycemic properties <i>A. Espe, D. Sarkar, H. Hatterman-Valenti and K. Shetty</i>	505