

TABLE OF CONTENTS

1	Abstract	1
2	Introduction	6
2.1	Programming cell fates	7
2.1.1	Cell fate regulation in early mammalian development	7
2.1.2	Cardiomyocytes, the functional units of the heart	11
2.1.3	Modeling cardiac lineage commitment in defined conditions using hPSCs	13
2.2	Reprogramming cell fates	14
2.2.1	Cell fate conversion	14
2.2.2	Cell fate reprogramming during heart regeneration	16
2.2.3	Development versus regeneration of the heart	17
2.3	Models used in the thesis for studying cell fate decisions	18
2.3.1	<i>In vitro</i> hESC-based model for heart development	18
2.3.2	Heart regeneration model in zebrafish	20
2.4	Molecular regulations of cell fate decisions	21
2.4.1	Signaling pathways regulating cell fate decisions in the context of the heart	23
2.4.2	Epigenetic machinery regulating cell fate decisions	27
2.4.3	Transcription factors regulate cell fate decisions	29
2.4.4	Co- and Post-transcriptional regulators in cell fate decisions	32
3	Aims of this thesis	41
4	Results	43
4.1	Part I	43
4.1.1	QKI is conserved in the vertebrates	43
4.1.2	Developmental expression profiles of QKI in human <i>in vitro</i> cardiomyocyte differentiation model	45
4.1.3	Subcellular localization of QKI	47
4.1.4	CRISPR/Cas9-mediated generation of QKI knockout hESC lines	50
4.1.5	Validation of pluripotency upon depletion of QKI in hESCs	52
4.1.6	Deciphering the role of QKI in lineage commitment of hESCs	54
4.1.7	Mechanistic insights into the function of QKI during cardiac differentiation	66
4.2	Part II	73
4.2.1	Global transcriptomic analysis during zebrafish heart regeneration	73
4.2.2	Identification of miRNA-dependent gene regulatory network controlling zebrafish heart regeneration	78

4.2.3	Functional characterization of dre-miR-429a during zebrafish heart regeneration	83
5	Discussions	88
5.1	Part I	88
5.1.1	QKI is an evolutionarily conserved RBP enriched in the nucleus during the cardiac commitment of human embryonic stem cells	88
5.1.2	QKI is not essential for the induction of germ layers	89
5.1.3	The interplay of QKI with WNT signaling is critical for cardiac mesoderm specification	90
5.1.4	QKI likely sets the mRNA splicing code for cardiac differentiation and contractility	91
5.1.5	QKI directly targets the pre-mRNA of genes involved in WNT signaling and cardiac myofibril formation	95
5.1.6	Conclusion I	97
5.1.7	Outlooks I	98
5.2	Part II	99
5.2.1	Combined miRNA and mRNA profiling reveals that heart regeneration is a transient cellular reprogramming process	99
5.2.2	Identification and ranking of miRNA-dependent gene regulatory networks during zebrafish heart regeneration	101
5.2.3	The dre-miR-429a is a crucial regulator for CM proliferation during zebrafish cardiac regeneration	102
5.2.4	Conclusion II	104
5.2.5	Outlooks II	104
6	Material and Methods	105
6.1	Materials	105
6.1.1	Chemicals	105
6.1.2	Antibodies	107
6.1.3	Plasmids	109
6.1.4	Bacterial strains	110
6.1.5	Human cell lines	110
6.1.6	Mice cell lines	110
6.1.7	Zebrafish lines	110
6.2	Animal husbandry and animal experiment	111
6.2.1	Zebrafish husbandry	111
6.2.2	Cardiac injury	111
6.2.3	Intra-cardiac injection of miRNA inhibitor or MO	111
6.2.4	Zebrafish breeding and microinjection	111

6.2.5	Collection of the hearts post-injury	112
6.2.6	Preparation of the Histological samples	113
6.3	Cell culture	113
6.3.1	Coating of cell culture dishes with Matrigel	113
6.3.2	Maintenance culture of hESCs	113
6.3.3	Freezing of hESCs for long-term storage	114
6.3.4	Cardiomyocyte differentiation	114
6.3.5	Additional mesoderm differentiation protocols	115
6.3.6	Induction of ectoderm and endoderm lineage differentiation	116
6.3.7	Generation of CRISPR/Cas9-mediated knockout of genes in hESCs	116
6.3.8	Generation of stable doxycycline-inducible QKI overexpression lines in QKI-KO hESCs	117
6.4	Molecular biology	118
6.4.1	Bacteria growth conditions	118
6.4.2	Transformation of bacteria	118
6.4.3	Plasmid isolation	119
6.4.4	PCR primers	119
6.4.5	Polymerase chain reaction (PCR)	120
6.4.6	Colony PCR	121
6.4.7	Agarose gel electrophoresis	122
6.4.8	Generation of CRISPR plasmids	122
6.4.9	sgRNA template assembly and preparation of sgRNA	123
6.4.10	RNA Extraction	124
6.4.11	DNase treatment of purified RNA	124
6.4.12	Reverse transcription	124
6.4.13	RNA precipitation	125
6.4.14	Semi-quantitative real-time PCR (qPCR)	126
6.4.15	miRNA qPCR	127
6.4.16	Enhanced cross-linking immunoprecipitation followed by sequencing (eCLIP-seq)	128
6.5	Protein biochemistry	128
6.5.1	Protein isolation	128
6.5.2	Sodium dodecyl sulfate-polyacrylamide gel electrophoresis (SDS-PAGE)	129
6.5.3	Wet blotting of proteins on polyvinylidene difluoride (PVDF) membranes	130
6.5.4	Immunoprecipitation for mass spectrometry and WB	130
6.5.5	Nuclear-cytosolic fractionation	131
6.6	Histological experiment	131
6.6.1	Suris red and fast green staining	131

6.6.2	Immunocytochemistry	132
6.6.3	Mito-tracker staining	132
6.6.4	ER tracker staining	133
6.7	RTCA to measure beating activity of hESC-CMs	133
6.8	Bioinformatic analysis	134
6.8.1	RNA sequencing data analysis	134
6.8.2	Prediction of miRNA targets	134
6.8.3	Identification of miRNA-dependent networks regulating heart regeneration	134
6.8.4	Proteomic data analysis	134
6.8.5	eClip analysis	134
6.9	Data analysis and plotting	135
6.9.1	Statistical analysis	135
6.9.2	Correlation analysis	135
6.9.3	Principal component analysis (PCA)	135
6.9.4	Heatmaps	135
6.9.5	Circle plots	135
6.9.6	GO enrichment analysis	135
7	References	136
8	Acknowledgements	172
9	Erklärung zur Dissertation	174