Content

EIDESS	STATTLICHE ERKLÄRUNG	1
ACKNC	WLEDGMENTS	11
CONTE	NT	IV
LIST O	F FIGURES	IX
		VII
	E TABI ES	
	F ABBREVIATIONS	
CENAN		ViV
SEIVIAN		ΛΙΛ
ABSTR		
ZUSAN	IMENFASSUNG	2
1	INTRODUCTION	3
1.1	The hematopoietic system	
1.1.1	Hematopoietic stem and progenitor cells	
1.1.2	Regulation of hematopoiesis	4
1.2	Chronic myeloid leukemia – a stem cell driven disease	5
1.2.1	CML – phases of the disease	6
1.2.2	BCR-ABL1 fusion gene and the translocation partners	7
1.2.3	Pathogenic mechanisms of oncogenic tyrosine kinase BCR-ABL1	10
1.2.4	Treatment of CML	
1.2.5	CML – leukemic stem cells driving the disease	
1.3	CML mouse models	13
1.3.1	Retroviral CML transplantation mouse model	14
1.3.2	Transgenic SCLtTA/BCR-ABL1 mouse model	
1.4	FCGR2B - part of the Fc receptor superfamily	15
1.4.1	The ITIM containing FCGR2B	16
1.4.2	FCGR2B is involved in the adaptive and innate immunity	
1.4.3	The inhibitory signaling of FCGR2B	
1.4.4	FCGR2B involvement in cancer	
1.5	Aim of the thesis	
2	MATERIAL AND METHODS	21
2.1	Material	21
2.1.1	Used devices	21
2.1.2	Used molecular biology reagents and chemicals	
2.1.3	Enzymes and polymerases	
2.1.4	Loading dye, DNA and protein ladders	24 مر
2.1.5	Consumable material	
2.1.7	Buffer and media	
2.1.8	Cell culture media, additives and related reagents	
2.1.9	Recombinant cytokines	

	2 1 10	Oligopueloatidos	29
	2.1.10	Tax Max and Cuby Organ and DOD reagants	20
	2.1.11	Miere ergeniem	21
	2.1.12	wicroorganism	01
	2.1.13 Vectors		
	2.1.14	Western-Blot antibodies	31
	2.1.15	fantibodies used for FACS analysis	32
	2.1.1	Cell lines	34
	2.1.2	Inhibitors	34
2.	2	Basic molecular biology methods	35
	2.2.1	Polymerase chain reaction	35
	2.2.2	Separation of nucleic acids by agarose gels	35
	223	Photometric quantification of nucleic acid concentration	36
	224	Production of chemical competent E coli	36
	2.2.4	Cloning of DNA fragments	36
	2.2.1	1.1 Isolation and purification of DNA-fragments	36
	2.2. 0.0	1.2 Cloping of Ecgr ² h looform1 and looform2	36
	2.2.	1.2 Clothing of <i>Pcgr2b</i> isolomin and isolomiz	26
	2.2.	1.3 Design of shrink ofigonucleotides	30
	2.2.	1.1 Hybridization of shrina oligonucleotides	37
	2.2.		37
	2.2.	1.3 I ransformation of competent bacteria	37
	2.2.	1.4 Minipreparation of transformed E.coli	38
	2.2.	1.1 Maxipreparation of plasmids	38
	2.2.	1.2 Sequencing of plasmids	38
	2.2.2	RNA-Isolation	38
	2.2.3	cDNA synthesis	39
	2.2.4	Quantitative real-time polymerase chain reaction qRI-PCR and data analysis	39
2.	3	Biochemical methods	40
	2.3.1	Preparation of protein lysate	40
	2.3.2	Photometric determination of protein concentrations by Bradford assay	41
	2.3.3	SDS-PAGE	41
	2.3.4	Western blot	41
ົງ	л	in vitro cell culture	42
۷.	041	On conversion and thereing of calls	12
	2.4.1	Cryopreservation and thawing of cells	42
	2.4.2		42
	2.4.3		40
	2.4.4	NIT I -assay	40
	2.4.5	Isolation of lineage negative cells from murine bone marrow	40
	2.4.6	Colony formation Assay	43
	2.4.7	Fibronectin adhesion assay	44
2	.5	Retroviral transduction	44
	2.5.1	Production of retroviral supernatants	4 4
	2.5.2	Calcium Phosphate transfection method	44
	2.5.3	Collection and storage of retroviral supernatant	45
	2.5.4	Testing of viral titers	45
	2.5.5	Generation of stable transduced cell lines	45
	2.5.6	Transduction of murine lineage negative bone marrow cells	46
	2.5.7	Generation of ERHBD-HoxB8 BM cells	46
	2.5.8	Sorting of transduced cell lines and primary murine cells	47

2.6	Primary patient samples	47
2.6.1	Isolation and freezing of CML MNC	. 47
2.6.2	Treatment of CML MNC	. 47
2.6.3	Isolation of CD34+ CML patient samples	. 48
2.6.4	Isolation of healthy CD34+ patient samples	. 48
2.6.5	Thawing of CD34+ CML patient samples	. 48
2.6.6	Treatment of CD34+ patient samples	. 48
27	Transplantation experiments	49
271	Breeding and handling of mice strains	49
2.7.1	Genotyping of mice strains	49
2.7.2	2 1 SCI TA/BCB-ABI 1	49
2.7.	2.2 C57BI6/N <i>Ecar2b^{/-}</i>	50
273	Injection of 5-FU	51
2.7.0	Transduction of 5-EU treated bone marrow cells	51
2.7.4	Transplantation of transduced bone marrow cells	52
2.7.5	Monitoring of CML like disease	52
2.7.0	Isolation of organs BM and spleen cells of transplanted mice	53
2.7.7	Histonathological analysis of organs	. 50 53
2.7.0		
2.8	Fluorescent activated cell sorting (FACS) based methods	53
2.8.1		. 53
2.8.2		.54
2.8.3	Analysis of proliferation using CFSE	. 54
2.8.4	Analysis of cell surface markers	. 55
2.8.5	Analysis of CML like phenotype by FACS	. 55
2.8.	5.1 Phenotype FACS analysis of BM and spleen cells	. 55
2.8.	5.2 HSC FACS analysis of BM and spleen cells	. 55
2.9	Analysis of microarray data	55
2.10	Software and statistical analysis	56
3	RESULTS	57
2 1	Proliminary work confirmed Fage26 transprintional up regulation	.
5.1	on LSC from transgenic SCI tTA/BCB-ABI 1 mice	57
2.0		50
3.2		20
3.2.1	Multipotent progenitor cell population within the stem cell compartment display increased FCGR2B surface expression in transgenic SCLtTA/BCR-ABL1 mice	. 58
3.2.2	BCR-ABL1 up regulates <i>Fcgr2b</i> in 32D cells and primary lineage negative BM cells	60
3.2.3	Fc gamma receptor 2b surface and mRNA expression can be reverted by doxycycli in the transgenic SCLITA/BCR-ABL1 mice <i>in vitro</i>	ine . 61
3.2.4	Up regulated Fcgr2b expression cannot be reverted by TKI treatment in vitro	. 63
3.2.5	FCGR2B is transcriptional up regulated in CML patients	. 65
3.3	FCGR2B – oncogenic function for CML leukemogenesis	67
3.3.1	Generation and characterization of ER-HoxB8 immortalized cells from <i>Fcgr2b</i> ^{+/+} and <i>Fcgr2b</i> ^{+/-} BM	d . 68
3.3.2	Fcgr2b inactivation impairs leukemic CFU capacity	.71
3.3.3	Cell growth and metabolic activity is affected in BCR-ABL1+ Fcgr2b knock-out cells	. 73
3.3.4	Fcgr2b knock-out impairs cell cycle in leukemic cells but has minor effects on apoptosis rate	. 75
3.3.5	Evaluation of FCGR2B function in transgenic SCLtTA/BCR-ABL1 BM cells	. 78

3.3.6	Generation of ER-HoxB8 immortalized cells from SCLtTA/BCR-ABL1 and SCLtTA control BM.
3.3.7	shRNA induced knock-down of <i>Fcar2b</i> in murine BM cells
3.3.8	CFU capacity and proliferation is impaired in ER-HoxB8 SCLtTA/BCR-ABL1 cells upon shRNA mediated Fc gamma receptor 2b knock-down
3.4	Genetic depletion and shRNA mediated knock-down of <i>Fcgr2b</i> impairs CML phenotype <i>in vivo</i>
3.4.1	Fcgr2b knock-out – Influence on the hematopoietic system
3.4.	1.1 <i>Fcgr2b</i> knock-out reduce T- but increase B-cells in the spleen and influence spleen stem and progenitor cell compartment
3.4.	1.2 <i>Fcgr2b</i> knock-out did not alter the bone marrow stem and progenitor compartment
3.4.2	Fcgr2b knock-out impairs CML-like phenotype in vivo
3.4.3	shRNA mediated knock-down of <i>Fcgr2b</i> attenuates CML development in a transgenic BCR-ABL1 transplantation approach
3.5	Oncogenic mechanism mediated by FCGR2B signaling
3.5.1	Up regulation of FCGR2B in CML - mechanistic role of the cytokines IL-4 and IL-1092
3.5.1	FCGR2B is phosphorylated in BCR-ABL1 positive cells
3.5.2	Oncogenic BCR-ABL1 downstream signaling is impaired upon <i>Fcgr2b</i> depletion97
3.5.3	rescue colony formation potential and impaired downstream signaling
3.6	Therapeutic targeting of the FCGR2B ITIM motif and BTK as a notential downstream mediator 101
3.6.1	Overexpression of SH2-SHIP1-YEP peptide reduced leukemic activity
3.6.2	Inhibition of FCGR2B downstream target BTK by Ibrutinib in combination with TKI therapy
3.6.	 Ibrutinib reduces cell viability and clonogenic potential in CML blast crisis cell line K562
3.6.	2.2 Combined Ibrutinib and Imatinib treatment reduce the clonogenic potential of MNCs and CD34 ⁺ stem and progenitor cells from CML patients
3.6.	2.3 Ibrutinib is able to reduce proliferation and contributes to eradication of CML-CP CD34+ CFSE ^{max} stem cells in combination with Imatinib
4	DISCUSSION 114
4.1	CML – a long way to therapeutic strategies and targets 114
4.2	FCGR2B - an ITIM motif containing receptor with a role in CML stem cell biology?
4.3	Up regulated <i>Fcgr2b</i> expression is not exclusively dependent on BCR-ABL1 kinase
4.4	CML development is impaired due to <i>Fcar2b</i> knock-out
4.4.1	In vitro studies revealed that Fcgr2b knock-out alters BCR-ABL1+ cell properties 118
4.4.2	Fcgr2b knock-out impairs CML leukemogenese in vivo
4.5	Oncogenic downstream signaling is altered by FCGR2B121
4.5.1	Activation of oncogenic FCGR2B signaling - a role for SRC kinase
4.5.2	Impaired oncogenic FCGR2B signaling - a SHIP1 independent mechanism? 122
4.5.3	Leukemic FCGR2B signaling impairs ERK1/2, p38 MAPK and BTK activation 123
4.6	FCGR2B and associated downstream mediators as a therapeutic target for CML LSCs

	4.6.1	Inhibition of FCGR2B ITIM motif by SH2-SHIP1-YFP peptide reduced leukemic cel function	 124
	4.6.2	BTK - a new target contributing to the eradication of CML LSCs	125
5		CONCLUSION AND PERSPECTIVES	128
6		BIBLIOGRAPHY	129
7		SUPPLEMENTAL FIGURES	152
С	URRI	CULUM VITAE	161
Ρ	PUBLICATIONS		162