

---

# Black and Bright Dyes for Molecular Imaging Applications

## Table of Contents

1. Introduction	1
1.1. History of Dyes	1
1.2. Bright and Black Dyes	3
1.2.1. Bright Dyes	3
1.2.2. Black Dyes	4
1.3. Molecular Imaging (MI) in Biomedicine	5
2. Bright/Black Chromophores for Photoacoustic Imaging (PAI)	7
2.1. Theory of Photoacoustic Imaging	7
2.2. Contrast Agents (CAs) for PAI (Black and Bright Dyes)	9
2.2.1. Polymethine (Cyanine) Dyes	11
2.2.2. (Aza-)dipyrrromethene boron difluoride [aza-BODIPY and BODIPYs]	13
2.2.3. Tetrapyrroles	15
2.2.4. Phthalocyanines (Pc) and Naphthalocyanines (NPc)	18
2.2.5. Squaraines and Croconaines	20
2.2.6. Miscellaneous PAI Probes	21
2.2.7. Nanomaterials for PAI	23
3. 'Bright $\leftrightarrow$ Black' and 'White/Black $\leftrightarrow$ Bright/Black' Converting Probes for PAI	26
3.1. Concept of Trigger-Responsive PA Probes	26
3.2. Superoxide Ion Detection	28
3.3. Hydrogen Peroxide (H <sub>2</sub> O <sub>2</sub> ) Detection	29
3.4. Hypochlorite Ion (OCl <sup>-</sup> ) Detection	33
3.5. Nitric Oxide Detection	34
3.6. Peroxynitrite (ONOO <sup>-</sup> ) Detection	36
3.7. Probes for the Detection of pH	37
3.8. Probes for Enzyme Activities	39
3.9. Probes for the Detection of Metal Ions	41
3.10. Probes for the Detection of Hypoxic Conditions	43
4. Bright Chromophores for Microscopic Imaging	45
4.1. Superresolution Imaging	45
4.2. Stimulated Emission Depletion (STED) Imaging	46
4.3. Fluorophores for Advanced Microscopy	47
4.4. State-of-the-Art STED-compatible Fluorophores	48
5. Colour Changing Chromophores for Temperature Imaging	53
5.1. Thermometric Techniques	53

---

---

5.2. Time–Temperature/Thermal History Indicators (TTIs)	55
6. My Contributions to the Field	58
6.1. To the ‘Black’ Dyes for PAI	58
6.1.1. ‘Black’ Porphyrin for PAI	58
6.1.2. ‘Black’ BODIPYs for PAI: Pyrrole Conjugated BODIPYs	59
6.1.3. Pyrrole Tethered Porphyrins	62
6.1.4. Optical Properties of Nitrogen Rich Heterocycles Conjugated BODIPYs	64
6.2. To the ‘Bright↔Black’ and ‘White↔Bright’ Converting Probes	65
6.2.1. Butylated Hydroxytoluene (BHT) as Universal Synthone for ROS Detection	65
6.2.1.1. BHT-Porphyrins for ROS Detection	65
6.2.1.2. BHT tethered BODIPYs for ROS Detection	66
6.2.3. BHT-Leucomethyleneblue in ROS detection	67
6.3. To the Bright Probes for Superresolution Microscopic Imaging	70
6.4. To the Chromophores for Temperature Imaging	71
7. Conclusions and Outlook	73
8. References	76
9. Authors Contributions to Publications	85
10. Supplementary Information – Reprints of Publications Relevant for This Habilitation	87
10.1. Quinone-fused porphyrins as contrast agents for photoacoustic imaging	87
10.2. Photoacoustic detection of superoxide using oxoporphyrinogen and porphyrin	94
10.3. Tuning optical properties of BODIPY dyes by pyrrole-conjugation for photoacoustic imaging	103
10.4. Sensing Reactive Oxygen Species with photoacoustic imaging using Conjugation-Extended BODIPYs	113
10.5. Synthesis and characterisation of atropisomeric meso tetra (N-sulfonyl pyrrol-2-yl) porphyrins	124
10.6. Tuning the optical properties of BODIPY dyes by N-rich heterocycle conjugation using a combined synthesis and computational approach	129
10.7. Leucomethylene blue probe detects a broad spectrum of reactive oxygen and nitrogen species	135
10.8. Dicyanoquinodimethane (DCNQ) linked benzothiadiazole and phenothiazine derivatives for photoacoustic imaging	141
10.9. Fluorescence Dyes	147
10.10. Temperature Controlled Conversion of Boc-Protected Methylene blue: Advancing Solid State Time-Temperature Indicators	204
10.11. An Unexpected Boron Rearrangement Leads to a Fluorogenic and Colorimetric BODIPY Probe	209