

Contents

I. Introduction and Summary

II. Biomaterials - a research concept (J. Krawczynski, G. Ondracek)

III. A critical evaluation of specimen preparation methods for optical and electron microscopy of bone (C. Fleck, D. Eifler, G. Ondracek, T. Watts)

III.1. Introduction

III.2. Basic considerations

III.2.1. Biomaterials

III.2.2. Healing bone

III.2.3. Behaviour of implant materials

III.3. "Bones" and "Bone"

III.3.1. Structure of bone

III.3.2. The ultrastructure of bone

III.4. Histological preparation scheme

III.4.1. Introduction

III.4.2. Fixation

III.4.2.1. Purpose of fixation

III.4.2.2. Rules for optimal fixation of bone

III.4.2.3. Composition of fixatives

III.4.2.4. Buffer solutions

III.4.2.5. Fixing agents

III.4.2.6. Recommended fixative solutions for bone

III.4.3. Dehydration

III.4.3.1. Aims and reasons of dehydration

III.4.3.2. Common dehydration agents

III.4.3.3. Chemical and morphological effects of dehydration

III.4.3.4. Dehydration schedules

III.4.4. Embedding

III.4.4.1. Goals and applications of embedding

III.4.4.2. Embedding media

III.4.4.3. Chemical and morphological effects of synthetic resins

III.4.4.4. Standard embedding methods for synthetic resins

III.4.5. Preparation of thin sections

III.4.5.1. Microtomy of calcified tissue

III.4.5.2. Ultramicrotomy of calcified tissue

III.4.5.3. Sawing and grinding

III.4.6. Staining

III.4.7. Drying methods

III.4.7.1. Introduction

III.4.7.2. Evaporative drying (air-drying)

III.4.7.3. Freeze drying

III.4.7.4. Critical point drying (CPD)

- III.5. Scanning electron microscopy
 - III.5.1. Scanning electron microscopy (SEM) in calcified tissue research
 - III.5.2. Principal functioning of the scanning electron microscope
 - III.5.3. Interaction between electrons and specimen
 - III.5.4. Scanning electron microscope modes
- III.6. Materials and methods
 - III.6.1. Bone
 - III.6.2. Specimen preparation for light and scanning electron microscopy
 - III.6.3. Embedding experiments
 - III.6.4. Specimen preparation for transmission electron microscopy
 - III.6.5. Fixation experiments
- III.7. Results and discussion
 - III.7.1. Specimen preparation for light and scanning microscopy
 - III.7.2. Critical point drying
 - III.7.3. Embedding experiments
 - III.7.4. Specimen preparation for transmission electron microscopy
 - III.7.5. Fixation experiments
- III.8. References

IV. Gaskontrastierung von Knochen und Implantatwerkstoffen (E. Beleites, O. Klinger, N. Zeleme, M. Milosevski)

- IV.1. Problemdefinition und Zielsetzung
- IV.2. Charakterisierung der zu untersuchenden Materialien
 - IV.2.1. Knochen
 - IV.2.2. Implantatwerkstoffe
- IV.3. Kontrastierungsverfahren
 - IV.3.1. Ätzen
 - IV.3.1.1. Methodenübersicht
 - IV.3.1.2. Optisches Ätzen
 - IV.3.1.3. Elektrochemisches und physikalisches Ätzen
 - IV.3.1.4. Kontrastieren
 - IV.3.2. Färben
 - IV.3.3. Vergleich der beiden Kontrastierungsverfahren
- IV.4. Die Gaskontrastierapparatur
 - IV.4.1. Zur Gasentladung
 - IV.4.2. Der Kammeraufbau
- IV.5. Probenpräparation
 - IV.5.1. Präparationsfolge
 - IV.5.2. Präparation poröser Werkstoffe
 - IV.5.3. Präparation von Verbundwerkstoffen
 - IV.5.4. Präparation einer Implantatprobe
- IV.6. Kontrastierungsversuche und Meßergebnisse
- IV.7. Literaturverzeichnis