CONTENTS

	List of Illustrations	i
	List of Tables	X
	Acknowledgments	XX
	Prologue	xxvi
	Part I	ı
1	Theoretical Background	3
	1.1 A Social Scientific Approach to Sexuality 3	
	1.2 Scripting Theory: Explaining Sexual Content 5	;
	1.3 Choice Theory: Sexual Decision Making 8	
	1.4 Network Theory: The Sexual Dyad 16	
	1.5 Interrelations among the Theories 24	
	1.6 Master Statuses and Master Relationships as Social Signals 30	
2	The Study Design	35
	2.1 Major Issues in Designing a Study of Sexuality in the Age of AIDS 42	
	2.2 On Privacy, Confidentiality, and Security 71	
	Part II	75
3	Sexual Practices and Profiles of Sexual Expression	77
	3.1 Sexual Practices 80	, ,
	3.2 Sexual Techniques with Opposite-Gender	
	Partners 96	
	3.3 Sexual Relationships and Contextual Action 12	1
	3.4 Profiles of Sexual Expression 133	
	3.5 Conclusion 145	
	Appendix 3.1A Construction of the Religion Variable for Protestant Respondents 146	
t	The Social Organization of Subjective	
	Sexual Preferences	148
		1 70

vi Contents

5	The Number of Partners	172
3	5.1 The Number of Partners over Specific Time Intervals 175	
	5.2 The Cumulative Number of Partners, by Age at Time Period 1945.3 The Number of Sex Partners before, during, an	
	following First Union 203	
	5.4 Multivariate Analysis of the Number of Partners 216	
	Appendix 5.1A: Construction of the Variable PAR (Number of Partners in the Last Twelve Months) Appendix 5.2A: Construction of the Variable PAR	221
	(Number of Partners since Age Eighteen) 222	
6	Sexual Networks	225
	6.1 Master Statuses and the Partnering Process 226.2 Social Networks and the Partnering Process 26.3 Homophily among Noncohabitational	
	Partnerships 243 6.4 The Consequences of Specific Partnering Strategies 254	
	6.5 The Structure of Between-Group Contact 262 6.6 Conclusion 266	
7	Epidemiological Implications of Sexual Networks	269
8	Homosexuality	283
	8.1 Prior Research on the Prevalence of Homosexuality 286	
	8.2 The Myth of 10 Percent and the Kinsey Research 287	
	8.3 Dimensions of Homosexuality 290	
	8.4 Measurement and Prevalence of Same-Gender	
	Behavior, Desire, and Identity 292 8.5 The Interrelation of Same-Gender Sexual Beh Desire, and Identity 298	avior,
	8.6 The Relation of Master Statuses and Same-Ge Sexuality 302	ender
	8.7 Conclusion 320	
9	Formative Sexual Experiences 9.1 First Vaginal Intercourse and Youthful Heterosexuality 322	321
	9.2 Forced/Coerced Sex in Adulthood 3339.3 Adult and Adolescent Sexual Contacts	
	with Children 339 9.4 Conclusion 347	

Contents vii

	Part III	349
10	Sex, Health, and Happiness 10.1 Health and Happiness 351 10.2 Sexual Correlates of Happiness and Health 10.3 Sexual Satisfaction 363 10.4 Sexual Dysfunction 368 10.5 Conclusion 374	351 357
11	Sexually Transmitted Infections 11.1 Lifetime and Annual Rates of STIs 378 11.2 Risky Partners and Risky Practices 391 11.3 The Sexual Behavior of Those Infected with STIs 422 11.4 Reactions to the Risk of Infection 427 Appendix 11.1A: The Logistic 440	376
12	Sex and Fertility 12.1 The Pattern of Fertility 443 12.2 Fertility Control 448 12.3 The Outcome of Conceptions 455 12.4 Age at Birth of the First Child 465 12.5 Conclusion 473	442
13	 Sex, Cohabitation, and Marriage 13.1 Age of Entry into a First Marriage or Cohabitation 476 13.2 The Choice of a Marriage or a Cohabitation Union 491 13.3 The Stability of Partnerships 496 13.4 Conclusion 508 	475 al
14	Normative Orientations toward Sexuality 14.1 Different Normative Orientations 510 14.2 The Distribution of Orientations within Mas Status Groups 518 14.3 Normative Orientations and Sexual Behavio 14.4 Normative Orientations and Sexual Preferences 536 14.5 Conclusion 537	
	Epilogue Appendix A: Sampling Procedures	541
	and Data Quality Appendix B: Comparisons of the NHSLS	549
	with Other Data Sets	571
	Appendix C: Text of the NHSLS Questionnaire	606

viii		CONTENTS
	References	679
	Author Index	707
	Subject Index	712

ILLUSTRATIONS

1.1	A matrix representation of the interface among events,	
	actors, and actors/events.	25
3.1	Percentage sexually inactive with any partner last year,	
	by age and gender.	91
3.2	Lifetime occurence of oral sex, by cohort.	103
3.3	Distribution of autoeroticism by gender.	136
3.4	Number of partners and autoeroticism in the last year.	138
3.5	Sexual practices and autoeroticism.	140
5.1	Schematic diagram showing the age at each year for	
	respondent born in a specific year.	195
5.2	Percentage of respondents who reported having five or	
	more sex partners by a specified age, by gender and	
	birth cohort.	202
6.1	Box plots of the difference (in years) between age of	
	respondent and age of partner among all nonmarital	
	and noncohabitational sexual partnerships, by gender.	252
7.1	A hypothetical sexual network.	270
8.1	Prevalence of various measures of same-gender sexuality,	
	U.S. adults.	295
8.2	Interrelation of components of homosexuality.	299
8.3	Interrelation of different aspects of same-gender sexuality.	301
9.1	Mean age at first intercourse, by birth cohort.	325
9.2	Cumulative percentage of respondents by age at first	
	intercourse.	326
9.3	The respondent's relationship to the person who forced	
	him or her to have sex.	338
10.1	Sexual dysfunction, by gender.	369
11.1	Logistic regressions on ever having an STI, reported by	
	odds ratio point estimates and 95 percent confidence	
	intervals.	390
11.2	Effect of partnering patterns on the calculated probability	
	of contracting an STI, by the probability the partner is	
	infected, and on the number of sexual contacts.	394

X ILLUSTRATIONS

11.3	Logistic regressions, odds ratio point estimates and 95	420
	percent confidence intervals.	439
11A.1	A logistic relation between the proportion P and the	
	variable X.	440
12.1	Linkages in the chain of events and decisions that occur	
	between sex and live birth.	443
12.2	Age at birth of first child, by gender, birth cohort, and	
	education level.	468
13.1	Pattern of entry into first union, by gender and cohort.	478
13.2	Logistic regression on entry into first union.	486
13.3	Logistic regression on entry into a cohabitational	
	relationship instead of a marriage.	492
13.4	Stability of first partnerships formed as cohabitational	
	relationships.	497
13.5	Divorce patterns.	499
13.6	Logistic regression on marital dissolution.	504
14.1	Map of the United States showing census divisions and	
	regions.	528
14.2	Scale showing the relative similarity of the distribution	
	of sexual orientations within regions.	529
E.1	A schematic outline of the model of sexual exchange.	545
A.1	Population of inference.	556
A.2	Response rate.	559

TABLES

2.1	Comparison of percentages of people having sex at least once a week, estimated by the Janus Report and the GS	
2.2	by age and gender.	46
2.2	Width of one side of a 95 percent confidence interval for	
2.1	the estimate of a proportion.	48
3.1	Frequency of masturbation, orgasm during masturbation,	
2.0	and felt guilt, by master status variables.	82
3.2	Frequency of orgasm in masturbation, by frequency of	
2.2	masturbation, for men and women.	85
3.3	Reasons for masturbation, by gender.	86
3.4	Frequency of sex in the past year, by master status	
2.5	variables.	88
3.5	Duration of last event, by master status variables.	94
3.6	Selected sexual practices, by master status variables.	98
3.7	Percentage of sexual satisfaction/substance use in self-	117
201	reported "primary" partnerships last year.	116
3.8A	Frequency of heterosexual activity and techniques, by master relationships.	130
3.8B	Selected heterosexual outcomes, by master relationships.	130
3.8C	Selected contextual practices, by master relationships.	131
3.9	Sexual fantasy and use of autoerotic materials.	135
3.10	Intercorrelations of selected indicators of autoerotic	155
	activity.	135
3.11	Scores on autoeroticism scale by mean number of sexual	
	preference items rated "very appealing."	139
3.12	Profiles of partnered and autoerotic sexual activity for men	1
	and women, by likelihood of "always" having orgasm.	141
3.13	Sexual profiles and master statuses.	142
4.1	Mean number of "very appealing" responses to the appeal	
	items, by social characteristics.	150
4.2	The social organization of sexual preferences.	152
4.3	Appeal of selected sexual practices, by gender and age.	162
4.4	Cross-classification of respondents according to the number	

xii Tables

	of "heterosexual" activities judged to be appealing and	
	selected master status attributes.	169
5.1A	Number of sex partners in past twelve months, by selected social characteristics.	177
5.1B	Number of sex partners in past five years, by selected social	l
J.1 D	characteristics.	178
5.1C	Number of sex partners since age eighteen, by selected	
	social characteristics.	179
5.1D	Sex partners since age eighteen.	180
5.2	Aspects of sexual experience, by the number of partners in the past twelve months.	183
5.3	The standard deviation of the proportion, for three sample	
7.2	sizes.	185
5.4A	Number of sex partners in the past twelve months, by age,	
	gender, and current marital status.	189
5.4B	Number of sex partners in the past twelve months, by age,	
	gender, and current cohabiting status.	190
5.4C	Number of sex partners, selected studies.	191
5.5	Number of sex partners by specific ages, by gender and birth cohort.	198
5.6	Number of sex partners by birth cohort, by gender and	
	specific ages.	201
5.7	Distributions of number of sex partners before age eighteen	
	by number between ages eighteen and twenty, by gender and birth cohort.	204
5.8	Percentage of first unions that were formal marriages, and	
3.0	median age.	207
5.9A	Percentage distribution of number of new sex partners	
	before, during, and after formal marriage.	208
5.9B	Percentage distribution of number of new sex partners	
	before, during, and after cohabitation.	209
5.10	Percentage with two or more sex partners among those	
	whose first union was a formal marriage.	210
5.11	Percentage with no sex partners and with five or more sex	
	partners before forming a union among those whose first	st
	union was either a formal marriage or a cohabitation.	211
5.12	Median number of sex partners before marriage or	
	cohabitation and percentages having sex with spouse	
	before marriage.	213
5.13	Percentage who did not have vaginal intercourse before	
	marriage (by gender) and median age at first vaginal	
	intercourse (by gender and type of first union).	214
5.14	Percentage with extramarital or extracohabitational	

Tables	x	iii

	sex partners, by gender, type of partnership, and birth cohort.	215
5.15	Percentage reporting extramarital affairs.	216
5.16A	Multivariate analysis of partners in past twelve months.	217
5.16B	Multivariate analysis of partners since age eighteen.	218
5A.1	Categorical distribution of SAQ versus questionnaire	
	measures of sex partners since age eighteen—NHSLS.	224
5A.2	Comparison of percentage distributions, SAQ (PRT18S),	
	questionnaire (PRT18Q), and constructed measure	
	(PART18)—NHSLS.	224
6.1	Type of introduction and place of meeting, by type of relationship.	225
6.2	<u>*</u>	235
0.2	Time from meeting to first sex, by type of introduction and place of meeting.	
6.3	Estimated in-choice rates and homophily bias parameters	240
0.5	among nonmarital and noncohabitational partnerships,	
	by gender.	244
6.4	Percentage homophilous, by relationship type.	244
6.5	Percentage homophilous, by meeting place.	255
6.6	Percentage of homophilous versus heterophilous	258
0.0	partnerships in which partner knew respondent's family	
	and friends.	262
6.7	Race/ethnicity of respondents and their partners, by gender,	
0.7	nonmarital and noncohabitational partnerships only.	264
6.8	Education level of respondents and their partners, by	204
0.0	gender, nonmarital and noncohabitational partnerships	
	- · ·	265
6.9	Religious preference of respondents and their partners, by	203
	gender, nonmarital and noncohabitational partnerships	
	•	267
7.1	Race, age, and gender of respondents and their sex	207
		278
8.1	Percentage reporting any same-gender sex partners in	2.0
	different time periods, by selected social/demographic	
		303
8.2	Percentage reporting various types of same-gender	
	sexuality with a partner, by selected social and	
		305
8.3A	Prevalence of same-gender and opposite-gender partners.	311
8.3B	Prevalence of sexual identity and sexual attraction, by	
0.4		311
8.4	Mean numbers of sex partners, by measures of same-	
	gender sexuality.	315

xiv	т	ABLES
8.5	Mean frequency of sex per month for past year, by	
	measures of same-gender sexuality.	317
8.6	Percentage reporting selected sexual practices, by various	
	measures of same-gender sexuality.	318
9.1	Number of opposite-gender sex partners before age	
0.2	eighteen, by birth cohort and gender.	328
9.2 9.3	First intercourse wanted, not wanted, or forced.	329
9.3	Reasons for having first intercourse, by gender and desire	220
9.4	status.	329
7. 4	Relationship to first sex partner, by gender and desire status.	221
9.5	Sexual techniques and use of birth control during first	331
7.5	intercourse.	332
9.6	Number of times respondent had sex with first intercourse	332
	partner.	333
9.7	Prevalence of forced sex.	336
9.8	Distribution of women ever forced sexually by a man, by	330
	master status.	337
9.9	Comparison of selected features of adult women's sexual	
	and nonsexual experiences, by forced sex status.	339
9.10	Age and gender of person who touched respondent before	
0.44	puberty.	341
9.11	Percentage of cases of childhood sexual contact that	
	involved specific sexual activities, by gender of	
9.12	respondent and person with whom contact occurred.	341
9.12	Percent distribution of the age at the time of the sexual	
9.13	touching, by gender of respondent and adult involved.	342
7.13	Number of adolescents/adults by whom respondent was touched.	2.42
9.14	Relationship to respondent of adult who had sex with	343
,,,,	respondent as a child.	242
9.15	Comparison of selected features of adult sexual and	343
	nonsexual experiences, by gender and childhood sexual	
	contact status.	345
10.1	Self-assessed happiness and health—comparisons of the	343
	NHSLS and the GSS.	353
10.2A	Happiness, by master status.	355
10.2B	Health, by master status.	356
10.3	Percentage of sample in cells defined by health and	
10.4	happiness.	357
10.4	Levels of happiness, by sexual behaviors.	358
10.0	Percentage "extremely" or "very" physically pleased or emotionally satisfied by the sexual relationship, by type	
	of partnership and number of partners.	264
	Paranetomp and number of partiers.	364

Tables xv

10.6A	Zero-order correlations between descriptors of "feelings" about one's lover-primary partner, with one partner onl	3 7
	by gender.	y, 366
10.6B	Primary partner, with more than one partner, by gender.	367
10.7	How sex made respondent feel, by partner type and	
10.04	number.	368
10.8A	Sexual dysfunction by master status, men.	370
10.8B	Sexual dysfunction by master status, women.	371
10.9	Sexual problems by health status, by gender.	373
10.10	Happiness, by sexual dysfunction, percentage with	27.4
11 1	dysfunction in happiness category.	374
11.1	Incidence of lifetime and annual STIs.	382
11.2	Lifetime and annual STIs, by type of infection and age.	383
11.3	Lifetime STIs, by age and gender.	384
11.4	Lifetime STIs, by number of sex partners since age	
11.7	eighteen.	385
11.5	Annual STIs, by number of sex partners in past twelve	
	months.	386
11.6	Lifetime STIs, by number of partners, type of infection, and gender.	387
11.7	Lifetime STIs, by detailed age group, type of infection, an	d
	gender.	388
11.8	Lifetime STIs, by gender and race/ethnicity.	388
11.9	Estimated rates of infectivity for specific STIs, by gender.	392
11.10	Calculated probability of contracting an STI, by type of disease, condom use, partner risk, and number of sexual encounters.	
11.11	Percentage of respondents with various measures of	393
11.11	unfamiliarity with sex partners, by master status	
	variables.	200
11.12		399
11.12	Percentage of respondents with various measures of sexual exclusivity of sex partners, by master status variables.	
11.13A		402
11.13A	Familiarity of partners, by number of partners and primary	
11 12D	and secondary partner status.	404
11.13B	Exclusivity of partners, by number of partners and primary and secondary partner status.	405
11.13C	Number of unfamiliar and nonexclusive attributes.	406
11.14	Familiarity and exclusivity of partners, by types of partnerships and primary/secondary partner status.	407
11.15	Incidence of diagnosed STIs in the past twelve months, by familiarity and exclusivity measures and primary/	
	secondary partner status.	408
11.16A	Incidence of STIs in the past twelve months, by number of	

xvi Tables

	partners and primary/secondary partners' number of	410
11.16B	partners. Incidence of STIs in the post twelve months, by number of	410
11.10D	Incidence of STIs in the past twelve months, by number of	
	partners and primary/secondary partners' exclusivity	411
11.16C	status during partnership.	
11.100	Incidence of STIs in the past twelve months, by number of	
	partners and length of time respondent knew primary/	411
11 17	secondary partner before first sex.	411
11.17	Incidence of STIs in the past twelve months, by summary	410
11 10 A	measures of partner attributes.	412
11.18A	Condom use during vaginal intercourse: during last sexual	412
11.18B	event, by number of partners.	413
11.10D	Condom use during vaginal intercourse: frequency of use	
	in the past twelve months with primary/secondary	
11.18C	partner, by number of partners in the past twelve months	.413
11.100	Condom use during vaginal intercourse: frequency of use	
	in the past twelve months with primary/secondary	
11 10 4	partner, by marital/cohabitational status.	414
11.19A	Use of drugs or alcohol during the last sexual event and	
	during the past twelve months, by number and status of	
11 10D	partners.	415
11.19 B	Condom use during last sexual event, by use of alcohol or drugs.	415
11.19C	C	415
11.170	Condom use during the past twelve months, by use of	
11.20	alcohol or drugs.	415
11.21	Risky sex practices, by master status variables.	417
11.21	Condom use during vaginal intercourse in last event, by	
11.22	partner familiarity and exclusivity measures.	419
11.22	Condom use in the past twelve months with primary and	
	secondary partners, by partner familiarity and exclusivity	
11.23	measures.	420
11.23	Incidence of STIs in the past twelve months, by primary	
	and secondary partner attributes and frequency of	
11.24A	condom use during vaginal intercourse.	423
11.247	Distribution of number of partners in the past twelve	
	months, by sexually transmitted infection status, by age	
11.24B	and disease type.	426
11.24D	Condom use with primary partner in the last sexual event	
11 25	and during the past twelve months.	426
11.25	Knowledge of HIV/AIDS prevention techniques.	428
11.26	Condom use in the last sexual event and in the past twelve	
	months, by knowledge, primary/secondary partner status	s ,
	number of partners in the past twelve months, and	
	marital/cohabitational status.	429

TABLES			

11.27

xvii

11.27	Condom use, by cautiousness, primary/secondary partner status, number of partners in the past twelve months, an	ıd
11.00	marital/cohabitational status.	431
11.28	Condom use in the past twelve months, by partner	
	attributes, cautiousness, and primary/secondary partner status.	433
11.29A	Percentage who have ever been tested for HIV/AIDS and percentage who have changed behavior in response to risk of HIV/AIDS, by master status variables.	434
11.29B	Percentage who have ever been tested for HIV/AIDS and percentage who have ever changed behavior in response to risk of HIV/AIDS, by number of partners and other sexual behaviors.	
11.29C	Percentage who have ever been tested for HIV/AIDS and percentage who have changed behavior in response to risk of HIV/AIDS, by additional attributes of partners.	436
12.1	Number of children ever born, by gender, for two data sets—the NHSLS and the National Survey of Families and Households.	
12.2A		444
12.27	Number of children ever born, by master status variable, women.	110
12.2B		446
	Number of children ever born, by master status variable, men.	447
12.3A	Contraception use in the past twelve months, with primary partner, by gender.	450
12.3B	Contraception use in the past twelve months, with secondary partner, by gender.	451
12.4	Rates of sterility, by cause, gender, and master status.	452
12.5	Percentages with lowered risk of conception in the last sex event, by means of avoidance, gender, and marital status/	
	living arrangement.	454
12.6A	Outcomes of conceptions, by master status—women.	458
12.6B	Outcomes of conceptions, by master status—men.	459
12.7A	Outcomes of conceptions, by gender, narrow age category, and marital status/living arrangement.	462
12.7B	Outcomes of conceptions, by gender, broad age category, race, and marital status.	463
12.8A	Abortions as a percentage of conceptions, by gender and by	
-2.0.2	age at conception or year of conception.	464
12.8B	Live births, miscarriages, and abortions as percentages of conceptions, by gender and by the number of the conception.	464
12.9		465
12.10		463 467
	and pattern of most origin in ago intervals, by gender.	'1 U /

xviii Tables

12.11	Logistic regressions on age at first birth, with and without	470
12.12	variables indicating sex before age eighteen. Five synthetic cases.	470
12.12	Estimated probability of an eighteen-year-old person	4/1
12.13	having a child, based on logistic regressions, by gender	
	and cohort.	472
13.1	Number of new partnerships and number of observations,	4/2
13.1	by gender, age interval, and birth cohort.	482
13.2	Age at first union, for women born 1953–62—three	402
13.2	models.	483
13.3	Estimated probability of an eighteen-year-old forming a	703
	marriage or a cohabitational partnership.	488
13.4	Effect of having sex partners before age eighteen on the	400
	likelihood of forming a partnership (marriage or	
	cohabitation) by age thirty.	489
13.5	Percentage of cohort having no sex partners before age	107
	eighteen, by gender and race.	490
13.6	Estimated probability of entering a cohabitation instead of	.,,
	a marriage.	494
13.7	Separation by the tenth anniversary of marriage.	498
13.8	Number of first marriages in the NHSLS, by age at	
	marriage and by gender.	500
13.9	The odds of dissolution for each of the cohorts.	501
13.10	Effects of personal characteristics on the dissolution rate.	501
13.11	Effects of differences in characteristics between responden	t
	and spouse on the dissolution rate.	503
13.12	Proportions of men and women who were virgins at	
	marriage, by cohort.	503
13.13	Estimated probability of dissolution.	506
13.14	Percentage of respondents who in 1992 believe that	
10.1=	premarital sex is always or almost always wrong.	507
13.15	Coefficient on the variable denoting virginity at wedding.	507
14.1	Results of cluster analysis based on responses to nine	
1.1.0	sexual attitude items.	514
14.2	Cluster membership, by master status groups.	520
14.3	Two models showing changes in the odds of being in a	
	particular normative cluster associated with different	
111	master status groups.	525
14.4	Cluster membership, by region.	527
14.5	Frequency of participation in selected sexual behaviors, by	,
146	attitude cluster.	532
14.6	Responses to selected sexual appeal items, by attitude	
	cluster.	538

IABLES		xix	
A .1	Regressions of measures of reluctance on sexual		
	experiences and attitudes.	563	
A.2	Regressions of respondent error on sexual experience	es and	
	attitudes.	566	
A.3	Regressions of presence of onlookers on sexual experiences		
	and attitudes.	569	
B.1	Sample weights, by key components.	575	
B.2	Comparison of demographic characteristics.	577	
B.3	Comparison of sexual behavior, SAQs.	586	
B.4	Comparison of sex-related attitudes.	598	
B.5	Percentage whose first union was a marriage, NSFH		
	NHSLS.	602	